

# COMPACT SPRAYERS & COMPONENTS



BUYERS GUIDE • NOVEMBER 2022  
**CROPLANDS.COM.AU**



CROPLANDS

# 50 YEARS

BRINGING YOU THE BEST

## Celebrating 50 years at the forefront of spray technology.

For the last 50 years, Croplands has been proudly helping Australian farmers eliminate weeds. With an unwavering commitment to produce spraying equipment that is efficient, reliable and engineered to endure, Croplands is always seeking to save you time, reduce your costs and maximise your productivity.



# COMPACT SPRAYERS & COMPONENTS

## SPRAYING EQUIPMENT & ACCESSORIES

4	LINKAGE
14	BOOMS
17	BOOM ACCESSORIES
18	CROPAIR
20	TRAILPAK
24	RETRASPRAY
25	TRAYPAK
28	CROPPAK
30	KNAPSACKS
32	CROPPAK & SWISSMEX ACCESSORIES
34	REELS & PRESSURE GAUGE ACCESSORIES
35	SPRAY GUNS & LANCES
36	CHEMICAL MIXING & TRANSFER

## SAFETY EQUIPMENT

39	SAFETY PROTECTIVE EQUIPMENT
----	-----------------------------

## FIREFIGHTERS

40	FIREFIGHTERS FIRE SAFETY RANGE
----	--------------------------------

## SPRAY TANKS

41	SPRAY TANKS
----	-------------

## PUMPS

43	AR - LOW PRESSURE PUMPS
44	AR - MEDIUM & HIGH PRESSURE PUMPS
45	AR - MOTORISED PUMPS
46	AR PARTS & ACCESSORIES
47	MANUAL CONTROL VALVES & REGULATORS
48	HYPRO - CENTRIFUGAL PUMPS
49	HYPRO - TRANSFER PUMPS
50	SHURFLO PUMPS & ACCESSORIES
51	FLOJET PUMPS & ACCESSORIES

## CONTROLLERS, VALVES & ELECTRICS

52	ELECTRIC CONTROL KITS
53	AUTO RATE CONTROLLERS
54	MANIFOLDS, SWITCHBOXES & COMPONENTS
55	VALVE KITS ELECTRIC & MANUAL
56	GPS SYSTEMS
57	SPRAYING TOOLS & COVERAGE

## NOZZLES & CAPS

59	SPRAYWISE
60	CEREAL SEGMENT GUIDE
62	NOZZLE FLOW CHART
64	SPRAY QUALITY CHARTS
66	AGROTOP - NOZZLE SELECTION
67	ALBUZ - NOZZLE SELECTION
68	HYPRO - NOZZLE SELECTION
69	TEEJET - NOZZLE SELECTION
70	NOZZLE CAPS
71	NOZZLE BODIES & FILTERS
72	SPRAY NOZZLES WIDE ANGLE FLAT & FERTILISER
73	SPRAY NOZZLES SPECIALISED APPLICATION
74	HORTICULTURE - NOZZLE SELECTION
77	TURBODROP® NOZZLES NARROW ANGLE AI
78	BODIES & CAPS FOR HORTICULTURE
79	DISCS & CORES
80	TERMS & CONDITIONS OF SALE
82	FREIGHT

# LINKAGE SPRAYERS



**Croplands linkage sprayers are engineered to deliver safe and efficient spray application. Hard-wearing and long-lasting UV-stabilised tanks range in capacity from 300 up to 1600 litres, offering spraying solutions for properties of all sizes.**



#### **Market leading pump capacity**

Fitted with Annovi Reverberi triple-diaphragm positive-displacement pumps, Croplands linkage units deliver optimal flow and pressure



#### **Control and coverage**

Fitted standard to Croplands linkage booms, Agrotop AirMix air-induction nozzles are designed to provide optimal drift control and surface coverage

# LINKAGE AGRIPAK300

SCAN FOR  
VIDEO



300L AGRIPAK LINKAGE  
WITH THE OPTIONAL 4M BOOM

OPTIONS SEE PAGES 12-13

## KEY FEATURES

1. 5-tap control with master on/off lever
2. Isometric gauge for accuracy
3. 10L handwash tank
4. 40L flushing tank
5. Main tank drain
6. Protected nozzles
7. Stainless-steel boom lines
8. Spring-loaded boom breakaways
9. Galvanised boom and frame
10. Easily accessible and protected filter
11. Protected pump supplied with PTO shaft
12. Venturi tank agitation
13. Easy-adjust boom height slides



300L AGRIPAK LINKAGE  
WITH BOOM

## AGRIPAK 300

WIDTH: 1200MM LENGTH: 900MM HEIGHT: 1420MM WEIGHT: 160KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>LA300</b>	300L AgriPak linkage sprayer with flush tank. Fitted with AR80 liquid-fertiliser-ready pump, UCM 5-way controller fitted (no hose reel or boom – see options)	4,048.00	4,452.80	A
<b>LA300/MBX04</b>	- 4m MBX series boom fitted	5,490.00	6,039.00	A
<b>LA300/MBX06</b>	- 6m MBX series boom fitted	5,734.00	6,307.40	A
<b>LA300/MSCL-2</b>	- double-sided covered boom fitted	5,960.00	6,556.00	A
<b>LA300/XTKIT</b>	- XT boom kit fitted with X Tender boom jets. Standard X Tender nozzles fitted are #24, which gives coverage of up to 8m width depending on height the XT boom kit is mounted. An ideal choice for hill country or liquid-fertiliser applications	4,908.00	5,398.80	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

# LINKAGE AGRIPAK600

SCAN FOR  
VIDEO



600L AGRIPAK LINKAGE WITH OPTIONAL BOOM,  
HOSE REEL, ELECTRIC CONTROLS AND FOAM MARKER

OPTIONS SEE PAGES 12-13

## KEY FEATURES

1. 5-tap control with master on/off lever
2. Isometric gauge for accuracy
3. 15L handwash tank
4. 80L flushing tank
5. Main tank drain
6. Protected nozzles
7. Stainless-steel boom lines
8. Spring-loaded boom breakaways
9. Galvanised boom and frame
10. 3-way tap by filter to allow tank selection
11. Rear-mounted AR triple-diaphragm pump supplied with PTO shaft
12. Venturi tank agitation
13. Easy-adjust boom height slides



600 AGRIPAK LINKAGE  
WITH BOOM

## AGRIPAK 600

WIDTH: 1400MM LENGTH: 1100MM HEIGHT: 1600MM WEIGHT: 200KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>LA600</b>	600L AgriPak linkage sprayer with flushing tank, handwash tank, AR80 liquid-fertiliser-ready pump, UCM 5-way controller (no hose reel or boom – see options)	4,557.00	5,012.70	A
<b>LA600/MBX06</b>	- 6m MBX series boom fitted	6,302.00	6,932.20	A
<b>LA600/MAX08</b>	- 8m MAX series boom fitted – no self-leveller	7,578.00	8,335.80	A
<b>LA600/MAX08L</b>	- 8m MAX series boom fitted – and self-leveller	8,384.00	9,222.40	A
<b>LA600/MAX10</b>	- 10m MAX series boom fitted – no self-leveller	8,364.00	9,200.40	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

# LINKAGE AGRIPAK800

SCAN FOR  
VIDEO

800L AGRIPAK LINKAGE WITH  
THE OPTIONAL 8M BOOM

OPTIONS SEE PAGES 12-13

## KEY FEATURES

1. 5-tap control with master on/off lever
2. Isometric gauge for accuracy
3. 15L handwash tank
4. 80L flushing tank for in-field clean out
5. Main tank drain for complete clean out
6. Protected nozzles
7. Stainless-steel boom lines
8. Spring-loaded boom breakaways
9. Galvanised boom and frame
10. Easily accessible and protected filter
11. Rear-mounted AR triple-diaphragm pump supplied with PTO shaft
12. Venturi tank agitation
13. Easy-adjust boom height slides
14. Optional slide-out rear park legs



## AGRIPAK 800

WIDTH: 1400MM LENGTH: 1000MM HEIGHT: 1700MM WEIGHT: 200KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>LA800</b>	800L AgriPak linkage sprayer with flushing tank, handwash tank, AR80 liquid-fertiliser-ready pump, UCM 5-way controller (no hose reel or boom – see options)	5,105.00	5,615.50	A
<b>LA800/MAX08</b>	- 8m MAX series boom fitted – no self-leveller	8,156.00	8,971.60	A
<b>LA800/MAX08L</b>	- 8m MAX series boom fitted – and self-leveller	8,965.00	9,861.50	A
<b>LA800/MAX10</b>	- 10m MAX series boom fitted – no self-leveller	8,877.00	9,764.70	A
<b>LA800/MAX10L</b>	- 10m MAX series boom fitted – and self-leveller	9,679.00	10,646.90	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

# LINKAGE AGRIPAK1000

LAC1000 AGRIPAK LINKAGE WITH  
10M MANUAL-FOLD BOOM



SCAN FOR  
VIDEO



## KEY FEATURES

1. 5-tap control with master on/off lever (not pictured)
2. Isometric gauge for accuracy (not pictured)
3. 15L handwash tank
4. 100L flushing tank for in-field clean out
5. Main tank drain for complete clean out
6. Protected nozzles
7. Stainless-steel boom lines
8. Spring-loaded boom breakaways



9. Galvanised boom and frame
10. Easily accessible and protected filter
11. Rear-mounted AR triple-diaphragm pump
12. Venturi tank agitation
13. Easy-adjust boom height slides
14. Slide-out rear park legs and forklift points for safe loading/unloading
15. Fold-up step standard
16. Over-top support for added strength



OPTIONS SEE PAGES 12-13


## AGRIPAK 1000

WIDTH: 1420MM LENGTH: 1100MM HEIGHT: 1800MM WEIGHT: 450KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>LAC1000</b>	1000L AgriPak linkage sprayer with flush tank. Fitted with AR80 pump, UCM 5-way controller (base model, no hose reel or boom). Venturi agitation fitted standard	7,359.00	8,094.90	A
<b>LAC1000/8M</b>	- 8m MAX manual-fold boom – 3 sections	10,456.00	11,501.60	A
<b>LAC1000/8ML</b>	- 8m MAX manual-fold boom with self-leveller fitted – 3 sections	11,245.00	12,369.50	A
<b>LAC1000/10M</b>	- 10m MAX manual-fold boom – 3 sections	11,250.00	12,375.00	A
<b>LAC1000/10ML</b>	- 10m MAX manual-fold boom with self-leveller fitted – 3 sections	11,862.00	13,048.20	A
<b>LAC1000/12ML</b>	- 12m MAX manual-fold boom with self-leveller fitted – 3 sections	12,742.00	14,016.20	A
<b>LAC1000/MHL12</b>	- 12m hydraulic-fold boom with self-leveller – 3 sections	21,218.00	23,339.80	A
<b>LAC1000/MHL15</b>	- 15m hydraulic-fold boom with self-leveller – 3 sections	22,592.00	24,851.20	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.





## KEY FEATURES

1. Calibrated and UV-stabilised poly tank with sight tube and litres marked
2. Integrated handwash tank
3. 170L flushing tank for in-field clean out
4. 30L chemical mixer/induction unit standard
5. Easy-access drain system for quick draining and clean out
6. Protected large suction filter with shut-off valve for easy cleaning
7. Large filling lid with strainer
8. Nozzles are protected on all booms to avoid damage
9. Stainless-steel boom tubing with non-drip nozzle bodies
10. Integrated 1,000mm hydraulic lift device
11. 160 L/min AR triple-diaphragm pump mounted beneath the tank for excellent suction and safety
12. Dual venturi and bypass agitation
13. Stabiliser legs fitted to the frame to keep unit safe from tipping when parked
14. Forklift points on bottom frame rails to assist with loading/unloading from a vehicle
15. Folding access step for safety
16. Clothing and glove locker

OPTIONS SEE PAGES 12-13

## AGRIPAK 1300 & 1600 - BASE MODELS (NO BOOM)

1300: WIDTH: 2000MM LENGTH: 950MM HEIGHT: 2050MM WEIGHT: 400KG  
1600: WIDTH: 2020MM LENGTH: 1050MM HEIGHT: 2150MM WEIGHT: 450KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>LM13/160</b>	1300L linkage base unit with AR160 PTO-drive diaphragm pump. In-cab electric 3-section control unit, flushing and handwash tank. 1,000mm integrated hydraulic height adjuster. 30L chemical mixer fitted. Choose a boom option from page 14, or for standard hydraulic-fold 12 and 15m booms, see below	23,415.00	25,756.50	D
<b>LM16/160</b>	- 1600L linkage base unit	24,570.00	27,027.00	D
<b>LM13/MHL12</b>	1300L linkage base unit with AR160 PTO-drive diaphragm pump. In-cab electric 3-section control unit, flushing and handwash tank. 1,000mm integrated hydraulic height adjuster. 30L chemical mixer fitted. 12m hydraulic-fold MHL boom fitted with individual left/right fold	36,225.00	39,847.50	D
<b>LM13/MHL15</b>	- 1300L linkage base unit and 15m hydraulic-fold MHL boom fitted	37,959.00	41,754.90	D
<b>LM16/MHL12</b>	- 1600L linkage base unit and 12m hydraulic-fold MHL boom fitted	37,373.00	41,110.30	D
<b>LM16/MHL15</b>	- 1600L linkage base unit and 15m hydraulic-fold MHL boom fitted	39,085.00	42,993.50	D

# OPTIONS



L-R2412

## HOSE REELS

\$ (EX. GST) \$ (INC. GST)

Page 34	All models	<b>L-R2412</b>	Heavy-duty steel hose reel with 30m hose and Turbo400 gun	834.00	917.40
	All models	<b>L-R3000</b>	Manual spring-loaded retractable reel, 15m hose and spray lance	421.00	463.10



MAX08

## BOOMS

Page 16	300, 600, 800, 1000	<b>MSCL-2</b>	Adjustable width covered boom	2,028.00	2,230.80
	300, 600	<b>MBX04</b>	4m MBX series manual cross-fold boom	1,425.00	1,567.50
	300, 600	<b>MBX06</b>	6m MBX series manual cross-fold boom	1,748.00	1,922.80
	300, 600, 800, 1000	<b>MAX08</b>	8m MAX series manual cross-fold boom	3,198.00	3,517.80
Page 14	300, 600, 800, 1000	<b>MAX08L</b>	8m MAX series manual cross-fold boom with self-levelling device	4,122.00	4,534.20
	600, 800, 1000	<b>MAX10</b>	10m MAX series manual cross-fold boom	3,995.00	4,394.50
	600, 800, 1000	<b>MAX10L</b>	10m MAX series manual cross-fold boom with self-levelling device	5,024.00	5,526.40
	600, 800, 1000, 1300, 1600	<b>MAX12L</b>	12m MAX series manual cross-fold boom with self-levelling device	5,706.00	6,276.60
Page 15	300, 600, 800, 1000	<b>GEX06H</b>	6m GEX series hydraulic cross-fold boom	7,397.00	8,136.70
	600, 800, 1000	<b>GEX08H</b>	8m GEX series hydraulic cross-fold boom	8,357.00	9,192.70
	600, 800, 1000, 1300, 1600	<b>GEX10H</b>	10m GEX series hydraulic cross-fold boom	9,078.00	9,985.80
	1000, 1300, 1600	<b>MHL12</b>	12m Hydralink series hydraulic cross-fold boom with self-levelling device	13,549.00	14,903.90
	1000, 1300, 1600	<b>MHL15</b>	15m Hydralink series hydraulic cross-fold boom with self-levelling device	15,275.00	16,802.50



A4065845CW



BTEF-SELETRON



A466852043



XTBOOMKIT

## BOOM EXTRAS

Page 15	1000, 1300, 1600	<b>MHL12-2-KIT</b>	Second set of hydraulic hoses to allow individual left and right fold of MHL boom (note – ensure your tractor has sufficient hydraulic remotes)	695.00	764.50
	All models	<b>GEX-2-KIT</b>	Second set of hydraulic hoses to allow individual left and right fold of GEX boom (note – ensure your tractor has sufficient hydraulic remotes)	695.00	764.50
N/A	All models	<b>A4065845CW</b>	Adjustable boom-end nozzle with manual tap for fence-line spraying. (Not for use with MSCL-2)	66.00	72.60
	All models	<b>BTEF-SELETRONRH</b>	Electric fence-line kit to clamp around boom tube – right-hand side. Must have electric or auto-rate control fitted for this option	346.00	380.60
N/A	All models	<b>BTEF-SELETRONLH</b>	Electric fence-line kit to clamp around boom tube – left-hand side. Must have electric or auto-rate control fitted for this option	346.00	380.60
	All models	<b>A466852043</b>	Switchbox for Seletron fence-line kit	272.00	299.20
Page 17	300, 600, 800, 1000	<b>XTBOOMKIT</b>	Kit to mount Croplands XT boomless nozzle kit to your sprayer. Kit includes 2 x #10 XT nozzles on adjustable-swivel nozzle bodies, steel bracket and 2 x clamps for mounting. Hose and fittings to your pump are not supplied	554.00	609.40
N/A	600, 800, 1000, 1300, 1600	<b>5880-KIT</b>	Brass 5880-3/4-2T0C20 BoomJet for high-volume applications (other sizes available, talk to Croplands)	1,105.00	1,215.50

## HYDRAULIC BOOM LIFT DEVICES

\$ (EX. GST) \$ (INC. GST)

N/A	600, 800	<b>LP060-LIFT</b>	1000mm hydraulic boom-lift with hydraulic hose kit to tractor (requires 1 set hyd tractor remotes)	3,671.00	4,038.10
	1000, 1300, 1600	<b>GBBG033059</b>	1500mm hydraulic boom-lift with hydraulic hose kit to tractor, this lift must be selected when fitting an MHL Boom to any Agripak	5,156.00	5,671.60



GB383899000V

## BOOM SUSPENSION OPTION

N/A	1000, 1300, 1600	<b>GB383899000V</b>	Airbag parallelogram suspension device to protect booms – ideal if a boom-lift device is not fitted or a nitrogen accumulator is not practical	3,587.00	3,945.70
	1000, 1300, 1600	<b>BP-704-7</b>	Hydraulic accumulator suspension kit for strictly MHL booms. If accumulator is selected, the 1500mm lift kit above must also be selected	1,879.00	2,066.90



L-H9351A



HT-PROBE

## CHEMICAL MIXING, INDUCTION HOPPER AND QUICK FILL

Page 37	300, 600, 800, 1000	<b>A5033301</b>	35L chemical mixing and induction hopper fitted at fixed height at the side of the linkage sprayer. Fully enclosed for safe mixing, with container rinse function	2,344.00	2,578.40
	600, 800, 1000	<b>L-H9351A</b>	60L chemical mixing and induction hopper fitted at fixed height at the side of the linkage sprayer. Fully enclosed for safe mixing, with container rinse function	2,322.00	2,554.20
N/A	All models	<b>HT-QF2</b>	1½" quick fill with camlock fitted. Mounted in the top of the tank	177.00	194.70
N/A	600, 800, 1000	<b>HT-PROBE</b>	Optional suction probe fitted	605.00	665.50



AR140LFP-C

## PUMP AND PUMP DRIVE UPGRADE

Page 43	600, 800, 1000	<b>AR140LFP-C</b>	AR140LFP liquid-fertiliser-ready pump in lieu of standard 80L pump. (133 L/min rated at 0-pressure, 0–15 bar)	698.00	767.80
---------	----------------	-------------------	---	--------	--------

## ELECTRIC AND AUTO-SPRAY RATE CONTROL OPTIONS

Page 53	300, 600, 800, 1000	<b>I-E2012</b>	ARAG single-switch electric control kit fitted for boom shut-off using in-cab switchbox (boom-section control is manually done using taps)	960.00	1,056.00
	300, 600, 800, 1000	<b>I-E2032A</b>	ARAG 3-section electric control kit for individual on/off of 3 boom sections. Includes master on/off and electric pressure adjustment from in-cab switchbox	2,822.00	3,104.20
		<b>I-E2032</b>	Geoline option of above electric control kit	2,389.00	2,627.90
	All models	<b>I-E2052A</b>	ARAG electric in-cab controller with switchbox. 5-section electric valves for individual section shut off, electric pressure regulating valve and a master on/off can all be operated from the switchbox in the cab or vehicle. Requires a reliable 12V power supply	3,746.00	4,120.60
Page 53		<b>I-E2052</b>	Geoline option of above electric control kit	2,830.00	3,113.00
	All models	<b>BA5000-GEO3</b>	Croplands 3-section fully auto spray-rate control of spraying application. Dual-screen display, 3 boom-section control, auto spray-rate adjustment	4,248.00	4,672.80
	All models	<b>BRAVO180-ARAG3</b>	Bravo180 3-section fully auto spray-rate control of spraying application. Dual-screen display, 3 boom-section control, auto spray-rate adjustment	6,460.00	7,106.00
		<b>LT-FMISOBUSARAG</b>	ARAG IBX ISOBUS interface (no console supplied with this option)	6,257.00	6,882.70
		<b>LT-TRIMFIQ</b>	Trimble-ready option, field IQ module included, no console included	6,649.00	7,313.90
		<b>BT-ARAG5</b>	5-section ARAG valves	1,214.00	1,335.40



BA5000-GEO5



BRAVO180-ARAG5

## GUIDANCE AND FOAM MARKERS

Page 17	All models	<b>A5200052</b>	Double-sided foam marker with in-cab left/right control	2,371.00	2,608.10
Page 56	All models	<b>RV117-2295-001</b>	Raven CR7 system with a 7" field computer with customisable in-job layouts, ISO universal terminal and task controller capabilities, optional external GPS, compatible with direct injection, multi-product control including variable-rate liquid, dry, and NH3 applications, slingshot – ready for file transfer, remote support, and OTA software updates	9,736.00	10,709.60
	All models	<b>GD430-GLO-P-L</b>	Matrix 430 GPS mapping system complete with patch antenna (antenna upgrade available, see page 56)	3,952.00	4,347.20



RV117-2295-001


## BOOMS

# MANUAL

Made of steel to deliver long-lasting quality, Croplands manual-fold booms feature stainless-steel boom tubing with non-drip nozzle bodies and Agrotop AirMix low-drift nozzles.



MBX06



MAX12L

## KEY FEATURES

### MBX

1. Galvanised steel construction
2. Tension spring breakaway for each boom arm
3. Folds neatly behind sprayer/vehicle (with the exception of MB02, which is a fixed boom)

### MAX

1. Hot-dipped galvanised finish
2. Self-returning breakaway on boom arms
3. Can be plumbed in 3 to 5 sections
4. Self-levelling device standard on 12m boom, optional on 8 and 10m booms. Self-leveller can be locked if required
5. Detach hose with ease


## MANUAL-FOLD BOOMS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>MB02</b>	One-piece 2m boom with 4 non-drip nozzles at 500mm spacings	357.00	392.70	A
<b>MBX04</b>	4m galvanised boom; 8 non-drip nozzles at 500mm spacings. 1.2m folded width. Ideal for RTVs, small sprayers and utes	1,370.00	1,507.00	A
<b>MBX06</b>	6m galvanised boom; 12 non-drip nozzles at 500mm spacing. Suitable for linkage sprayers, vehicles and traymount sprayers	1,680.00	1,848.00	A
<b>MAX08</b>	8m MAX series cross-fold boom, without self-leveller	3,075.00	3,382.50	A
<b>MAX08L</b>	- with self-leveller	3,963.00	4,359.30	A
<b>MAX10</b>	10m MAX series cross-fold boom, without self-leveller	3,841.00	4,225.10	A
<b>MAX10L</b>	- with self-leveller	4,830.00	5,313.00	A
<b>MAX12L</b>	12m MAX series boom with self-leveller (not available without self-leveller)	5,486.00	6,034.60	A


## BOOMS

## HYDRAULIC

Ideal for small row cropping, vegetables or undulating farm country, Croplands hydraulic boom options feature heavy-duty galvanised steel construction and stainless-steel boom tubes.



GEX10H



MHL15

## KEY FEATURES

## GEX

1. Protection bar fitted to inner and outer sections. Nozzles fitted on outer sections
2. Tension breakaway for each boom arm
3. Boom folds hydraulically in cross-fold
4. 8 and 10m models have a flip-over outer section, which needs to be manually secured in the folded position prior to folding the boom for transport

## HYDRALINK

1. Nozzles and nozzle bodies mounted behind boom
2. Tension breakaway on outer sections
3. Self-levelling centre section standard
4. Boom folds sequentially in cross-fold for transport
5. Using left/right hydraulic kit option, each side can be lifted independently, which also automatically locks the self-levelling system

## HYDRAULIC-FOLD BOOMS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>GEX06H</b>	6m galvanised hydraulic-folding boom; 12 non-drip nozzle bodies, two rams for folding, hydraulically plumbed to fold together. Weight = 87kg	7,112.00	7,823.20	A
<b>GEX08H</b>	8m galvanised half-hydraulic-folding boom; 16 non-drip nozzle bodies, two rams for folding, hydraulically plumbed to fold together. 1m of each end is manually unfolded to make the boom 8m. Weight = 93kg	8,035.00	8,838.50	A
<b>GEX10H</b>	10m galvanised half-hydraulic-folding boom; 20 non-drip nozzle bodies, two rams for folding, hydraulically plumbed to fold together. 2m of each end is manually unfolded to make the boom 10m. Weight = 96kg	8,728.00	9,600.80	A
<b>GEX-2-KIT</b>	Second set of hydraulic hoses to allow left/right individual fold of GEX boom (text on your order)	670.00	737.00	A
<b>MHL12</b>	Heavy-duty galvanised 12m full hydraulic-folding boom with 24 nozzles, twin ram with auto-folding tips, hydraulically plumbed to fold both sides together. Central self-locking self-leveller standard	13,027.00	14,329.70	A
<b>MHL15</b>	- with heavy-duty galvanised 15m hydraulic-folding boom with 30 nozzles	14,687.00	16,155.70	A
<b>MHL12-2-KIT</b>	Second set of hydraulic hoses to allow left/right individual fold of MHL boom (text on your order)	670.00	737.00	A

## BOOMS

# FIREBREAK, UNDER TREE & COVERED



MC6 FIREBREAK BOOM  
SHOWN FITTED TO TRAY

### VERTIBOOM

1. Ideal for small horticultural growers
2. Vertical spray application, 5 nozzles per side



### FIREBREAK BOOM

1. For spraying firebreaks, farm tracks, contours, ditches and fence-lines
2. 1.5m wide with offset nozzles on adjustable-swivel nozzle bodies on each end for additional 1.5m spray each side
3. Ideal for the back of utes or small trailing sprayers



MSO

### SHROUDED BOOM

1. For spraying under sensitive crops such as grapes or trellis tomatoes
2. Single or double-sided options

### UNDER-TREE BOOM

1. Perfect for spraying under trees or hedgerows
2. Galvanised boom with breakaway
3. Extendable outer section with two nozzles can be lifted up for transport

			\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>MVB5-5</b>	Vertiboom	5 nozzles per side Vertiboom. Ideal for small horticultural growers	1,032.00	1,135.20	B
<b>MC6</b>	Firebreak boom	1.5m wide Firebreak boom	777.00	854.70	A
<b>MSCL</b>	Shrouded boom	Single-sided light-covered boom with breakaway and 2 nozzles under spray shield	699.00	768.90	A
<b>MSCL-2</b>		Double-sided light-covered boom with left/right shielded booms with breakaways, adjustable width, and a 600mm wide uncovered centre section with 2 nozzles	1,950.00	2,145.00	A
<b>MSO</b>	Under-tree boom	Treeliner boom with breakaway and 2 nozzles	845.00	929.50	A

## BOOM

## ACCESSORIES

## KEY FEATURES


## XT BOOM

1. Target areas not easily accessed by a conventional boom with the Croplands XT Boomless Nozzle kit
2. The XT Boom kit delivers a uniform spray pattern over a distance of up to 6.5m
3. Fitted standard with #10 nozzles, see below chart for more application details



XT BOOM KIT IN ACTION

## BOOM KITS

											\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>XTBOOMKIT</b>	Kit to mount Croplands XT boomless nozzle kit to your sprayer. Kit includes 2 x #10 XT nozzles on adjustable-swivel nozzle bodies, steel bracket and 2 x clamps for mounting. Hose and fittings to your pump are not supplied										532.00	585.20	B
<b>XTNOZZLEKIT</b>	XT boomless nozzle kit, includes 2 x #10 XT nozzles on adjustable-swivel nozzle bodies, no bracket, clamps or hoses supplied										371.00	408.10	B
Nozzle size	Pressure (bar)	Flow (L/min) 2 nozzles	Application rate L/Ha – at swath width shown km/hr							Approximate swath width at 90cm height (XT 2-nozzle kit)			
			4 km/hr	5 km/hr	6 km/hr	7 km/hr	8 km/hr	10 km/hr	12 km/hr				
10	2	6.4	166	132	110	95	83	66	55	5.8			
	3	7.8	202	161	134	115	101	81	67	6.5			

\*Disclaimer: all values are calculated application rates in L/ha based on the swath width in the far right column and assuming the pressure and flow can be achieved using the pump on your sprayer. 90cm height from the spray target is recommended using Croplands UA300B trailed sprayers but may vary depending on the sprayer being fitted to, the available mounting height, and the vehicle the XT kit is being fitted to. If the height is adjusted upwards the application rate will be lower; if the kit is adjusted to spray wider than the table suggests, the application rate will be lower. The reverse will be true if the height and/or width is reduced. Larger nozzle sizes are available on request. Ensure your pump has adequate flow to achieve the desired spray rate and sprayed width. For more information visit [hypro.pentair.com](http://hypro.pentair.com) and search on XT X Tender nozzles.



UOPRK – PRESSURE REGULATOR KIT



A5200052 – FOAM MARKER AND FOAM

## BOOM ACCESSORIES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>UOPRK</b>	Pressure regulator kit for use with most 12V pumps such as FloJet and SHURflo. Ideal for regulating pressure and flow when a small spray boom is being used	120.00	132.00	B
<b>A5200052</b>	Double-sided foam marker kit with in-cab switchbox for use on booms up to approximately 18m (depending on speed of travel) (kit includes foam droppers)	2,279.00	2,506.90	B

LINKAGE

# CROPAIR 300 & 600

High-quality and cost-effective air-blast sprayers, perfect for growers with smaller or boutique operations.



HL300/600



HL600/800

## KEY FEATURES

1. Brass roll-over nozzle bodies with non-drip diaphragm
2. Manual-tap control for left/right shut off of spray ring on each side
3. 15L handwash tanks for operator safety
4. Flushing tank
5. Large filling lid
6. Heavy-duty, galvanised frame

NOZZLE SELECTION SEE PAGE 58

## CROPAIR 300

**WIDTH:** 1000MM **LENGTH:** 1300MM **HEIGHT:** 1100MM **WEIGHT:** 230KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>HL300/615</b>	Single-speed, 615mm fan with adjustable pitch blades. AR 54 L/min high-pressure (40-bar) triple-diaphragm pump. Fitted with remote-mounted manual tap control. 5 x brass rollover nozzle bodies per side. Approximately 25-30 HP required	10,457.00	11,502.70	A

## CROPAIR 600

**WIDTH:** 1550MM **LENGTH:** 1470MM **HEIGHT:** 1560MM **WEIGHT:** 390KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>HL600/815</b>	2-speed, 815mm fan with adjustable pitch blades. AR 54 L/min high-pressure (40-bar) triple-diaphragm pump. Fitted with remote-mounted manual tap control. 6 x brass rollover nozzle bodies per side. Approximately 50 HP required	12,060.00	13,266.00	A

## CROPAIR OPTIONS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>I-S4021</b>	Electric left/right 2-section on/off solenoids, electric pressure adjustment with integrated pressure filter and master switch with dump solenoid	3,212.00	3,533.20	

Disclaimer: Dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

SMALL TRAILED 12-VOLT

# TRAILPAK300

SCAN FOR VIDEO



UA300B/20S/6BX

## KEY FEATURES

- Translucent UV-stabilised tank with large sump and graduated markings
- Large, easy-access lid with filling strainer
- Easy-access suction filter and regulator for pressure and flow adjustment
- Rugged, one-piece chassis
- Flotation tyres on sturdy axle
- Safety hitch for safe towing and parking stand
- 12V, 20 L/min (open-flow) pump to enable use with booms up to 6m
- Standard with hose reel, 10m of 10mm hose and spray lance



UA300B FITTED WITH NEW MBX06 BOOM  
– MODEL UA300B/20S/6BX

## Boom fitted models:

- AirMix air-induction low-drift nozzles fitted standard
- Fully protected non-drip nozzle bodies on stainless-steel boom tubes
- Spring-loaded breakaways to protect boom arms

## UA300B 12-VOLT RANGE

WIDTH: 1200MM LENGTH: 2000MM HEIGHT: 1200MM WEIGHT: 120KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>UA300B</b>	Trailer with hitch and 300L tank only – no pump, boom or gun	2,738.00	3,011.80	A
<b>UA300B/20.1S</b>	Trailing 300L sprayer, 20 L/min 12V pump, regulator kit, 10m of 10mm hose on handy hose reel with spray lance – ideal for spot sprayers	3,896.00	4,285.60	A
<b>UA300B/20S/4BX</b>	Trailing 300L sprayer, 20 L/min 12V pump, regulator kit, 10m of 10mm hose on handy hose reel with spray lance and 4m boom	5,321.00	5,853.10	A
<b>UA300B/20S/6BX</b>	Trailing 300L sprayer, 20 L/min 12V pump, regulator kit, 10m of 10mm hose on handy hose reel with spray lance and 6m boom	5,635.00	6,198.50	A
<b>UA300B/20S/XTKI</b>	Trailing 300L sprayer, 20 L/min 12V pump, regulator kit, 10m of 10mm hose on handy hose reel with spray lance and XT boom kit fitted	4,615.00	5,076.50	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

SMALL TRAILED MOTORISED

# TRAILPAK300

Self-contained mobile spraying, designed to be towed behind an ATV, UTV or small tractor.

MVB5-5

## KEY FEATURES

- Translucent UV-stabilised tank with large sump and graduated markings
- Large, easy-access lid with filling strainer
- Easy-access suction filter and regulator for pressure and flow adjustment
- Rugged, one-piece chassis
- Flotation tyres on sturdy axle
- Safety hitch for safe towing and parking stand
- 25 L/min Honda-powered pump
- Standard with hose reel, 10mm hose and spray lance
- Optional upgrade to auto-rewind remote control RetraSpray reel



UA300B/20/HR30G

POWERED by  
**HONDA**

## UA300B MOTORISED RANGE

WIDTH: 1200MM LENGTH: 2000MM HEIGHT: 1200MM WEIGHT: 120KG

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>UA300B/20/HR20G</b>	Honda-powered AR252 pump fitted to the UA300B trailing sprayer with 20m of 10mm hose on hose reel with RL10 spray lance	5,466.00	6,012.60	A
<b>UA300B/20/HR30G</b>	Honda-powered AR252 pump fitted to the UA300B trailing sprayer with 30m of 10mm hose on heavy-duty steel hose reel with RL10 spray lance	6,198.00	6,817.80	A
<b>UA300B/20/100RC</b>	Honda-powered AR252 pump fitted to the UA300B trailing sprayer auto-rewind remote control RetraSpray reel fitted	9,979.00	10,976.90	A
<b>UA300B/303/MVB5</b>	Honda-powered AR303 pump fitted to the UA300B trailing sprayer with 5 nozzle per side Vertiboom fitted. Ideal for small horticultural growers	7,324.00	8,056.40	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

SMALL TRAILED

# TRAILPAK 1100 & 1500

A cost-effective sprayer for  
pasture spraying, small cropping  
areas and dairy farms.

OPTIONS SEE PAGE 23

## KEY FEATURES

1. 1100 and 1500L tank options
2. Remote tank drain valve and large sump
3. Large, easy-access filling lid with filling strainer
4. Easy-access suction filter with shut-off to allow for in-field cleaning
5. Fully galvanised chassis fitted with sprung axle to protect from premature wear
6. 11.5/80 x 15.3 tubeless agricultural tyres on steel rims
7. Adjustable height swivel towing eye
8. Large side step for easy tank access
9. Liquid fertiliser-ready poly 3-diaphragm pump fitted standard (PTO shaft supplied)



Selection of boom sizes available.

BT-1100 SHOWN WITH  
ELECTRIC CONTROLLER OPTION

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>BT-1100</b>	Base model 1100L trailed sprayer with galvanised chassis, leaf-spring single axle, PTO-drive 80 L/min AR triple-diaphragm pump (0–20 bar rated), ARUCM 5-manual tap control unit, 20L handwash tank and jockey wheel. No boom or reel fitted – add from options next page. PTO supplied	11,400.00	12,540.00	A
<b>BT-1500</b>	Base model 1500L trailed sprayer with galvanised chassis, leaf-spring single axle, PTO-drive 80 L/min AR triple-diaphragm pump (0–20 bar rated), ARUCM 5-manual tap control unit, 20L handwash tank and jockey wheel. No boom or reel fitted. PTO supplied	11,700.00	12,870.00	A

Note: ensure your vehicle is approved for the laden or trailed weight of the sprayer you have chosen.

## TRAILPAK 1100/1500

## OPTIONS



8 TO 12M BOOM OPTIONS



I-E2032 ELECTRIC CONTROLS



GB383899000V AIRBAG SUSPENSION



AR140LFP-C POLY PUMP



A5200052 FOAM MARKER



GD430-GLO-P-L GPS SYSTEM

## BOOM

		\$ (EX. GST)	\$ (INC. GST)	SEE MORE
<b>MAX08L</b>	8m MAX series manual cross-fold boom with self-leveller fitted at fixed height (can be adjusted by unbolting and refitting). 2,055mm folded width	4,122.00	4,534.20	14
<b>MAX10L</b>	10m MAX series manual cross-fold boom fitted. Specifications as per MAX08L above	5,024.00	5,526.40	14
<b>MAX12L</b>	12m MAX series manual cross-fold boom fitted. Specifications as per MAX08L above	5,706.00	6,276.60	14
<b>GB383899000V</b>	Parallelogram airbag suspension system for booms	3,587.00	3,945.70	Above

## PUMP

		\$ (EX. GST)	\$ (INC. GST)	SEE MORE
<b>AR140LFP-C</b>	140 L/min PTO pump in lieu of standard 80 L/min model	698.00	767.80	43
<b>AR70-5H</b>	AR70 Honda-powered motorised pump in lieu of PTO drive AR80	2,447.00	2,691.70	45

## ELECTRIC AND AUTO SPRAY-RATE CONTROLLERS (IF BOOM IS FITTED)

		\$ (EX. GST)	\$ (INC. GST)	SEE MORE
<b>I-E2032A</b>	3-section control of 3 boom sections and pressure control	2,822.00	3,104.20	52
<b>BA5000-GEO3</b>	3-section auto-rate spray controller for fully automatic spray rate control	4,248.00	4,672.80	53

## FOAM MARKER, GPS AND EXTRA OPTIONS

		\$ (EX. GST)	\$ (INC. GST)	SEE MORE
<b>A5200052</b>	Double-sided foam marker fitted	2,371.00	2,608.10	17
<b>GD430-GLO-P-L</b>	Basic GPS mapping system in lieu of a foam marker. Ideal for knowing where you have applied	3,953.00	4,348.30	56
<b>BT-PONYMUD</b>	Added mud guards to TrailPak	2,040.00	2,244.00	

## ELECTRIC REELS

# RETRASPRAY

Take the work out of gun spraying with Croplands-exclusive RetraSpray retractable reel, complete with SupaSlip hose.



OPTIONS SEE PAGES 32-33

### KEY FEATURES

1. 12V 1/5HP low-rev motor directly coupled to the reel
2. 100m high-quality SupaSlip hose
3. Push-button hose retraction and remote-control rewind standard, includes roller guides for hose
4. Connect to 12V DC power source using heavy-duty power cable supplied



B26.901.165MK2

Choose your  
gun and add  
to your order



RL10

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>RSRL3-100RC</b>	RetraSpray single reel with 100m hose and remote control	4,215.00	4,636.50	D
<b>B26.901.165MK2</b>	Turbo400 with metal grip and protected lever, 50 bar (725 psi)	181.00	199.10	B
<b>RL10</b>	RL10 gun with 500mm steel lance, adjustable nozzle, suits 100 model	84.00	92.40	B

Note: guns sold separately.

## ELECTRIC REELS

## TRAYPAK

Croplands traymount sprayers are full-operation spraying systems designed to fit on the back of your ute or RTV to give portable delivery of high-pressure, large-volume spray application, whether you're spraying weeds, carting water or fighting fires.



US60F/40/100RT3



US30F/30/100R3



US500/30/100R3

UNIT	WIDTH	LENGTH	HEIGHT	WEIGHT
<b>US20F/25/100R3</b>	1360mm	990mm	805mm	132kg
<b>US30F/30/100R3</b>	1360mm	990mm	805mm	146kg
<b>US500/30/100R3</b>	1200mm	1700mm	1200mm	218kg
<b>US500/40/100RT3</b>	1200mm	1700mm	1200mm	248kg
<b>US60F/30/100R3</b>	1255mm	1575mm	990mm	197kg
<b>US60F/40/100RT3</b>	1300mm	1575mm	990mm	237kg

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>US20F/25/100R3</b>	200L traymount sprayer with galvanised frame, Honda-powered 25 L/min pump, 12V auto-retractable RetraSpray reel with 100m of non-kink spray hose and Turbo400 gun. 6L handwash tank	8,376.00	9,213.60	A
<b>US30F/30/100R3</b>	300L traymount sprayer with galvanised frame, Honda-powered 35 L/min pump, 12V auto-retractable RetraSpray reel with 100m of non-kink spray hose and Turbo400 gun. 6L handwash tank	8,903.00	9,793.30	A
<b>US500/30/100R3</b>	500L traymount sprayer with galvanised frame, Honda-powered 35 L/min pump, 12V auto-retractable RetraSpray reel with 100m of non-kink spray hose and Turbo400 gun	9,935.00	10,928.50	A
<b>US500/40/100RT3</b>	500L traymount sprayer with galvanised frame, Honda-powered 46.3 L/min pump, twin 12V auto-retractable RetraSpray reels with 100m of non-kink spray hose and Turbo400 guns	14,613.00	16,074.30	A
<b>US60F/30/100R3</b>	600L traymount sprayer with galvanised frame, Honda-powered 35 L/min pump, 12V auto-retractable RetraSpray reel with 100m of non-kink spray hose and Turbo400 gun. 6L handwash tank	9,888.00	10,876.80	A
<b>US60F/40/100RT3</b>	600L traymount sprayer with galvanised frame, Honda-powered 46.3 L/min pump, twin 12V auto-retractable RetraSpray reels with 100m of non-kink spray hose and Turbo400 guns. 6L handwash tank	14,508.00	15,958.80	A

## MANUAL REELS


# TRAYPAK

Croplands motorised sprayers are powered by genuine Honda motors with larger diaphragm pumps to give better spray pressure for those larger jobs.

**POWERED by**  
**HONDA™**

### KEY FEATURES

1. Heavy-duty hot-dip galvanised frame with carry handles
2. UV-stabilised tank with level markings
3. Large filling lid with basket strainer
4. Large sump for total emptying and easy draining and clean out
5. Genuine Honda motor to power the reliable AR diaphragm pump
6. Steel hose reel with galvanised mount, 30 metres of high-quality hose and Turbo400 gun



US20F/252/HR30

SCAN FOR VIDEO



US30F/30/HR30TG



US60F/30/HR30TG



US60F/40/TWIN



UNIT	WIDTH	LENGTH	HEIGHT	WEIGHT
<b>US20F/252/HR30</b>	1275mm	1015mm	725mm	110kg
<b>US30F/30/HR30TG</b>	1275mm	1015mm	725mm	115kg
<b>US60F/30/HR30TG</b>	1255mm	1475mm	990mm	197kg
<b>US60F/40/TWIN</b>	1255mm	1475mm	990mm	237kg

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>US20F/252/HR30</b>	New 200L traymount sprayer with galvanised frame, Honda-powered 25 L/min AR pump. Manual two-tap controls, 30m hose reel and Turbo400 gun. 6L handwash tank	4,560.00	5,016.00	A
<b>US30F/30/HR30TG</b>	New 300L traymount sprayer with galvanised frame, Honda-powered 35 L/min AR pump. Manual two-tap controls, 30m hose reel and Turbo400 gun. 6L handwash tank	5,456.00	6,001.60	A
<b>US60F/30/HR30TG</b>	New 600L traymount sprayer with galvanised frame, Honda-powered 35 L/min AR pump. Manual two-tap controls, 30m hose reel and Turbo400 gun. 6L handwash tank	6,068.00	6,674.80	A
<b>US60F/40/TWIN</b>	New 600L traymount sprayer with galvanised frame, Honda-powered 46.3 L/min AR pump. Manual two-tap controls, twin 30m hose reels and Turbo400 guns. 6L handwash tank	7,650.00	8,415.00	A



US500/30/HR30TG



US500/40/TWIN

UNIT	WIDTH	LENGTH	HEIGHT	WEIGHT
<b>US500/30/HR30TG</b>	1200mm	1700mm	1200mm	220kg

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>US500/30/HR30TG</b>	TrayPak 500L, AR30 pump, reel with 30m hose and Turbo400 gun, galvanised skid frame	6,245.00	6,869.50	A
<b>US500/70/HR30TG</b>	TrayPak 500L, AR70 pump, reel with 30m hose and Turbo400 gun, galvanised skid frame. AR70 pump is ideal for use with a range of booms (see page 18 and 19)	6,491.00	7,140.10	A
<b>US500/40/TWIN</b>	TrayPak 500L, AR40 pump, twin reel both with 30m hose and Turbo400 gun, galvanised skid frame	7,657.00	8,422.70	A

200 | 300 LITRE

# CROPPAK

Easy to transport and manoeuvre, Croplands 12V powered sprayers are well suited for repeat, spot spray operations.

OPTIONS SEE PAGES 32-33

## KEY FEATURES

1. Rugged translucent tank, UV-stabilised with large filling lid and drain
2. 3-stage filtration - filling screen under lid, suction filter and pressure filter in lance handle
3. Metal lance with adjustable nozzle. Clips into lid for easy storage
4. New galvanised frame for easy handling
5. 6 metres of high-quality 20-bar spray hose fitted
6. Heavy-duty 12V power lead with rocker-switch
7. High-quality electrical connector to pump with waterproof plug for quick and reliable connection



US200F - TANK & FRAME



US300F/15/HR

## LANCE OPTIONS



SW-LANCE-ASSY



SW-LANCE-ADJ-AS

UNIT	WIDTH	LENGTH	HEIGHT
<b>US200F</b>	1320mm	610mm	690mm
<b>US200F/15</b>	1320mm	610mm	690mm
<b>US300F/15</b>	1325mm	610mm	850mm

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>US200F</b>	New 200L CropPak with new galvanised frame, on-demand 6.8 L/min open-flow pump. 6m spray hose standard with spray lance. Power lead with on/off switch provided	1,336.00	1,469.60	A
<b>US200F/15</b>	New 200L CropPak with new galvanised frame, on-demand 15.1 L/min open-flow pump, regulator and gauge. 3-way valve enables connection to a boom. 6m spray hose standard with spray lance. Power lead with on/off switch provided	1,802.00	1,982.20	A
<b>US300F/15</b>	New 300L CropPak with new galvanised frame, on-demand 15.1 L/min open-flow pump, regulator and gauge. 3-way valve enables connection to a boom. 6m spray hose standard with spray lance. Power lead with on/off switch provided	1,993.00	2,192.30	A
<b>US200F/15/HR</b>	New 200L CropPak with galvanised frame, on-demand 15.1 L/min open-flow pump, regulator and gauge. 3-way valve enables connection to a boom. 6m spray hose standard with Swissmex spray gun and lance. Power lead with on/off switch provided. Fitted with 10m hose reel.	2,215.00	2,436.50	A
<b>US300F/15/HR</b>	New 300L CropPak with galvanised frame, on-demand 15.1 L/min open-flow pump, regulator and gauge. 3-way valve enables connection to a boom. 6m spray hose standard with Swissmex spray gun and lance. Power lead with on/off switch provided. Fitted with 10m hose reel.	2,405.00	2,645.50	A

30 | 60 | 100 LITRE

# CROPPAK

## KEY FEATURES

1. Rugged translucent tank, UV-stabilised with large filling lid and drain
2. 3-stage filtration - filling screen under lid, suction filter and pressure filter in lance handle
3. Metal lance with adjustable nozzle. Clips into lid for easy storage
4. Carry handles for easy handling
5. 6 metres of high-quality 20-bar spray hose fitted
6. Heavy-duty 12V power lead with rocker-switch
7. High-quality electrical connector to pump with waterproof plug for quick and reliable connection



OPTIONS SEE PAGES 32-33



		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>US30S</b>	30L CropPak, on-demand 6.8 L/min open-flow pump, 6m of spray hose, spray lance and electrical power lead with on/off switch <b>WIDTH: 280MM LENGTH: 640MM HEIGHT: 380MM WEIGHT: 9KG</b>	599.00	658.90	A
<b>US60S</b>	As above with 60L CropPak <b>WIDTH: 440MM LENGTH: 760MM HEIGHT: 440MM WEIGHT: 11KG</b>	623.00	685.30	A
<b>US100S</b>	As above with 100L CropPak <b>WIDTH: 460MM LENGTH: 1000MM HEIGHT: 460MM WEIGHT: 14KG</b>	663.00	729.30	A
<b>US100A/15</b>	100L CropPak, on-demand 15 L/min open-flow pump, pressure regulator and gauge, 6m of spray hose, spray lance and electrical power lead with on/off switch <b>WIDTH: 460MM LENGTH: 1000MM HEIGHT: 460MM WEIGHT: 14KG</b>	880.00	968.00	A

Disclaimer: dimensional and weight information supplied is for base model only with no options. This information is subject to change without notice.



<b>NEW</b>	<b>ANNIVI REVERBERI CROPPAK</b>	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>AR30</b>	Annovi Reverberi 38L CropPak fitted with AR 3.8L/min 12V pump, 3m of spray hose, spray lance and electrical power lead with on/off switch. <b>WIDTH: 330MM LENGTH: 740MM HEIGHT: 300MM WEIGHT: 8KG</b>	277.00	304.70	A
<b>AR60</b>	Annovi Reverberi 60L CropPak fitted with AR 8.3L/min 12V pump, 5m of spray hose, spray lance and electrical power lead with on/off switch. <b>WIDTH: 460MM LENGTH: 860MM HEIGHT: 310MM WEIGHT: 11KG</b>	365.00	401.50	A
<b>AR100</b>	Annovi Reverberi 100L CropPak fitted with AR 8.3L/min 12V pump, 5m of spray hose, spray lance and electrical power lead with on/off switch. <b>WIDTH: 370MM LENGTH: 880MM HEIGHT: 530MM WEIGHT: 14KG</b>	409.00	449.90	A
<b>AR100/15</b>	Annovi Reverberi 100L CropPak fitted with AR 15.1L/min 12V pump and pressure regulator kit and gauge, 5m of spray hose, spray lance and electrical power lead with on/off switch. <b>WIDTH: 370MM LENGTH: 880MM HEIGHT: 530MM WEIGHT: 14KG</b>	568.00	624.80	A

## PORTABLE SPRAYERS

# KNAPSACKS

SCAN FOR VIDEO



### KEY FEATURES

1. Adjustable nozzle
2. Long lance
3. Safer port – wide 5½" diameter port with filling strainer
4. Large 15L tank
5. Easy to clean – strong polyethylene tank with UV inhibitors for long life
6. Easy to handle – comfortable handgrip with lever lock
7. In-built pressure filter
8. Dual-piston/diaphragm pump – non-leak, high-quality dual-piston/diaphragm pump (up to 6 bar) with Viton seals and a safety diaphragm – for wear resistance and reliability
9. Padded straps – wide, non-absorbent polyester straps with heavy-duty padding for strength, comfort and safety
10. Sturdy design – one-piece handle folds for easy storage
11. In-built agitator
12. Lid lance clips – for easy storage and carrying
13. Carry handle – offers convenience



SW503



### PAKMAN (FITTED TO SPRAYER)

Chemical resistant foam back protector, designed to significantly increase comfort for prolonged spraying needs. Fits SW503 15L knapsack sprayers. A must for making spraying much more comfortable

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW503</b>	Knapsack 15L sprayer with piston/diaphragm	248.00	272.80	C
<b>PAKMAN</b>	Back protector for SW503	98.00	107.80	C

## INDUSTRIAL



### SW189C

Heavy-duty 15L knapsack designed for industrial use (diesel compatible); wide filling neck, rugged shut-off gun, adjustable nozzle, in-built pressure filter, brass lance. Lance clips into the handle for storage and transport



### SW322-315

High-quality, heavy-duty 9L compression sprayer for use with selected solvents and diesel; wide filling neck, rugged shut-off gun, adjustable nozzle, pressure relief valve, in-built pressure filter, brass lance. Lance clips into the handle for storage and transport



### SW320-310

The Acid Sprayer resists hydrochloric, muriatic and phosphoric acids. Ideal for staining and etching concrete, and dissolving of rust on metal surfaces

## AGRICULTURAL



### SW319

High-quality, heavy-duty 5L compression sprayer; wide filling neck, rugged shut-off gun, adjustable nozzle, pressure relief valve, in-built pressure filter, brass lance. Lance clips into the handle for storage and transport



### SW320

High-quality, heavy-duty 7L compression sprayer; wide filling neck, rugged shut-off gun, adjustable nozzle, pressure relief valve, in-built pressure filter, brass lance. Lance clips into the handle for storage and transport



### ASBBS-16A

Rechargeable 12-volt sealed lithium ion battery; voltmeter to see charge level at a glance. Large filling lid. 12-volt diaphragm pump for positive spraying pressure.

**NEW**



### AR16

Annovi Reverberi 16L 20-volt lithium ion battery powered knapsack. Hassle-free and fuel-free. Easy to fill large screw cap with filter. Equipped with cushioned straps for extra comfort. Four nozzles for a variety of applications. 1.5L/min pump fitted. Battery base charger included.

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW189C</b>	Knapsack 15L sprayer (diesel)	228.00	250.80	C
<b>SW322-315</b>	Compression 9L sprayer – solvent model	213.00	234.30	C
<b>SW320-310</b>	Acid knapsack 7L sprayer	146.00	160.60	C
<b>SW319</b>	Compression 5L sprayer	125.00	137.50	C
<b>SW320</b>	Compression 7L sprayer	148.00	162.80	C
<b>ASBBS-16A</b>	16L lithium ion battery powered knapsack with 3.2L/min pump. Suitable for small boom application.	300.00	330.00	A
<b>AR16</b>	AR 16L lithium ion battery powered knapsack with 1.5L/min pump. Ideal for single spot spraying.	280.00	308.00	A

ACCESSORIES

# CROPPAK & SWISSMEX



Spray lances  
for our range of  
CropPak sprayers,  
knapsack sprayers  
and compression  
sprayers.



SW-LANCE-ASSY



SW-LANCE-ADJ-AS

## SPRAY LANCES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW-LANCE-ASSY</b>	Complete spray gun with brass lance, adjustable nozzle and hose connector fitted (in-built pressure filter)	52.00	57.20	C
<b>SW-LANCE-ADJ-AS</b>	Complete spray gun with extendable fibreglass lance, adjustable nozzle and hose connector fitted (in-built pressure filter)	65.00	71.50	C



SW219-142C



SW803-085

## EXTENSION LANCES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW219-142C</b>	1000mm spray lance extension to fit Swissmex trigger assembly, with nozzle	29.00	31.90	C
<b>SW219-143C</b>	1500mm spray lance extension to fit Swissmex trigger assembly, with nozzle	29.00	31.90	C
<b>SW219-146C</b>	2000mm spray lance extension to fit Swissmex trigger assembly, with nozzle	36.00	39.60	C
<b>SW803-085</b>	Brass spray lance, 520mm (standard lance), nozzle not included	25.00	27.50	C
<b>SW219-236C</b>	Telescopic lance (to 940mm), with nozzle	25.00	27.50	C



SW219-140C


 SW219-147C 2-NOZZLE BOOM  
(NARROW)

## SPRAY BOOMS TO FIT THE LANCE ASSEMBLY

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW219-147C</b>	2-nozzle boom, narrow	27.00	29.70	C
<b>SW219-140C</b>	2-nozzle boom, 500mm	27.00	29.70	C
<b>SW219-148C</b>	2-nozzle boom, 750mm	33.00	36.30	C
<b>SW219-138C</b>	3-nozzle boom, 1000mm	40.00	44.00	C
<b>SW219-151C</b>	3-nozzle boom, 1500mm	46.00	50.60	C
<b>SW219-282C</b>	4-nozzle boom, 1500mm	78.00	85.80	C



SW803-262C



SW219-089C



XR8003-VK



TDAM-AN-04

## NOZZLES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW803-262C</b>	Plastic adjustable nozzle complete with cap and gasket	4.95	5.45	C
<b>SW219-089C</b>	Brass adjustable nozzle complete with cap and gasket	21.00	23.10	C
<b>XR8003-VK</b>	80° flat-fan nozzle for use with spray guard or lance	12.00	13.20	B
<b>TDAM-AN-04</b>	AirMix® anvil type air-induction flat-fan nozzle	15.00	16.50	C



SW219-099



SW219-117

## LANCE ACCESSORIES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW219-099</b>	Herbicide spray guard, 400mm, large	17.00	18.70	C
<b>SW219-117</b>	Herbicide spray guard, 220mm, small	9.63	10.59	C
<b>AT15128</b>	Constant flow valve, 3 bar	108.00	118.80	C



SW808-073C



SW808-014



SW502-191




SWRPK503

## COMMON REPLACEMENT COMPONENTS AND KITS


		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW808-073C</b>	Complete trigger assembly	25.00	27.50	C
<b>SWRPK120</b>	Repair/service kit for SW319 and SW320	25.00	27.50	C
<b>SWRPK189</b>	Repair/service kit for SW189	13.00	14.30	C
<b>SWRPK189C</b>	Repair/service kit for SW189C	44.00	48.40	C
<b>SWRPK503</b>	Repair/service kit for SW503 (diaphragm not included in kit)	20.00	22.00	C
<b>SW503-031</b>	Diaphragm to suit SW503 Knapsack	11.00	12.10	C
<b>SW502-191</b>	Elbow connector 90° – outlet to hose from tank	16.00	17.60	C
<b>SW808-014</b>	Hose tail to fit 3/8" (10mm) hose – attached to back of trigger assembly	0.68	0.75	C
<b>SW502-001C</b>	Red tank lid – suits all models (pictured left)	20.00	22.00	C
<b>SW501-002</b>	Lid seal (pictured left)	3.60	3.96	C
<b>SW501-004</b>	Lid strainer (pictured left)	5.15	5.67	C

## ACCESSORIES


# REELS & PRESSURE GAUGE




L-R0240




L-R0250




L-R0260



L-R0230



L-R2412



L-R3000

UNIT	WIDTH	LENGTH	HEIGHT	WEIGHT
<b>L-R0240</b>	270mm	450mm	560mm	–
<b>L-R0250</b>	540mm	450mm	510mm	–
<b>L-R0260</b>	200mm	–	450mm	–

UNIT	WIDTH	LENGTH	HEIGHT	WEIGHT
<b>L-R0230</b>	270mm	580mm	630mm	–
<b>L-R2412</b>	270mm	450mm	560mm	–
<b>L-R3000</b>	220mm	–	490mm	–

## REELS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>L-R0240</b>	Base-mount model, 50m capacity* (bare reel)	696.00	765.60	A
<b>L-R1412</b>	Base-mount model comes with 30m of 10mm spray hose and Turbo400 spray gun	908.00	998.80	A
<b>L-R0260</b>	Side-mount (with bracket), 50m capacity* (bare reel)	558.00	613.80	A
<b>L-R2412</b>	Side-mount (with bracket), comes with 30m of 10mm spray hose and Turbo400 spray gun	801.00	881.10	A
<b>L-R2412HP</b>	Replacement reel for US500/30/HR30TG high pressure (40 bar)	977.00	1,074.70	A
<b>L-R0250</b>	Large-base mount model, 100m capacity* (bare reel)	962.00	1,058.20	D
<b>L-R0230</b>	Slim-line steel hose reel, galvanised base-mount model, 100m capacity* (bare reel)	791.00	870.10	D
<b>L-R3000</b>	High-impact poly reel, spring retractable; 15m of 10mm spray hose and threaded end-fitting (no gun fitted)	404.00	444.40	D

\*All bare capacities are for 10mm spray hose. L=length, W=width, H=height; dimensions may change without notice and do not include side-bracket on side-mount reels. Dimensional and weight information supplied is for base.



L-G1432



L-G1426



L-G1626



A908006

## PRESSURE GAUGES GLYCERINE-FILLED GAUGES IN 63MM AND 100MM SIZES

		MAX PRESS BAR	MAX PRESS KPA	MAX PRESS PSI	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>A908006</b>	Pressure gauge, 40mm, 0–600 kPa CBM	6	600	90	44.00	48.40	B
<b>L-G1426</b>	Isometric pressure gauge, 63mm, ¼" bottom-entry	25	2500	360	44.00	48.40	D
<b>L-G1425</b>	Pressure gauge, 63mm, ¼" bottom-entry	25	2500	360	33.00	36.30	D
<b>L-G1430</b>	Pressure gauge, 63mm, ¼" bottom-entry	40	4000	580	33.00	36.30	D
<b>L-G1432</b>	Pressure gauge, 63mm, ¼" bottom-entry	60	6000	870	33.00	36.30	D
<b>L-G1602</b>	Pressure gauge, 100mm, ¼" bottom-entry	25	2500	360	63.00	69.30	D
<b>L-G1611</b>	Pressure gauge, 100mm, ⅜" bottom-entry	16	1600	230	84.00	92.40	D
<b>L-G1612</b>	Pressure gauge, 100mm, ⅜" bottom-entry	25	2500	360	84.00	92.40	D
<b>L-G1660</b>	Pressure gauge, 100mm, ⅜" bottom-entry	60	6000	870	99.00	108.90	D
<b>L-G1626</b>	Isometric pressure gauge, 100mm, ⅜" bottom-entry	25	2500	360	102.00	112.20	D

## ACCESSORIES

# SPRAY GUNS & LANCES



SW-LANCE-ASSY



SW-LANCE-ADJ-AS



RL10

## SPRAY GUNS & LANCES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SW-LANCE-ASSY</b>	Swissmex gun and lance	52.00	57.20	C
<b>SW-LANCE-ADJ-AS</b>	Swissmex gun and extendable lance	65.00	71.50	C
<b>RL10</b>	RL10 gun with 500mm steel lance, adjustable nozzle	84.00	92.40	B




AA30L-PP



AA30L-1/4



AA31



AA43HA-8 AND AA43LA-8



B26.901.165MK2



B46.901.46RG



B7.901.10



B35.901.16

## SPRAY GUNS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>AA30L-PP</b>	TeeJet GunJet poly spray gun, 10 bar (150 psi)	113.00	124.30	B
<b>AA30L-1/4</b>	TeeJet GunJet drip-free spray gun, 17 bar (250 psi)	136.00	149.60	B
<b>AA31</b>	TeeJet forged brass trigger gun, 35 bar (500 psi)	132.00	145.20	B
<b>AA43HA-8</b>	TeeJet heavy-duty high-pressure gun, 55 bar (800 psi)	331.00	364.10	B
<b>AA43LA-8</b>	TeeJet heavy-duty medium-pressure gun, 14 bar (200 psi)	331.00	364.10	B
<b>B26.901.165MK2</b>	Turbo400 with metal grip and protected lever, 50 bar (725 psi)	181.00	199.10	B
<b>B46.901.46RG</b>	Turbo400RG gun with ergonomic grip and positive-notch droplet selection, 40 bar (580 psi)	243.00	267.30	B
<b>B7.901.10</b>	Evolution turbine gun, 60 bar (850 psi)	334.00	367.40	B
<b>B35.901.16</b>	Spot-spray gun, pistol type, 40 bar (580 psi)	136.00	149.60	B

ACCESSORIES

# CHEMICAL MIXING & TRANSFER



## CHEMICAL MIXING AND TRANSFER

## CHEMPAK



A5033301

**30L CHEMICAL MIXER**

1. Can handle liquids, powders and granulated products
2. Venturi suction system with integrated drain valve
3. Three venturi options to adapt to the pump type being used
4. Easy-to-understand tap controls for chemical mixing, mixer rinse and container cleaning system
5. Integrated lifting handle
6. Simple mounting system to ensure easy fit up to existing sprayers
7. Optional suction probe



L-H9351A

**60L CHEMICAL MIXER**

1. Large access lid, fully sealed for safety
2. External and internal level markings
3. Dual-filling and product-agitation jets for rapid mixing
4. Container rinse nozzle capable of rinsing up to 20L containers
5. Mixer rinsing nozzle mounted directly under the lid for complete cleaning
6. Large taps for easy operation
7. Venturi with shut off valve
8. Sturdy handle and mount
9. Optional drop-down bracket available
10. High-flow capacity via large venturi



L-H9353B

**STAND ALONE 60L MIXER**

1. Trolley-mounted Croplands chemical mixer for stand-alone mixing operations
2. Same features as itemised on left unit without pump. Requires a pressurised water source to allow mixing, filling and venturi to operate correctly – the pump on the sprayer could be used
3. Unit with 240V pump best used where a water tank and power is available but no existing pressurised water source is available

**CHEMPAKS**

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>A5033301</b>	30L chemical mixer and transfer hopper for use with smaller trailed sprayers, linkage sprayers and traymount units. Includes universal mount, 3-tap control bank, container rinse and venturi options to match to the pump size and type being used	2,253.00	2,478.30	B
<b>L-H9351A</b>	Croplands 60L chemical mixer and transfer hopper for use with larger trailed sprayers, linkage sprayers and traymount units. Includes universal mount, taps for mixing, container rinse and system cleaning. Cleaning nozzle mounted directly under lid for complete clean out. Internal and external markings	2,232.00	2,455.20	A
<b>L-H9353B</b>	Croplands 60L chemical mixer as described above on a handy trolley frame. Ideal for use at a chemical mixing station where an external pressurised water supply is available using an existing filling pump or similar	3,027.00	3,329.70	A
<b>L-H9353C</b>	Croplands 60L chemical mixer as described above on a handy trolley frame with 240V centrifugal pump fitted. Ideal for use at a chemical mixing station where an external water tank is available along with mains power to power the pump	5,250.00	5,775.00	A
<b>L-H9355A</b>	Optional spring-loaded drop-down mount for Croplands 60L mixer model L-H9351A. Ideal where operator height is an issue	1,061.00	1,167.10	D

# CHEMICAL MIXING & TRANSFER



L-H9005 5L JUG

L-H9025 25L JUG

## EASYFLOW

1. Closed transfer system for crop protection products featuring clever locking system
2. For use with containers up to 10L capacity with 63mm neck threads

## EASYFLOW

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>AT16077</b>	EasyFlow tank adaptor kit – includes tank adaptor and 5 x container (jug) adaptors	1,711.00	1,882.10	C
<b>AT16071</b>	Wedge plate kit (2 plates and seals) – allows for fitting the tank adaptor to angled surfaces	35.00	38.50	C

## MIXING JUGS

<b>L-H9001</b>	Croplands calibrated 1L measuring jug	15.00	16.50	D
<b>L-H9003</b>	Croplands calibrated 3L measuring jug	22.00	24.20	D
<b>L-H9005</b>	Croplands calibrated 5L measuring jug	35.00	38.50	D
<b>L-H9025</b>	Croplands heavy-duty 25L calibrated mixing bucket with pouring spout	69.00	75.90	D

## CHEMICAL TRANSFER

1. AgRunner chemical transfer unit for easy and accurate chemical transfer
2. Pump has nylon housing with Viton seals and multiple pump-chamber design to ensure long-life performance and durability



SHUFM-1100I



SHUSF-1105



L-H9556



L-H9562A



SHUSF-1105PTS

## CHEMICAL TRANSFER

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SHUSF-1105PTS</b>	The AgRunner portable mini-bulk transfer system uses a 12V SHURflo chemical transfer pump for pumping liquid agricultural chemicals from bulk containers into chemical mixers or spray tanks. The unit has a handy carry frame to protect the pump unit, pump-mounted flow indicator, 6m of power cable, shut-off gun, 4m discharge hose, and a camlock inlet fitting with shut-off and 4m inlet hose	3,079.00	3,386.90	B
<b>SHUSF-1105</b>	12V SHURflo pump unit only, Viton valves, Santoprene diaphragms with internal bypass and 6m power cable. On/off switch on the pump. 29 L/min output at 15 psi pressure. Draws 14 amps	1,128.00	1,240.80	B
<b>SHUFM-1100I</b>	Pump-mounted electronic flowmeter with LCD display and long-life lithium battery	761.00	837.10	B
<b>L-H9562A</b>	Three-pin Envirodrum male coupling	852.00	937.20	D
<b>L-H9556</b>	Three-pin Envirodrum rinsing socket (must be connected to fresh-water source)	344.00	378.40	D

## SAFETY

# PROTECTIVE EQUIPMENT

**TANK CLEANER** L-H9704

Thoroughly clean your sprayer when changing from one pesticide to another with Spraymate™ tank and equipment cleaner. Powerful detergents remove residues from inaccessible areas in the tank and spray lines. It also removes rust and hard-water scale and leaves a protective film to prevent corrosion during storage, prolonging the life of your sprayer

**COVERALLS** L-H230


Tyvek® Barrier Man Coveralls are disposable coveralls designed to protect workers from hazardous materials, or sensitive products and processes from contamination by people. Available in white, sizes medium to XXL

**GLOVES** L-H700

Offers resistance to solvents and oils with good flexibility and dexterity. Excellent abrasion and puncture resistance. Available in sizes 9–11

**SAFETY EQUIPMENT**

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>L-H9704</b>	Spraymate tank and equipment cleaner, 600g	56.00	61.60	D
<b>L-H230*</b>	Disposable protective suit. Suitable for single or limited repeat use for protection against dust while mixing chemicals. Not rainfast. *Denotes size as follows: 1 = Medium; 2 = Large; 4 = XL; 5 = XXL	18.00	19.80	D
<b>L-H700*</b>	Nitrile protective spray gloves, 330mm. *Denotes size as follows: 3 = size 10; 5 = size 11	8.00	8.80	D
<b>L-H710*</b>	Nitrile protective spray gloves, long, 460mm. *Denotes size as follows: 2 = size 9; 3 = size 10; 4 = size 11	22.00	24.20	D

**RESPIRATOR** L-H3016**FILTER** KASCO-0601/19**MASK** L-H3300

Please note: once opened replace after 6 months.

**RESPIRATORS**

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>L-H3016</b>	K80-T9R respirator complete with helmet, blower unit and belt, single filter and 12V cable-charger for connection to a continuous 12V power source such as a tractor or vehicle. This unit will operate for approximately 30 minutes without the 12V power source from a small battery in the blower unit. Optional 240V charger available to charge the battery for 30 minutes of use if required as a stand-alone function. Designed to be continuously powered while in use. Agricultural use only	2,139.00	2,352.90	D
<b>L-H3017A</b>	K80-T5 respirator complete with helmet, blower unit and belt, single filter and lithium battery pack – also carried on the belt. For agricultural use only. Unit not pictured	2,333.00	2,566.30	D

**KASCO FILTERS**

	DESCRIPTION	CLASS	COLOUR ON CARTRIDGE	PROTECTION AGAINST			
<b>KASCO-0601/19</b>	ZA2P3 Filter	P3R		Particles, liquid and solid aerosols, organic vapours and gases	149.00	163.90	D
<b>KASCO-0601/25</b>	ZA2B2P3 Filter	A2P3R		Particles, liquid and solid aerosols, organic vapours and gases, inorganic vapours and gases. Suitable for HiCane use	165.00	181.50	D

**MASKS AND FILTERS**

<b>L-H3300</b>	SR100 silicone mask for superior face seal. Double anti-clog exhaust valves, filter not included	167.00	183.70	D
<b>L-H3500</b>	Particle filter P3 (210/310) particles, wet and dry dust, aerosols, mould, bacteria, viruses, smoke, mist and fumes	54.00	59.40	D
<b>L-H3501</b>	Pre-filter 221-1 (pack of 10)	19.00	20.90	D
<b>L-H3502</b>	Gas filter A1 (217) organic vapour such as solvents – regular capacity	69.00	75.90	D
<b>L-H3503</b>	Gas filter A2 (218) organic vapour such as solvents – high capacity	69.00	75.90	D
<b>L-H3505</b>	Gas filter ABEK1 (297) organic vapour such as solvents and inorganic vapour, acid gas and ammonia	81.00	89.10	D

## FIRE SAFETY RANGE

# FIREFIGHTERS

Don't take risks with your property – gear up for the fire season with a Croplands firefighter in either a truck/traymount or trailed option.



### BT1500/FF2

Heavy-duty 1500L trailed firefighter on galvanised chassis – hook up and go at a moment's notice when the need arises




### US500/FF1

500L traymount firefighter on galvanised steel skid

### SHUMB25LK

MiniBlaze firefighter kit with 2.5HP petrol motor. Quick-fill priming port and 1" discharge. Plus 5m of 20mm hose with nozzle



### SHUB55H FIREFIGHTER PUMP

Honda-powered Onga pumps provide effortless starts in all weather and conditions and rapid movement of water volume



## FIREFIGHTERS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SHUMB25LK</b>	MiniBlaze firefighter kit, 2.5HP petrol motor. Quick-fill priming port, 1" discharge, 5m of 20mm hose with nozzle, 2.5m suction hose with filter. Tool kit supplied. Flow rate 50–150 L/min	880.00	968.00	B
<b>SHUB55H</b>	Honda GX160-powered Onga firefighter pump. Industrial grade nylon impeller, alloy housing, 3-way discharge outlets and carry handle. 1 ½" priming port. Flow rate 100–500 L/min in the 2–5 bar pressure range. Price is for pump only	1,450.00	1,595.00	B
<b>US500/FF1</b>	Traymount 500L firefighter. Galvanised frame, SHUB55H pump, heavy-duty steel hose reel with 30m of 20mm delivery hose, adjustable nozzle and 3m suction kit with filter	5,725.00	6,297.50	A
<b>BT1100/FF</b>	Trailed 1100L firefighter with sprung axle, galvanised chassis, eye-hitch, ag-tyres, SHUB55H pump, heavy-duty steel hose reel with 30m of 20mm delivery hose, adjustable nozzle and 3m suction kit with filter. Ideal for farm use (not pictured)	10,573.00	11,630.30	A
<b>BT1500/FF</b>	Trailed 1500L firefighter with sprung axle, galvanised chassis, eye-hitch, ag-tyres, SHUB55H pump, heavy-duty steel hose reel with 30m of 20mm delivery hose, adjustable nozzle and 3m suction kit with filter. Ideal for farm use (not pictured)	11,071.00	12,178.10	A
<b>BT1500/FF2</b>	Pro-series trailed 1500L firefighter with sprung axle, galvanised chassis with mudguards, tow-hitch, brakes, lights, Land Cruiser wheels, SHUB55H pump, heavy-duty steel hose reel with 30m of 20mm delivery hose, adjustable nozzle and 3m suction kit with filter	19,073.00	20,980.30	A

Please note: trailed firefighters are not legal for road use.

SPRAY

## TANKS



## TANKS

	POSITION	LITRE CAPACITY	DIMENSIONS (MM)			STRAINER	FREESTANDING	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
			L	W	H					
<b>P20</b>	(not shown)	20	300	300	400	No	No	195.00	214.50	A
<b>P30B</b>	A	30	625	300	333	Yes	Yes	230.00	253.00	A
<b>P60B</b>	B	60	740	380	380	Yes	Yes	274.00	301.40	A
<b>P100</b>	C	100	975	400	425	Yes	Yes	312.00	343.20	A
<b>P200</b>	D	200	900	600	600	Yes	No	350.00	385.00	A
<b>P200B</b>	E	200	1160	580	539	Yes	Yes	780.00	858.00	A
<b>P300</b>	F	300	1100	550	550	Yes	No	446.00	490.60	A
<b>P300B</b>	G	300	1269	750	753	Yes	No	752.00	827.20	A
<b>P400</b>	H	400	1490	627	760	Yes	Yes	1,336.00	1,469.60	A
<b>P400C</b>	I	400	1190	760	650	Yes	No	668.00	734.80	A
<b>P450</b>	J	450	1070	750	580	Yes	No	540.00	594.00	A
<b>P500C</b>	K	500	1190	760	825	Yes	No	660.00	726.00	A
<b>P700</b>	(not shown)	700	1350	640	1200	Yes	No	826.00	908.60	A
<b>P800</b>	L	800	1740	1000	770	Yes	Yes	2,268.00	2,494.80	A
<b>P1000L</b>	M	1000	1350	800	1500	Yes	No	1,500.00	1,650.00	A
<b>P1100A</b>	N	1100	1400	1279	890	Yes	Yes	1,700.00	1,870.00	A
<b>P1500A</b>	O	1500	1400	1430	1150	Yes	No	2,100.00	2,310.00	A
<b>P2000</b>	P	2000	2200	1300	1030	Yes	No	1,970.00	2,167.00	A
<b>P3000</b>	Q	3000	2200	1300	1300	Yes	No	2,812.00	3,093.20	A
<b>P4000A</b>	R	4000	2200	1300	1670	Yes	No	3,286.00	3,614.60	A

All tanks are supplied with a lid and outlet. All prices are ex-store. Dimensions may change without notice. Dimensions may vary from tank to tank.

# PUMPS

**From spot spraying to large-scale broadacre and horticulture application, Croplands has carefully selected a range of pumps that deliver first-class productivity and efficiency.**



## AR DIAPHRAGM PUMPS

# LOW PRESSURE



The Annovi Reverberi (AR) range of reliable and robust diaphragm pumps have been industry leaders for more than 60 years and have partnered with Croplands for more than 40 years.

FOR CONTROLLER OPTIONS SEE PAGE 47

## DRIVE OPTIONS

APCC	Cardan shaft – 1½" 6-spline shaft both sides of pump
C	Cardan shaft – pump is fitted with a 1½" male 6-spline shaft
CF25	Female input for direct hydraulic motor fitting
CF32	6-spline male shaft on one side
CR	Gearbox fitted to pump but without PRV fitted
CRGI	Gearbox and PRV fitted to pump
SP	Bare shaft – models to suit various kits and applications
T	Tractor kit – to connect pump directly to tractor PTO shaft

For petrol and electric drive models, see following pages along with spare parts information.



AR80LFP



AR140LFP-C



AR185LFP-CF25



AR252



AR70



AR250

## IDEAL FOR SMALL BOOM SPRAYERS

### AR252 - OPEN FLOW: 25 L/MIN

MAX PRESSURE: 25 BAR MAX RPM: 650 WEIGHT: 4KG HP REQUIRED: 1.45  
TWIN DIAPHRAGM PUMP

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
AR252-C	C	865.00	951.50	C
AR252-T	T	1,109.00	1,219.90	C
AR252-SP	SP	774.00	851.40	C
AR252-CRGI	CRGI	1,381.00	1,519.10	C

## IDEAL FOR BOOMS UP TO 12 METRES

### AR70 - OPEN FLOW: 72 L/MIN

MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 11.8KG HP REQUIRED: 3.4  
TWIN DIAPHRAGM PUMP

AR70-C	C	1,240.00	1,364.00	C
AR70-T	T	1,504.00	1,654.40	C
AR70-SP	SP	1,180.00	1,298.00	C
AR70-CR	CR	1,885.00	2,073.50	C

### AR80LFP - OPEN FLOW: 76 L/MIN

MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 14KG HP REQUIRED: 3.4  
TRIPLE DIAPHRAGM, REINFORCED POLY  
HEADS & MANIFOLDS

AR80LFP-C	C	1,310.00	1,441.00	C
-----------	---	----------	----------	---

## IDEAL FOR BOOMS UP TO 15 METRES

### AR115 - OPEN FLOW: 114 L/MIN

MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 15.5KG HP REQUIRED: 5.5  
TRIPLE DIAPHRAGM PUMP

AR115-C	C	1,711.00	1,882.10	C
---------	---	----------	----------	---

## IDEAL FOR BOOMS UP TO 18 METRES

### AR140LFP - OPEN FLOW: 132 L/MIN

MAX PRESSURE: 15 BAR MAX RPM: 550 WEIGHT: 16KG HP REQUIRED: 5.2  
TRIPLE DIAPHRAGM, REINFORCED NYLON  
HEADS & MANIFOLDS

AR140LFP-C	Available with C	1,981.00	2,179.10	C
------------	------------------	----------	----------	---

## IDEAL FOR BOOMS UP TO 21-24 METRES

### AR160LFP - OPEN FLOW: 166 L/MIN

MAX PRESSURE: 15 BAR MAX RPM: 550 WEIGHT: 25KG HP REQUIRED: 6.8  
FOUR DIAPHRAGM, REINFORCED NYLON  
HEADS & MANIFOLDS

AR160LFP-CF25	Available with CF25	2,844.00	3,128.40	C
---------------	---------------------	----------	----------	---

### AR185LFP - OPEN FLOW: 182 L/MIN

MAX PRESSURE: 15 BAR MAX RPM: 550 WEIGHT: 25KG HP REQUIRED: 7.4  
FOUR DIAPHRAGM, REINFORCED NYLON  
HEADS & MANIFOLDS

AR185LFP-CF25	Available with CF25	2,923.00	3,215.30	C
---------------	---------------------	----------	----------	---

## IDEAL FOR BOOMS UP TO 36 METRES

### AR250 - OPEN FLOW: 254 L/MIN

MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 35.8KG HP REQUIRED: 11.4  
SIX DIAPHRAGM PUMP

AR250-CF25	Available with CF25	3,683.00	4,051.30	C
------------	---------------------	----------	----------	---

## AR DIAPHRAGM PUMPS

# MEDIUM & HIGH PRESSURE



Annovi Reverberi (AR) has developed a complete range of diaphragm pumps to suit the changing demands of agriculture.

The heads and manifolds are made from reinforced polypropylene or nylon to allow use with a wider range of products, including liquid fertilisers.

FOR CONTROLLER OPTIONS SEE PAGE 47



AR1604

ARBHS170/ARBHS200

AR813

AR1064

AR30/AR40

AR303

AR503

IDEAL FOR HIGH-PRESSURE SPOT-SPRAYING UNITS & SMALL AIRBLAST SPRAYERS

### AR813 - OPEN FLOW: 80 L/MIN

MAX PRESSURE: 50 BAR MAX RPM: 550 WEIGHT: 20.5KG HP REQUIRED: 8.8  
TRIPLE DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR813-APCC	Available with	APCC	2,001.00	2,201.10	C
AR813-CSP		CSP	2,039.00	2,242.90	C

### AR1064 - OPEN FLOW: 105 L/MIN

MAX PRESSURE: 50 BAR MAX RPM: 550 WEIGHT: 23.5KG HP REQUIRED: 13.1  
FOUR DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR1064-APCC	Available with	APCC	2,262.00	2,488.20	C
-------------	----------------	------	----------	----------	---

IDEAL FOR HIGH-PRESSURE AIRBLAST SPRAYERS

### AR1604 - OPEN FLOW: 153 L/MIN

MAX PRESSURE: 50 BAR MAX RPM: 550 WEIGHT: 40KG HP REQUIRED: 18  
FOUR DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR1604-APCC	Available with	APCC	3,113.00	3,424.30	C
-------------	----------------	------	----------	----------	---

### ARBHS170 - OPEN FLOW: 163 L/MIN

MAX PRESSURE: 50 BAR MAX RPM: 550 WEIGHT: 65KG HP REQUIRED: 19.3  
FOUR DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

ARBHS170-APCC	Available with	APCC	5,455.00	6,000.50	C
---------------	----------------	------	----------	----------	---

### ARBHS200 - OPEN FLOW: 194 L/MIN

MAX PRESSURE: 50 BAR MAX RPM: 550 WEIGHT: 65KG HP REQUIRED: 22.1  
FOUR DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

ARBHS200-APCC	Available with	APCC	5,600.00	6,160.00	C
---------------	----------------	------	----------	----------	---

IDEAL FOR SPOT-SPRAYING UNITS

### AR30 - OPEN FLOW: 35 L/MIN

MAX PRESSURE: 40 BAR MAX RPM: 550 WEIGHT: 9.3KG HP REQUIRED: 2.9  
TWIN DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR30-C	Available with	C	1,229.00	1,351.90	C
AR30-T		SP	1,398.00	1,537.80	C
AR30-SP		T	1,098.00	1,207.80	C
AR30-CRGI		CRGI	1,835.00	2,018.50	C

### AR40 - OPEN FLOW: 46.3 L/MIN

MAX PRESSURE: 40 BAR MAX RPM: 550 WEIGHT: 9.5KG HP REQUIRED: 3.5  
TWIN DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR40-CRGI	Available with	CRGI	1,872.00	2,059.20	C
-----------	----------------	------	----------	----------	---

### AR303 - OPEN FLOW: 35 L/MIN

MAX PRESSURE: 40 BAR MAX RPM: 550 WEIGHT: 9KG HP REQUIRED: 3  
TRIPLE DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR303-CR	Available with	CR	1,735.00	1,908.50	C
----------	----------------	----	----------	----------	---

### AR503 - OPEN FLOW: 54 L/MIN

MAX PRESSURE: 40 BAR MAX RPM: 550 WEIGHT: 11.5KG HP REQUIRED: 5.6  
TRIPLE DIAPHRAGM PUMP \$ (EX. GST) \$ (INC. GST) PROD. CAT.

AR503-T	Available with	T	1,723.00	1,895.30	C
AR503-SP		SP	1,330.00	1,463.00	C
AR503-CR		CR	1,850.00	2,035.00	C
AR503-CRGI		CRGI	2,346.00	2,580.60	C

Note: All flow information is at zero pressure, open flow.

## AR MOTORISED PUMPS

# PETROL & ELECTRIC DRIVE

Croplands have a great range of petrol and electric-drive pumps for spraying and semi-industrial applications.

Powered by genuine Honda engines, the petrol-powered models are bulletproof and will run day in, day out.

POWERED by  
**HONDA**™

## DRIVE OPTIONS

**GX** GX200QX Engine

**EM** Single phase electric motor

**AR-ES** Electric start kit of Honda motor

**ET** Three phase electric motor



AR70



AR135



AR252

## IDEAL FOR BOOMS UP TO 12 METRES

**AR70 - OPEN FLOW: 72 L/MIN**

**MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 11.8KG HP REQUIRED: 3.4**

**TWIN DIAPHRAGM PUMP** \$ (EX. GST) \$ (INC. GST) PROD. CAT.

**AR70-5H** Available with **GX** 3,662.00 4,028.20 C

## IDEAL FOR BOOMS UP TO 18 METRES

**AR135 - OPEN FLOW: 132 L/MIN**

**MAX PRESSURE: 20 BAR MAX RPM: 550 WEIGHT: 15.5KG HP REQUIRED: 6.8**

**TRIPLE DIAPHRAGM PUMP** \$ (EX. GST) \$ (INC. GST) PROD. CAT.

**AR135-6.5H** Available with **GX** 4,180.00 4,598.00 C

## IDEAL FOR SMALL BOOM SPRAYERS

**AR252 - OPEN FLOW: 25 L/MIN**

**MAX PRESSURE: 25 BAR MAX RPM: 650 WEIGHT: 4KG HP REQUIRED: 1.45**

**TWIN DIAPHRAGM PUMP** \$ (EX. GST) \$ (INC. GST) PROD. CAT.

		<b>GX</b>			
<b>AR252-4H</b>	Available with	<b>GX</b>	2,445.00	2,689.50	C
<b>AR252-EM</b>		<b>EM</b>	1,803.00	1,983.30	C

## IDEAL FOR SPOT-SPRAYING UNITS

**AR30**

(SEE PREVIOUS PAGE FOR SPECS & VISUAL)

\$ (EX. GST) \$ (INC. GST) PROD. CAT.

		<b>GX</b>			
<b>AR30-5H</b>	Available with	<b>GX</b>	3,032.00	3,335.20	C
<b>AR30-EM</b>		<b>EM</b>	3,422.00	3,764.20	C
<b>AR30-ET</b>		<b>ET</b>	3,240.00	3,564.00	C

**AR40**

(SEE PREVIOUS PAGE FOR SPECS & VISUAL)

\$ (EX. GST) \$ (INC. GST) PROD. CAT.

**AR40-6H** Available with **GX** 3,127.00 3,439.70 C

**AR303**

(SEE PREVIOUS PAGE FOR SPECS & VISUAL)

\$ (EX. GST) \$ (INC. GST) PROD. CAT.

**AR303-6H** Available with **GX** 2,947.00 3,241.70 C

**TO PETROL DRIVE LARGER AR PUMPS, PLEASE CONTACT CROPLANDS FOR OPTIONS AND PRICING.**

NOTE, TO FIT ELECTRIC START ON THE AR PETROL-DRIVEN MOTORISED PUMPS ON THIS PAGE, PLEASE ADD THE FOLLOWING CODE AND PRICE TO YOUR ORDER (AR-ES).



AR252-4H



AR252-EM



AR303-6H

# AR PUMPS PARTS & ACCESSORIES



AR550086



AR759051



AR110121



AR1434



GEARBOX FITTED

## DIAPHRAGMS FOR PUMP MODELS

		MATERIAL	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
AR1040080	AR80LFP-C	DESMOPAN	39.00	42.90	C
AR550086	AR70, 115, 125, 135, 145, 160, 185, 250, 280, 370, 500 (20 bar max), AR140FLP-C	HPDS	56.00	61.60	C
AR620080	AR30 (40 bar max), AR503 (50 bar max)	GOMMA	34.00	37.40	C
AR800086	AR19 and 252 (20 bar max)	HPDS	34.00	37.40	C
AR1040081	AR813, 1064 (50 bar max), AR80LFP-C	GOMMA	40.00	44.00	C
AR2240080	ARBHA140, BHS140, BHS160/170, BHS200 (50 bar max)	GOMMA	50.00	55.00	C

## VALVES FOR PUMP MODELS

AR759051	AR70, 115, 125, 135, 145, 160, 185, 250, 280, 370, 500 (20 bar max). ARBHA140, BHS140, BHS160/170, AR2HS200 (50 bar max)	50.00	55.00	C
AR1409050	AR30 (40 bar max). AR503, 813, 1064 (50 bar max)	36.00	39.60	C
AR809060	AR252 (25 bar max)	22.00	24.20	C
AR2429050	AR80LFP-C, AR140FLP-C	66.00	72.60	C

## VALVE O-RINGS FOR PUMP MODELS

AR680070	AR125, 145, 160, 185, 250, 280, 370, 500 (20 bar max). ARBHA140, BHS140, BHS160/170, BHS200 (50 bar max)	3.00	3.30	C
AR320030	AR70, 115, 135 (20 bar max)	3.00	3.30	C
AR620030	AR30 (40 bar max). AR503, 813, 1064 (50 bar max)	1.60	1.76	C
AR880830	AR252 (25 bar max)	1.00	1.10	C
AR3460240	AR80LFP-C, AR140FLP-C	13.00	14.30	C

## DISC FOR ARG140 REGULATOR

AR110121	Vulkulan disc	12.00	13.20	C
AR1922	5 pack of Vulkulan discs	47.00	51.70	C

## COMMON REPAIR KITS

PR66	2 X AR550086 for AR70 pump	90.00	99.00	C
PR67	4 valves and O-rings for AR70	171.00	188.10	C
AR2374	Kit (8 x 680070 and 8 x 759051) for 4-diaphragm pumps	383.00	421.30	C
AR1917	Valve and O-rings kit for AR30	121.00	133.10	C
AR1925	Kit reg overhaul (GI40) for ARG140 regulator	63.00	69.30	C

## SAFETY RELIEF VALVES

AR1432	Valve safety (20 bar) – safety relief valve with reset	70.00	77.00	C
AR1433	Valve safety (40 bar) – safety relief valve with reset	72.00	79.20	C
AR1434	Valve safety (50 bar) – safety relief valve with reset	69.00	75.90	C

## COMMONLY USED GEARBOXES FOR AR PUMPS

AR1613	Gearbox (AR19/202/252 1:4.3)	480.00	528.00	C
AR1636	Gearbox (AR30 1:5.9)	897.00	986.70	C
AR1639	Gearbox (AR50/503/703/904 1:5.9)	909.00	999.90	C
AR1671	Gearbox (AR70/115/120 1:5.9)	1,179.00	1,296.90	C

## MANUAL CONTROL VALVE AND REGULATOR

## PARTS &amp; ACCESSORIES



ARBMH50



ARECM-4



ARUCM-5



ARIDROM-4

## CONTROLLERS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>ARGR30</b>	Controller for AR252 pump, max flow 40 L/min, maximum operating pressure 25 bar (360 psi) Mounting kit not included (*see AR892 for remote mount kit)	149.00	163.90	C
<b>ARGI40</b>	3-outlet (2-taps supplied) manual controller suited to the AR30 pump. Can be pump mounted or remote mounted* (*see AR980 for remote mount kit). Max flow 80 L/min, maximum pressure 40 bar (580 psi)	250.00	275.00	C
<b>ARRM40I</b>	Two-way controller to suit AR503 pump. Can be pump mounted or remote mounted* (*see AR985 for remote mount kit). Max flow 90 L/min, maximum pressure 40 bar (580 psi)	281.00	309.10	C
<b>ARVDR50</b>	Two-way controller to suit AR813 or AR1064 pump. Can be pump mounted or remote mounted* (*see AR998 for remote mount kit). Max flow 130 L/min, maximum pressure 50 bar (725 psi)	511.00	562.10	C
<b>ARBMH50</b>	Two-outlet manual controller suited to high-pressure 50 bar-rated diaphragm pumps. Rotary selector lever controls individual left and right shut-off or master shut-off with either pressure bypass or non-pressure bypass. Can be pump mounted or remote mounted* (*see AR996 for remote mount kit). Max flow 200 L/min, maximum pressure 50 bar (725 psi)	648.00	712.80	C
<b>ARECM-4</b>	Remote mount 4-way controller suitable for most 20 bar-rated diaphragm pumps. 4 individual shut-off taps and gauge fitted. Comes with remote-mount plate fitted. Max flow 150 L/min, maximum pressure 20 bar (290 psi). 2-tap version also available	435.00	478.50	C
<b>ARUCM-5</b>	Remote mount 5-way controller suitable for most 20 bar-rated diaphragm pumps. 5 individual shut-off taps, master shut-off lever and gauge fitted. Comes with remote-mount plate fitted. Max flow 150 L/min, maximum pressure 20 bar (290 psi). 2-tap and 6-tap version also available. Fitted as standard on all AgriPak linkages	748.00	822.80	C
<b>ARIDROM-4</b>	Remote-mount pressure compensating 4-way controller suitable for most 20 bar-rated diaphragm pumps. Bypass taps on each section can be adjusted for pressure compensation of +/- 15%. 4 individual shut-off taps, master shut-off lever and gauge fitted. Comes with remote-mount plate fitted. Max flow 150 L/min, maximum pressure 20 bar (290 psi). 2-tap and 6-tap version also available	1,066.00	1,172.60	C



ARGR30/AR892



ARG140/AR980



ARRM40I/AR985



ARVDR50/AR998

## REMOTE MOUNT KITS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>AR892</b>	Suits ARGR30, includes mount plate and bolts, extra tap, hoesetails and inlet/outlet fitting	97.00	106.70	C
<b>AR980</b>	Suits ARG140, includes mount plate and bolts, extra tap, hoesetail and inlet/outlet fitting	110.00	121.00	C
<b>AR985</b>	Suits ARRM40I, includes mount plate and bolts, extra tap, hoesetails and inlet/outlet fitting	107.00	117.70	C
<b>AR998</b>	Suits ARVDR50, includes mount plate and bolts, extra tap, hoesetails and inlet/outlet fitting	128.00	140.80	C
<b>AR996</b>	Suits ARBMH50, includes mount plate and bolts, hoesetails and inlet/outlet fitting	52.00	57.20	C

## HYPRO PUMPS

CENTRIFUGAL  
MODELS

Hypro centrifugal pumps, made from cast iron or stainless steel housings for exceptional pump performance. Life Guard seals optional on select pumps give longer-lasting seal life.



9203C-B



9303C-HM1C-B



9303C-HM5C-B

	SPECIFICATIONS		OUTPUT & INPUT	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>9203C-B</b>	<ul style="list-style-type: none"> <li>9203C series pedestal-mount centrifugal pump</li> <li>Cast-iron housing with nylon impeller</li> <li>Shaft rotation: counter clockwise when looking at the shaft-end</li> </ul>	Port sizes: 1-½" NPT inlet; 1-¼" NPT outlet Input shaft size: 5/8" (15.9mm) solid shaft Weight: 8.6kg Fitted to a number of OEM sprayers	Max fluid temp: 60° C Max pressure: 11.7 bar (170 psi) Max L/min flow: 530 Max RPM: 6000 435 L/min flow at 2.8 bar pressure and 4200 RPM	1,380.00	1,518.00	B
<b>9303C-HM1C-B</b>	<ul style="list-style-type: none"> <li>9303C series pedestal-mount centrifugal pump with hydraulic motor fitted (for open centre, closed centre and load-sensing systems)</li> <li>Cast-iron housing with nylon impeller</li> </ul>	Liquid Port sizes: 1-½" NPT inlet; 1-¼" NPT outlet Hydraulic motor: internal gear gerotor; max motor psi = 3000 Hydraulic ports: ½" NPT inlet, ¾" NPT outlet Hydraulic motor seal: double-lip Teflon Weight: 11.8kg <b>Fitted to a number of OEM sprayers</b> <b>Fitted standard to Croplands 4000 and 6000L WEED-IT sprayers</b>	Max fluid temp: 60° C Max pressure: 9 bar (130 psi) Max L/min flow: 432 Max hyd flow required: 49.2 L/min 397 L/min flow at 3.4 bar pressure and 45.4 L/min hydraulic flow	2,750.00	3,025.00	B
<b>9303C-HM5C-B</b>	<ul style="list-style-type: none"> <li>9303C series pedestal-mount centrifugal pump with hydraulic motor fitted (for open centre, closed centre and load-sensing systems)</li> <li>Cast-iron housing with nylon impeller</li> </ul>	Liquid port sizes: 1-½" NPT inlet; 1-¼" NPT outlet Hydraulic motor: internal gear gerotor; max motor psi = 3000 Hydraulic ports: ½" NPT inlet, ¾" NPT outlet Hydraulic motor seal: double-lip Teflon Weight: 11.8kg <b>Fitted to a number of OEM sprayers</b>	Max fluid temp: 60° C Max pressure: 10 bar (145 psi) Max L/min flow: 556 Max hyd flow required: 60.6 L/min 450 L/min flow at 4.1 bar pressure and 56.8 L/min hydraulic flow	2,900.00	3,190.00	B



9306C-HM5C-B



9306C-HM5C-3U



9306S-HM5C-3U

	SPECIFICATIONS		OUTPUT & INPUT	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>9306C-HM5C-B</b>	<ul style="list-style-type: none"> <li>9306C series pedestal-mount centrifugal pump with hydraulic motor fitted (for open centre, closed centre and load-sensing systems)</li> <li>Cast-iron housing with nylon impeller</li> </ul>	Liquid port sizes: 2" NPT Inlet; 1-½" NPT outlet Hydraulic motor: internal gear gerotor; max motor psi = 3000 Hydraulic ports: ½" NPT inlet, ¾" NPT outlet Hydraulic motor seal: double-lip Teflon Weight: 15kg <b>Fitted to a number of OEM sprayers</b> <b>Suits RG series RoGator sprayer models – replaces part number AC579304D1</b>	Max fluid temp: 60° C Max pressure: 9.6 bar (140 psi) Max L/min flow: 803 Max hyd flow required: 64.4 L/min 803 L/min flow at 4.1 bar pressure and 60.6 L/min hydraulic flow Internal threaded	3,180.00	3,498.00	B
<b>9306C-HM5C-3U</b>	<ul style="list-style-type: none"> <li>9306C series centrifugal pump with hydraulic motor fitted (for open centre, closed centre and load-sensing systems)</li> <li>Cast-iron housing with nylon impeller</li> </ul>	Liquid port sizes: 300 x 220 (3U) universal flange Hydraulic motor: internal gear gerotor; max motor psi = 3000 Hydraulic ports: ½" NPT inlet, ¾" NPT outlet Hydraulic motor seal: double-lip Teflon Weight: 15kg <b>Fitted to a number of OEM sprayers</b>	Max fluid temp: 60° C Max pressure: 9.6 bar (140 psi) Max L/min flow: 1181 Max hyd flow required: 64.4 L/min 1018 L/min flow at 3.4 bar pressure and 60.6 L/min hydraulic flow	2,400.00	2,640.00	B
<b>9306S-HM5C-3U</b>	<ul style="list-style-type: none"> <li>9306S series pedestal-mount stainless-steel centrifugal pump with hydraulic motor fitted (for open centre, closed centre and load-sensing systems)</li> <li>Stainless-steel housing with polypropylene impeller</li> </ul>	Liquid port sizes: 2" NPT Inlet; 1-½" NPT outlet Hydraulic motor: internal gear gerotor; max motor psi = 3000 Hydraulic ports: ½" NPT inlet, ¾" NPT outlet Hydraulic motor seal: double-lip Teflon Weight: 15kg <b>Fitted to a number of OEM sprayers</b> <b>Optional stainless-steel pump for Croplands WEED-IT 7000L sprayer (replaces cast iron 9306C-HM5C-BU – 2 pumps fitted standard)</b> <b>Suits RG series RoGator sprayer models as a stainless-steel option – replaces part number AC579304D1</b>	Max fluid temp: 60° C Max pressure: 9.6 bar (140 psi) Max L/min flow: 803 Max hyd flow required: 64.4 L/min 803 L/min flow at 4.1 bar pressure and 60.6 L/min hydraulic flow	4,200.00	4,620.00	B



9342P-HM5C-5SP



9343P-GM6-SP

## POLY TRANSFER PUMPS

	SPECIFICATIONS		OUTPUT & INPUT	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>9342P-HM5C-5SP</b>	<ul style="list-style-type: none"> <li>Poly transfer pump, 2" with hydraulic motor drive</li> <li>Polypropylene housing</li> <li>Suction lift 7.62m</li> <li>5-vane impeller</li> <li>2" NPT inlet and 2" NPT outlet ports</li> </ul>	Hydraulic ports: ½" NPT inlet, ¾" NPT outlet <b>Optional for Croplands 4000 and 6000L WEED-IT sprayers as a filling pump</b>	Max pressure: 4 bar (58 psi) Max L/min flow: 757 Max hyd flow required: 42 L/min	2,050.00	2,255.00	B
<b>9343P-GM6-SP</b>	<ul style="list-style-type: none"> <li>Poly transfer pump, 3" with hydraulic motor drive</li> <li>Polypropylene housing</li> <li>Suction lift 7.62m</li> <li>Poly impeller with stainless-steel insert</li> <li>3" NPT inlet and 3" NPT outlet ports</li> </ul>	Hydraulic ports: ½" NPT inlet, ¾" NPT outlet <b>Optional for Croplands RoGator sprayers as a filling pump</b>	Max pressure: 3 bar (44 psi) Max L/min flow: 1730 Max hyd flow required: 60 L/min	3,200.00	3,520.00	B

SHURFLO

# PUMPS & ACCESSORIES

SHURflo

SHURflo 12V pumps are ideal for spot spraying and small, multi-tip boom sprayers mounted on RTVs, ATVs, ute trays or small trailed sprayers.



SHU8000-547-189



SHU2088-313-544



SHU50593611D011



SHU255-613

			\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SHU8000-547-189 (PUMP)</b>	<ul style="list-style-type: none"> <li>• SHURflo 12V DC bypass diaphragm pump</li> <li>• Santoprene diaphragm; Viton valves</li> <li>• 12V sealed motor</li> <li>• Self-priming to 2.4m</li> <li>• Proven pump head design</li> <li>• Internal bypass for smooth flow operation</li> <li>• Ag-chemical resistant materials</li> </ul>	Max L/min (open flow): 6.8 Max pressure: psi: 107 bar: 7.4 Port size: ½"m Max amps: 7.3 Pressure Switch: yes Internal Bypass: yes	220.00	242.00	B
<b>SHU94-385-32</b>	<b>DIAPHRAGM/DRIVE ASSEMBLY KIT</b>	To suit pump model SHU8000-547-189	133.00	146.30	B
<b>SHU94-391-46</b>	<b>VALVE ASSEMBLY KIT</b>	To suit pump model SHU8000-547-189	112.00	123.20	B
<b>SHU94-229-08</b>	<b>PRESSURE SWITCH KIT</b>	To suit pump model SHU8000-547-189	71.00	78.10	B
<b>SHU94-374-08</b>	<b>CHECK VALVE KIT</b>	To suit pump model SHU8000-547-189	24.00	26.40	B
<b>SHU2088-313-544 (PUMP)</b>	<ul style="list-style-type: none"> <li>• SHURflo 12V DC bypass diaphragm pump</li> <li>• Santoprene diaphragm; Viton valves</li> <li>• 12V sealed motor</li> <li>• Self-priming to 2.4m</li> <li>• Proven pump head design</li> <li>• Internal bypass for smooth flow operation</li> <li>• Ag-chemical resistant materials</li> </ul>	Max L/min (open flow): 15.1 Max pressure: psi 45 bar: 3.1 Port size: ½"m Max amps: 13 Pressure Switch: yes Internal Bypass: yes	530.00	583.00	B
<b>SHU50593611D011 (PUMP)</b>	<ul style="list-style-type: none"> <li>• SHURflo 12V DC bypass diaphragm pump</li> <li>• Santoprene diaphragm; Viton valves</li> <li>• 12V sealed motor</li> <li>• Self-priming to 2.4m</li> <li>• Proven pump head design</li> <li>• Internal bypass for smooth flow-operation</li> </ul>	Max L/min (open flow): 20.1 Max pressure: psi: 90 bar: 6.2 Port size: ½"m Max amps: 20.9 Pressure switch: no Internal bypass: yes	536.00	589.60	B
<b>SHU94-910-04</b>	<b>DIAPHRAGM/DRIVE ASSEMBLY KIT</b>	To suit pump model SHU5059-1311-D011	215.00	236.50	B
<b>SHU94-910-05</b>	<b>VALVE ASSEMBLY KIT</b>	To suit pump model SHU5059-1311-D011	137.00	150.70	B
<b>SHU94-910-02</b>	<b>PRESSURE SWITCH KIT</b>	To suit pump model SHU5059-1311-D011	58.00	63.80	B
<b>SHU94-910-03</b>	<b>CHECK VALVE KIT</b>	To suit pump model SHU5059-1311-D011	43.00	47.30	B

## HOSE FITTINGS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>SHU234-2926</b>	½" NPT – 14 female x 12mm (½") straight swivel barb (polypropylene)	3.50	3.85	B
<b>SHU234-2916</b>	½" NPT – 14 female x 10mm (¾") straight swivel barb (polypropylene)	3.50	3.85	B
<b>SHU234-3926</b>	½" NPT – 14 female x 12mm (½") elbow swivel barb (polypropylene)	3.50	3.85	B
<b>SHU234-3916</b>	½" NPT – 14 female x 10mm (¾") elbow swivel barb (polypropylene)	3.50	3.85	B

FLOJET

# PUMPS & ACCESSORIES

FLOJET®

The FloJet range of 12V pumps is designed for small spot spraying and boom spraying operations. FloJet pumps perform well if used correctly and flushed out after use.



FL3501-506



FL20419-012



FL02091-060



FL20407-033

## 3501 TRIPLEX PUMP

			\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>FL3501-506</b>	<ul style="list-style-type: none"> <li>Fully sealed motor for corrosion resistance</li> <li>Pressure switch for spot spraying and an internal bypass to ensure pump does not pulsate with small nozzle sizes</li> <li>Low pulsation and noise</li> <li>Superior pump head sealing</li> <li>Excellent priming</li> <li>Compact size</li> <li>3/8" threaded ports for use with hoesetails or threaded nipples</li> <li>Ideal for small boom or spot spraying and some other agricultural uses</li> </ul>	With press. switch: Yes Max L/min (open flow): 7.8 Volts: 12V DC Max press. (bar): 3.4 Inlet and outlet: 3/8" hosebarb Internal bypass: Yes Diaphragm material: S Valve material: S Amps: 8	281.00	309.10	B
<b>FL20419-012</b>	<b>DIAPHRAGM</b>	To suit pump model FL3501-506	93.00	102.30	B
<b>FL02091-060</b>	<b>PRESSURE SWITCH</b>	To suit pump model FL3501-506	91.00	100.10	B
<b>FL20407-033</b>	<b>VALVE</b>	To suit pump model FL3501-506	74.00	81.40	B



FL3521-139



FL20419-015



FL02091-060



FL20407-021

## 3521 TRIPLEX PUMP

			\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>FL3521-139</b>	<ul style="list-style-type: none"> <li>Maximum flow of 15.1 L/min (open-flow)</li> <li>Internal bypass gives this model superior, smooth liquid delivery for multiple nozzles</li> <li>Plug-in bayonet connections (1/2") with quick release clips</li> <li>Suited for small booms and high volume spot spraying. Triplex design makes it an excellent priming option</li> </ul>	With press. switch: Yes Max L/min (open flow): 15.1 Volts: 12V DC Max press. (bar): 4 Inlet and outlet: Plug-in bayonet and 1/2" hosebarb Internal bypass: Yes Diaphragm material: S Valve material: V Amps: 9	378.00	415.80	B
<b>FL20419-015</b>	<b>DIAPHRAGM</b>	To suit pump model FL3521-139	130.00	143.00	B
<b>FL02091-060</b>	<b>PRESSURE SWITCH</b>	To suit pump model FL3521-139	91.00	100.10	B
<b>FL20407-021</b>	<b>VALVE</b>	To suit pump model FL3521-139	74.00	81.40	B

# ELECTRIC CONTROL KITS

If you need to upgrade your sprayer to control your boom or air-assisted sprayer, Croplands has the right range of electric controls to suit all applications.

FITTED AS OPTIONS TO LINKAGE SPRAYERS SEE PAGE 4



I-E2012



I-E2032

TO SUIT LINKAGE AND BOOM SPRAYERS; LOW-PRESSURE AIR SPRAYERS.  
ARAG AVAILABLE ON REQUEST.

## ELECTRIC CONTROL KITS UP TO 20 BAR PRESSURE

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>I-E2012</b>	Entry-level electric in-cab control with switchbox. One electric on/off valve shuts off the complete boom from the cab. 3 manual taps on the control manifold can be used for each boom section. A manual pressure regulator with gauge is supplied to allow working pressure to be set for the system	923.00	1,015.30	B
<b>I-E2032</b>	Electric in-cab controller with switchbox. 3-section electric valves for individual section shut off, electric pressure regulating valve and a master on/off can all be operated from the switchbox in the cab or vehicle. Requires a reliable 12V power supply	2,297.00	2,526.70	B
<b>I-E2052</b>	- As above for 5-section control	2,721.00	2,993.10	B

TO SUIT HIGH-PRESSURE ORCHARD SPRAYERS

## ELECTRIC CONTROL KITS UP TO 40 BAR PRESSURE

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>I-S4020</b>	Electric in-cab controller with switchbox. 2-section high-pressure electric valves for individual left/right shut off can be operated from the switchbox in the cab. Requires a reliable 12V power supply	1,739.00	1,912.90	B
<b>I-S4021</b>	Electric in-cab controller with switchbox. 2-section high-pressure electric valves for individual left/right shut off, electric pressure regulating valve and a master on/off can all be operated from the switchbox in the cab or vehicle. Requires a reliable 12V power supply	3,088.00	3,396.80	B



I-S4021

# APPLICATION SPRAY MONITORS

Giving you visibility and accessibility of your spraying operations.



A4670610-HA



A4670610-SR100

## SPRAY MONITORS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>A4670610-HA</b>	The Visio Hectare meter is a handy viewer to hook up to a vehicle or tractor to measure area, distance and speed. Supplied in the kit is the Visio multi-function display, mounting bracket and a speed-sensor that will need to be mounted to read the rotation of a wheel or PTO shaft	1,092.00	1,201.20	B
<b>A4670610-SR100</b>	The Visio spray monitor comes in a kit to fit-up to a boom or orchard sprayer to measure spray application rate, litres used, area, distance and speed. Supplied in the kit is the Visio multi-function display, mounting bracket, speed-sensor that will need to be mounted to read the rotation of a wheel or PTO shaft, a 5–100 L/min flowmeter and all necessary cables. The kit will require some extra fittings to fit to an existing sprayer – consult your Croplands dealer or service agent	1,875.00	2,062.50	B
<b>A4670610-SR200</b>	- As above, but with a higher flow-rated flowmeter (10–200 L/min)	1,875.00	2,062.50	B

## APPLICATION

# AUTO SPRAY-RATE CONTROLLERS

Total command is at your fingertips with our selection of spray monitors and rate controllers, all designed to give you visibility and accessibility over your spraying operation.



BRAVO180-ARAG3



BA5000-GEO3



HV2400-BRAG2

## AUTO SPRAY-RATE CONTROLLERS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>BA5000-GEO3</b>	<p>Croplands fully auto spray-rate controller for use on linkage sprayers. Optional as a fit-up to any new Croplands sprayer or as an upgrade to an existing sprayer. Features include display of two functions on screen, large back-lit display, heavy-duty switches, up to 10 pre-set application rates, fully programmable and alarm settings and integrated diagnostics. Kit includes: spray manifold with flowmeter, 3-section valve bank, looms, mount and operating instructions. The kit will require some extra fittings to fit to an existing sprayer – consult your Croplands dealer or service agent</p> <p><b>Note: if you require a kit for a trailed broadacre sprayer, contact Croplands to ensure the correct length looms are supplied</b></p>	4,084.00	4,492.40	A
<b>BA5000-GEO5</b>	<p>- As above, but with 5 sections</p> <p><b>Note: if you require a kit for a trailed broadacre sprayer, contact Croplands to ensure the correct length looms are supplied</b></p>	4,241.00	4,665.10	A
<b>HV2400-BRAG2</b>	<p>Croplands fully auto spray-rate controller for use on horticultural sprayers. Has the same features as the BA5000 (specifications listed above) with the added option on L/100m for application. Kit includes: spray manifold with flowmeter, 2-section high-pressure valve bank, looms, mount and operating instructions. The kit will require some extra fittings to fit to an existing sprayer – consult your Croplands dealer or service agent</p>	4,899.00	5,388.90	A
<b>HV2400-BRAG4</b>	<p>- As above for horticulture, but with 4 high-pressure section valves</p>	5,407.00	5,947.70	A
<b>BRAVO180-ARAG3</b>	<p>ARAG Bravo180S fully auto spray-rate controller for use on linkage sprayers. Optional as a fit-up to any new Croplands sprayer or as an upgrade to an existing sprayer. Features include display of two functions on screen, large back-lit display, heavy-duty switches, up to 10 pre-set application rates, fully programmable, visual and sound alarm settings, programmable units of measure and GPS input for speed. Kit includes: spray manifold with flowmeter, 3-section valve bank, looms, mount and operating instructions. The kit will require some extra fittings to fit to an existing sprayer – consult your Croplands dealer or service agent</p> <p><b>Note: if you require a kit for a trailed broadacre sprayer, contact Croplands to ensure the correct length looms are supplied</b></p>	6,211.00	6,832.10	A
<b>BRAVO180-ARAG5</b>	<p>- As above with a 5-section valve bank</p>	6,584.00	7,242.40	A

# MANIFOLDS, SWITCHBOXES & COMPONENTS



## VALVES, FILTERS & FLOWMETERS TO REPAIR YOUR CONTROL MANIFOLD

		MAX PRESS	MAX FLOW	PORTS/BYPASS	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
1. <b>A8710502</b>	Dump valve/PRV/inlet assembly	20 bar	180 L/min	32mm	585.00	643.50	B
2. <b>A8630024S</b>	Electric bypass valve, 7 second open/close	20 bar	150 L/min	25mm	429.00	471.90	B
3. <b>A32621135</b>	80-mesh flushing filter with manifold flanges	20 bar	150 L/min	40mm	118.00	129.80	B
4. <b>A46264A0</b>	Wolf Flow Meter 10/200L	20 bar	200 L/min	—	695.00	764.50	B
5. <b>A8730001</b>	Dump valve, hi-flow, 0.6 sec	20 bar	120 L/min	32mm	367.00	403.70	B
6. <b>A8730020S</b>	Electric bypass valve, hi-flow, 7 second open/close	20 bar	150 L/min	25mm	500.00	550.00	B
7. <b>A465522</b>	Manual PRV	20 bar	200 L/min	32mm	187.00	205.70	B
8. <b>A4626000.504</b>	Sensor for Wolf Paddle Flow Meter	—	—	—	438.00	481.80	B
9. <b>A4626000.503</b>	Paddle assembly for Wolf Flow Meter	—	—	—	235.00	258.50	B
<b>UP-402</b>	Proximity sensor BA and HV4000	—	—	—	229.00	251.90	B

## ELECTRIC CONTROL MANIFOLDS AND SWITCHBOXES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>A871CCRO05</b>	Control manifold for auto-rate controllers, for pumps up to 180 L/min, manual PRV, electric bypass (7 sec), dump valve, 80-mesh flushing filter, ARAG Wolf flowmeter, mounting brackets (boom shut-off valves not included)	1,660.00	1,826.00	B
<b>A873CCRO02</b>	Control manifold for auto-rate controllers, for pumps up to 280 L/min, manual PRV, electric bypass (7 sec), dump valve, 80-mesh flushing filter, ARAG Wolf flowmeter, mounting brackets (boom shut-off valves not included)	1,581.00	1,739.10	B
<b>A4628707</b>	Highly accurate programmable flowmeter with LCD display and sapphire bearing paddle turbine. 40–800 L/min reading of actual flow, or you can view litres pumped. 2 separately resettable counters. 2 x AA batteries required. Will require T7 male fittings (A249177)	1,389.00	1,527.90	B



## VALVES, FILTERS & FLOWMETERS TO REPAIR YOUR CONTROL MANIFOLD

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
10. <b>G8370015</b>	Manual main valve 3 wire	381.00	419.10	B
11. <b>G8386006</b>	Servo valve (7 section)	353.00	388.30	B
12. <b>G8386004</b>	Electric bypass valve, 28 second open/close	314.00	345.40	B
13. <b>G502000020</b>	Flow sensor square wave	226.00	248.60	B
14. <b>GF01001000</b>	Flow meter 10–100	431.00	474.10	B

## ELECTRIC CONTROL MANIFOLDS & SWITCHBOXES

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>G8380C0002</b>	Control manifold for auto-rate controllers, for pumps up to 180 L/min, manual PRV, electric by pass (7 section), dump valve, 80-mesh flushing filter, Geoline flowmeter, mounting brackets. (Boom shut off valves not included)	1,532.00	1,685.20	B
<b>G8376088</b>	Control manifold for basic electric control systems. Max flow 180 L/min, 20-bar rated. Kit includes manual PRV, regulating valve, dump valve, pressure filter and 3 proportional electric boom shut-off valves	1,733.00	1,906.30	B
<b>G8376077</b>	Control manifold for basic electric control systems. Max flow 180 L/min, 20-bar rated. Kit includes manual PRV, regulating valve, dump valve, pressure filter and 5 proportional electric boom shut-off valves	2,087.00	2,295.70	B
<b>G8406008</b>	3-section electric switch box and tractor cables. Requires GC00900009 valve cable to connect control manifold. Suitable for G8376088 control manifold	443.00	487.30	B
<b>GC00900009</b>	3-section 5m valve cable. Requires G8406008 electric switch box. Suitable for G8376088 control manifold	214.00	235.40	B
<b>G8406010</b>	5-section electric switch box and tractor cables. Requires GC00900011 valve cable to connect control manifold. Suitable for G8376077 control manifold	482.00	530.20	B
<b>GC00900011</b>	5-section 5m valve cable. Requires G8406010 electric switch box. Suitable for G8376077 control manifold	265.00	291.50	B


# ELECTRIC & MANUAL VALVE KITS



If you are updating your spraying control system, Croplands has a wide range of valves and valve kits to suit your application.

## ELECTRIC AND MANUAL VALVES


		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>A8630011</b>	Single electric boom shut-off valve, 3-wire for use with auto-rate controllers or basic electric controls, with bypass (suitable for 2 and 3-wire applications)	396.00	435.60	B
<b>A8630001</b>	Single electric boom shut-off valve, 3-wire for use with auto-rate controllers or basic electric controls (suitable for 2 and 3-wire applications)	367.00	403.70	B
<b>A8730001</b>	Electric boom shut-off valve, high flow (120 L/min), 3-wire for use with auto-rate controllers	367.00	403.70	B
<b>A863CCRO05</b>	Electric valve bank, 3-section complete with flushing tap, gauge port and mounting brackets	1,660.00	1,826.00	B
<b>A863CCRO06</b>	Electric valve bank, 5-section complete with flushing tap, gauge port and mounting brackets	2,135.00	2,348.50	B
<b>A463CCRO09</b>	2-bank manual valves complete with mounting brackets, 20 bar	388.00	426.80	B
<b>A463CCRO10</b>	3-bank manual valves complete with mounting brackets, 20 bar	260.00	286.00	B
<b>A463051</b>	Manual shut-off valve, 13mm tail, 20 bar	58.00	63.80	B
<b>A463050</b>	Blank ARAG valves	34.00	37.40	B
<b>G8372023</b>	Electric valve bank, 5-section complete with gauge port and mounting brackets	1,503.00	1,653.30	B
<b>G8531010</b>	Electric valve bank, 3-section complete with gauge port and mounting brackets (not pictured)	765.00	841.50	B
<b>G8388001</b>	Single electric boom shut-off valve, 3 wire for use with auto-rate controllers or basic electric controls, with bypass (suitable for 2 and 3-wire applications)	295.00	324.50	B



To make up your own bank of 2-wire or 3-wire motor valves (see below for valve options), order the correct kit for bolts, nuts and O-rings as shown. For end-caps and inlet/outlet fittings, see the valve adaptors section.

## VALVE MOUNTING KITS \$ (EX. GST) \$ (INC. GST) PROD. CAT.

<b>A463000.920</b>	Kit for 2 valves, 150mm	39.00	42.90	B
<b>A463000.930</b>	Kit for 3 valves, 207mm	45.00	49.50	B
<b>A463000.940</b>	Kit for 4 valves, 264mm	51.00	56.10	B
<b>A463000.950</b>	Kit for 5 valves, 321mm	63.00	69.30	B
<b>A463000.970</b>	Kit for 7 valves, 436mm	81.00	89.10	B




On the inlet and outlet of each motor valve there are a range of adaptors and fittings commonly used to go with the mounting kits. Use this valve adaptors diagram to choose the adaptors/fittings you require.

## VALVE ADAPTORS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>1. A463000.130</b>	Male adaptor 3/4" (BSP)	10.00	11.00	B
<b>1. A463000.140</b>	Male adaptor 1" (BSP)	10.00	11.00	B
<b>2. A463011.120</b>	End cap	4.00	4.40	B
<b>3. A463011.130</b>	Pressure gauge adaptor 1/4" (BSP)	21.00	23.10	B
<b>4. A463000.030</b>	Male adaptor 3/4" (BSP)	9.00	9.90	B
<b>4. A463000.040</b>	Male adaptor 1" (BSP)	9.00	9.90	B
<b>4. A463000.050</b>	Male adaptor 1 1/4" (BSP)	9.00	9.90	B
<b>5. A463011.110</b>	End cap	5.00	5.50	B
<b>6. A463001.113</b>	Hosetail 13mm	8.00	8.80	B
<b>6. A463001.116</b>	Hosetail 16mm	8.00	8.80	B
<b>6. A463001.119</b>	Hosetail 19mm	8.00	8.80	B
<b>6. A463001.125M</b>	Hosetail 25mm	9.00	9.90	B
<b>AG10071V</b>	O-ring to suit 863 flanges (Viton)	7.00	7.70	B
<b>A454236.080V</b>	O-ring to suit 873 flanges (Viton)	7.00	7.70	B

## ACCESSORIES

# GPS PRODUCTS



RV117-2295-001 – CR7



GD430-GLO-P-L – MATRIX 430



90-02720 –  
ANTENNA FOR MATRIX 430

### Raven CR7 system

Raven CR7 system with a 7" field computer with 500S GPS receiver. Customisable in-job layouts, ISO universal terminal and task controller capabilities, optional external GPS, compatible with direct injection, multi-product control including variable rate liquid, dry, and NH3 applications, slingshot – ready for file transfer, remote support, and OTA software updates

### Matrix 430 system

Portable, simple guidance Matrix 430 system for use in agriculture. 110mm (4.3") full colour, high-contrast touch-screen with on-screen numerical prompts. Minimal set up needed – guidance options include straight A-B, curved A-B, circle pivot and last pass. Handy return-to-point and boundary functions standard. Area counter displays applied area during operation and elapsed time counter measures current job-time. Standard with patch antenna for use where satellite reception is good. Optional 90-02720 antenna

#### GPS GUIDANCE SYSTEMS

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>RV117-2295-001</b>	Raven CR7 system	9,361.00	10,297.10	B
<b>GD430-GLO-P-L</b>	Matrix 430 system	3,800.00	4,180.00	B
<b>90-02720</b>	Upgrade antenna for Matrix 430 to improve GPS reception in areas where signal is weak	1,600.00	1,760.00	B

## ACCESSORIES

# SPRAYING TOOLS & COVERAGE

Croplands has a great range of useful tools for checking or upgrading the performance of your sprayer. Calibrate and maintain your nozzles with ease.



L-H9210



L-H9205



L-H6001

			\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>L-H9210</b>	Electronic spray tip pressure tester <ul style="list-style-type: none"> <li>• Can measure in psi, kPa and bar</li> <li>• Accurate to within +/- 1 psi, 0.07 bar or 7kPa</li> <li>• 5-year battery life (depending on use)</li> </ul>	<ul style="list-style-type: none"> <li>• Easily fits to the nozzle body</li> <li>• LCD display shows nozzle pressure and unit of measure</li> <li>• For test gauge use only – not for continuous use</li> <li>• Reads from 3 to 160 psi (11 bar)</li> </ul>	270.00	297.00	D
<b>L-H9220</b>	Nozzle cleaner and multi-tool kit <ul style="list-style-type: none"> <li>• Air-blast nozzle cleaner – simply charge it with air and it will blow out any grit or residue blocking your nozzle</li> </ul>	<ul style="list-style-type: none"> <li>• Multi-tool with brush, plastic pick for removing a pre-orifice or residue, spanner wrench to make undoing nozzles so much easier and a utility hook for removing nozzle filters and the like. A must for all farmers</li> </ul>	123.00	135.30	D
<b>L-H9205</b>	Spot-on nozzle calibrator <ul style="list-style-type: none"> <li>• Waterproof design, no moving parts</li> <li>• Easy one-hand operation, electronic display</li> <li>• Reads in GPM or L/min</li> </ul>	<ul style="list-style-type: none"> <li>• Accurate to 0.01 L/min</li> <li>• Battery life approx. 2 years (has battery warning indicator)</li> <li>• Clear design allows for easy cleaning. Warning: only test your nozzles with water, not with mixed chemicals. Damage to the unit may occur</li> </ul>	399.00	438.90	D
<b>L-H6001</b>	WindMate™ handheld weather meter <ul style="list-style-type: none"> <li>• Eight functions including temperature, wet bulb temperature, wind speed and direction, dewpoint, relative humidity, Delta T and comfort index. For more information see page 66 in the nozzle section</li> </ul>	<ul style="list-style-type: none"> <li>• You simply cannot do without a WindMate™ to be sure you are spraying when conditions are right</li> </ul>	287.00	315.70	D
<b>L-M1111</b>	1L fluoro dye		136.00	149.60	D
<b>L-M1115</b>	4L fluoro dye		425.00	467.50	D
<b>20301-1</b>	Water-sensitive paper 76 x 26mm (3" x 1") pack 50		93.00	102.30	D
<b>20301-2</b>	Water-sensitive paper 76 x 52mm (3" x 2") pack 50		154.00	169.40	D

# NOZZLE SELECTION

**Spraying is a job that most farmers and growers do on a regular basis – whether for insect, disease or weed control, fertiliser applications or for soil additives, nozzle selection is a critical part of the process.**

## **Broadacre**

SprayWise Stewardship Program	59
Nozzle Cereal Segment Guide	60
Nozzle Flow Chart	62
Spray Quality Charts	64
Agrotop Nozzle Selection	66
ALBUZ Nozzle Selection	67
Hypro Nozzle Selection	68
TeeJet Nozzle Selection	69
Nozzle Caps	70
Nozzle Bodies and Filters	71
Spray Nozzles Wide Angle Flat and Fertiliser	72

## **Horticulture**

Spray Nozzles Specialised Application	73
Nozzle Bodies and Caps for Horticulture	78
TurboDrop® Nozzles Narrow Angle AI	93
Disc and Core Nozzles	79

NUFARM

# SPRAYWISE

Minimising spray drift is a major goal in all agricultural areas.



It is more important than ever that the agricultural industry demonstrates responsible chemical usage to reduce the need for severe application restrictions.

The SprayWise stewardship program is a Nufarm and Croplands initiative to encourage best-practice spraying and drift management techniques.

Giving you access to tools, research results and training courses to assist you to better understand spray application parameters and to better manage your spraying activities.

SprayWise Application Handbooks are used widely by specialist application consultants.



SPRAYWISE BROADACRE  
APPLICATION HANDBOOK



SPRAYWISE  
LOGBOOK















SPRAYWISE HORTICULTURE  
APPLICATION HANDBOOK

ORDER CODE	DESCRIPTION	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
SPRAYWISEBK	SprayWise Broadacre Application Handbook	54.00	59.40	D
SPRAYWISELOG	SprayWise Logbook	60.00	66.00	D
SPRAYWISEHK	SprayWise Horticulture Application Handbook	45.36	49.90	D

# NOZZLE CEREAL GUIDE

## LOW DRIFT / 2,4-D NOZZLES

Pre-emergent nozzles		Pre-orifice nozzles		Low-pressure air-induction nozzles	
TURBODROP XL (D)	TTI TURBO TEEJET INDUCTION FLAT FAN TIP	DG DRIFT GUARD FLAT FAN TIP	ALBUZ ADI	TDAM	CVI
					
 <p>1-8 BAR</p>	 <p>1-7 BAR</p>	 <p>1-5 BAR</p>	 <p>2-4 BAR</p>	 <p>1-6 BAR</p>	 <p>1-4 BAR</p>
<ul style="list-style-type: none"> <li>• Ideal pressure range: 2-4 bar</li> <li>• Uses: weed control, plant health and liquid fertilisers</li> <li>• Up to 90% drift reduction</li> </ul>	<ul style="list-style-type: none"> <li>• Ideal pressure range: 3-4 bar</li> <li>• Uses: weed control and plant health, both contact and systemic</li> </ul>	<ul style="list-style-type: none"> <li>• Ideal pressure range: 1-5 bar</li> <li>• Uses: weed control and plant health</li> </ul>	<ul style="list-style-type: none"> <li>• Ideal pressure range: 2-3 bar</li> <li>• Uses: weed control and plant health</li> </ul>	<ul style="list-style-type: none"> <li>• Ideal pressure range: 3-4 bar</li> <li>• Uses: weed control and plant health</li> </ul>	<ul style="list-style-type: none"> <li>• Ideal pressure range: 1.5-3 bar</li> <li>• Uses: weed control and plant health</li> </ul>
<ul style="list-style-type: none"> <li>✓ Variable droplet spectra from coarse to fine as pressure increases</li> <li>✓ Excellent drift reduction at lower pressures</li> <li>✓ Two piece for easy disassembly</li> <li>✓ Fast cap fitting</li> </ul>	<ul style="list-style-type: none"> <li>✓ Standard in polymer</li> <li>✓ High-pressure air-induction nozzle</li> <li>✓ Two piece with pre-orifice</li> </ul>	<ul style="list-style-type: none"> <li>✓ Standard in polymer</li> <li>✓ Pre-orifice plate</li> <li>✓ Reduces drift-prone</li> <li>✓ Small droplets</li> <li>✓ (Also available in Visi-stainless steel in some sizes in 80°)</li> </ul>	<ul style="list-style-type: none"> <li>✓ Pink ceramic orifice for excellent wear and spray precision</li> <li>✓ Compact design, easy to dismantle and clean</li> <li>✓ Excellent coverage potential for selected use and the right spraying conditions</li> </ul>	<ul style="list-style-type: none"> <li>✓ Excellent value, proven performer</li> <li>✓ Predominantly coarse-medium droplets for good coverage</li> <li>✓ Compact design</li> <li>✓ Protected air inlets to avoid blockage</li> <li>✓ Two piece for easy cleaning, no seals</li> <li>✓ Also available as an off-centre nozzle</li> </ul>	<ul style="list-style-type: none"> <li>✓ Pink ceramic orifice for long life and precise spray quality</li> <li>✓ Predominantly very coarse to coarse</li> <li>✓ Available in 80° and 110°</li> <li>✓ Anti-clogging design and protected double air-intake orifice</li> <li>✓ Compact design</li> <li>✓ Also available as an off-centre nozzle</li> </ul>

GROWTH STAGE

Pre-plant

Emergence

Tillering

Stem elongation

DE

There's a nozzle to suit every step of your cereal cropping program.

### Fungicide nozzles

#### CVI – TWIN



#### PRESSURE RANGE



- Ideal pressure range: 2 bar
- Uses: contact and systemic products

- ✓ Pink ceramic orifice for long life and precise spray quality
- ✓ The inclination of the jets improves the penetration into the vegetation
- ✓ Air-induction nozzle
- ✓ Angle between the jets 65°

### LOW DRIFT / 2,4-D NOZZLES

### Fallow nozzles

#### TTI TWIN



#### PRESSURE RANGE




- Ideal pressure range: 1.5–7 bar
- Uses: contact and systemic products

- ✓ Standard in polymer
- ✓ High-pressure air induction nozzle
- ✓ All-in-one moulded nozzle and Quick TeeJet® cap design provides automatic spray alignment

#### TURBODROP XL (D)



#### PRESSURE RANGE




- Ideal pressure range: 2–4 bar
- Uses: weed control, plant health and liquid fertilisers
- Up to 90% drift reduction

- ✓ Variable droplet spectra from coarse to fine as pressure increases
- ✓ Excellent drift reduction at lower pressures
- ✓ Two piece for easy disassembly
- ✓ Fast cap fitting

#### TTI TURBO TEEJET INDUCTION FLAT FAN TIP



#### PRESSURE RANGE



- Ideal pressure range: 2–4 bar
- Uses: weed control and plant health, both contact and systemic

- ✓ Standard in polymer
- ✓ High-pressure air-induction nozzle
- ✓ Two piece with pre-orifice

Heading

Ripening

Harvest

Fallow

# FLOW CHART

NOTE: COLOUR CODING FOR NOZZLE SIZES ARE NOT RELATED TO COLOUR CODING FOR SPRAY QUALITIES

	L/HA AT VARIOUS SPEEDS (KM/HR) BASED ON A 50CM NOZZLE SPACING														
	BAR	L/min/nozzle	4	6	8	10	11	12	13	14	15	16	17	18	19
01 Orange	1.5	0.28	84	56	42	33	30	28	26	24	22	21	20	19	18
	2.0	0.32	97	64	48	39	35	32	30	28	26	24	23	21	20
	3.0	0.40	119	79	59	47	43	40	36	34	32	30	28	26	25
	4.0	0.46	137	91	68	55	50	46	42	39	36	34	32	30	29
	5.0	0.51	153	102	77	61	56	51	47	44	41	38	36	34	32
	6.0	0.56	167	112	84	67	61	56	52	48	45	42	39	37	35
	7.0	0.60	181	121	90	72	66	60	56	52	48	45	43	40	38
	8.0	0.65	194	129	97	77	70	65	60	55	52	48	46	43	41
015 Green	1.5	0.42	126	84	63	50	46	42	39	36	34	32	30	28	27
	2.0	0.48	145	97	72	58	53	48	45	41	39	36	34	32	31
	3.0	0.59	178	118	89	71	65	59	55	51	47	44	42	39	37
	4.0	0.68	205	137	103	82	75	68	63	59	55	51	48	46	43
	5.0	0.76	229	153	115	92	83	76	71	65	61	57	54	51	48
	6.0	0.84	251	167	126	100	91	84	77	72	67	63	59	56	53
	7.0	0.91	272	181	136	109	99	91	84	78	72	68	64	60	57
	8.0	0.96	287	191	144	115	104	96	88	82	77	72	68	64	60
02 Yellow	1.5	0.56	167	112	84	67	61	56	52	48	45	42	39	37	35
	2.0	0.65	194	129	97	77	70	65	60	55	52	48	46	43	41
	3.0	0.79	237	158	119	95	86	79	73	68	63	59	56	53	50
	4.0	0.91	274	182	137	109	100	91	84	78	73	68	64	61	58
	5.0	1.02	306	204	153	122	111	102	94	87	82	76	72	68	64
	6.0	1.12	335	223	168	134	122	112	103	96	89	84	79	74	71
	7.0	1.21	362	241	181	145	132	121	111	103	96	90	85	80	76
	8.0	1.29	387	258	193	155	141	129	119	110	103	97	91	86	81
025 Lilac	1.5	0.70	209	140	105	84	76	70	64	60	56	52	49	47	44
	2.0	0.81	242	161	121	97	88	81	74	69	64	60	57	54	51
	3.0	0.99	296	197	148	118	108	99	91	85	79	74	70	66	62
	4.0	1.14	342	228	171	137	124	114	105	98	91	86	80	76	72
	5.0	1.27	382	255	191	153	139	127	118	109	102	96	90	85	80
	6.0	1.40	419	279	209	168	152	140	129	120	112	105	99	93	88
	7.0	1.51	452	302	226	181	165	151	139	129	121	113	106	101	95
	8.0	1.61	484	322	242	193	176	161	149	138	129	121	114	107	102
03 Blue	1.5	0.84	251	167	126	100	91	84	77	72	67	63	59	56	53
	2.0	0.97	290	193	145	116	105	97	89	83	77	73	68	64	61
	3.0	1.18	355	237	178	142	129	118	109	101	95	89	84	79	75
	4.0	1.37	410	273	205	164	149	137	126	117	109	103	96	91	86
	5.0	1.53	459	306	229	183	167	153	141	131	122	115	108	102	97
	6.0	1.68	503	335	251	201	183	168	155	144	134	126	118	112	106
	7.0	1.81	543	362	271	217	197	181	167	155	145	136	128	121	114
	8.0	1.93	580	387	290	232	211	193	179	166	155	145	137	129	122
04 Red	1.5	1.12	335	223	168	134	122	112	103	96	89	84	79	74	71
	2.0	1.29	387	258	193	155	141	129	119	110	103	97	91	86	81
	3.0	1.58	474	316	237	189	172	158	146	135	126	118	111	105	100
	4.0	1.82	547	365	273	219	199	182	168	156	146	137	129	122	115
	5.0	2.04	612	408	306	245	222	204	188	175	163	153	144	136	129
	6.0	2.23	670	447	335	268	244	223	206	191	179	167	158	149	141
	7.0	2.41	724	482	362	289	263	241	223	207	193	181	170	161	152
	8.0	2.58	774	516	387	309	281	258	238	221	206	193	182	172	163
05 Brown	1.5	1.40	419	279	209	168	152	140	129	120	112	105	99	93	88
	2.0	1.61	484	322	242	193	176	161	149	138	129	121	114	107	102
	3.0	1.97	592	395	296	237	215	197	182	169	158	148	139	132	125
	4.0	2.28	684	456	342	273	249	228	210	195	182	171	161	152	144
	5.0	2.55	764	510	382	306	278	255	235	218	204	191	180	170	161
	6.0	2.79	837	558	419	335	304	279	258	239	223	209	197	186	176
	7.0	3.02	905	603	452	362	329	302	278	258	241	226	213	201	190
	8.0	3.22	967	645	483	387	352	322	298	276	258	242	228	215	204

NOTE: COLOUR CODING FOR NOZZLE SIZES ARE NOT RELATED TO COLOUR CODING FOR SPRAY QUALITIES

L/HA AT VARIOUS SPEEDS (KM/HR) BASED ON A 50CM NOZZLE SPACING																		
BAR	L/min/nozzle	20	21	22	23	24	25	26	27	28	29	30	32	34	36	38	40	
01 Orange	1.5	0.28	17	16	15	15	14	13	13	12	12	12	11	10	10	9	9	8
	2.0	0.32	19	18	18	17	16	15	15	14	14	13	13	12	11	11	10	10
	3.0	0.40	24	23	22	21	20	19	18	18	17	16	16	15	14	13	12	12
	4.0	0.46	27	26	25	24	23	22	21	20	20	19	18	17	16	15	14	14
	5.0	0.51	31	29	28	27	26	24	24	23	22	21	20	19	18	17	16	15
	6.0	0.56	33	32	30	29	28	27	26	25	24	23	22	21	20	19	18	17
	7.0	0.60	36	34	33	31	30	29	28	27	26	25	24	23	21	20	19	18
	8.0	0.65	39	37	35	34	32	31	30	29	28	27	26	24	23	22	20	19
015 Green	1.5	0.42	25	24	23	22	21	20	19	19	18	17	17	16	15	14	13	13
	2.0	0.48	29	28	26	25	24	23	22	21	21	20	19	18	17	16	15	14
	3.0	0.59	36	34	32	31	30	28	27	26	25	24	24	22	21	20	19	18
	4.0	0.68	41	39	37	36	34	33	32	30	29	28	27	26	24	23	22	21
	5.0	0.76	46	44	42	40	38	37	35	34	33	32	31	29	27	25	24	23
	6.0	0.84	50	48	46	44	42	40	39	37	36	35	33	31	30	28	26	25
	7.0	0.91	54	52	49	47	45	43	42	40	39	37	36	34	32	30	29	27
	8.0	0.96	57	55	52	50	48	46	44	43	41	40	38	36	34	32	30	29
02 Yellow	1.5	0.56	33	32	30	29	28	27	26	25	24	23	22	21	20	19	18	17
	2.0	0.65	39	37	35	34	32	31	30	29	28	27	26	24	23	22	20	19
	3.0	0.79	47	45	43	41	40	38	36	35	34	33	32	30	28	26	25	24
	4.0	0.91	55	52	50	48	46	44	42	41	39	38	36	34	32	30	29	27
	5.0	1.02	61	58	56	53	51	49	47	45	44	42	41	38	36	34	32	31
	6.0	1.12	67	64	61	58	56	54	52	50	48	46	45	42	39	37	35	34
	7.0	1.21	72	69	66	63	60	58	56	54	52	50	48	45	43	40	38	36
	8.0	1.29	77	74	70	67	64	62	59	57	55	53	52	48	45	43	41	39
025 Lilac	1.5	0.70	42	40	38	36	35	34	32	31	30	29	28	26	25	23	22	21
	2.0	0.81	48	46	44	42	40	39	37	36	35	33	32	30	28	27	25	24
	3.0	0.99	59	56	54	51	49	47	46	44	42	41	39	37	35	33	31	30
	4.0	1.14	68	65	62	59	57	55	53	51	49	47	46	43	40	38	36	34
	5.0	1.27	76	73	69	66	64	61	59	57	55	53	51	48	45	42	40	38
	6.0	1.40	84	80	76	73	70	67	64	62	60	58	56	52	49	47	44	42
	7.0	1.51	90	86	82	79	75	72	70	67	65	62	60	57	53	50	48	45
	8.0	1.61	97	92	88	84	81	77	74	72	69	67	64	60	57	54	51	48
03 Blue	1.5	0.84	50	48	46	44	42	40	39	37	36	35	33	31	30	28	26	25
	2.0	0.97	58	55	53	50	48	46	45	43	41	40	39	36	34	32	31	29
	3.0	1.18	71	68	65	62	59	57	55	53	51	49	47	44	42	39	37	36
	4.0	1.37	82	78	75	71	68	66	63	61	59	57	55	51	48	46	43	41
	5.0	1.53	92	87	83	80	76	73	71	68	66	63	61	57	54	51	48	46
	6.0	1.68	101	96	91	87	84	80	77	74	72	69	67	63	59	56	53	50
	7.0	1.81	109	103	99	94	90	87	83	80	78	75	72	68	64	60	57	54
	8.0	1.93	116	111	105	101	97	93	89	86	83	80	77	73	68	64	61	58
04 Red	1.5	1.12	67	64	61	58	56	54	52	50	48	46	45	42	39	37	35	34
	2.0	1.29	77	74	70	67	64	62	59	57	55	53	52	48	45	43	41	39
	3.0	1.58	95	90	86	82	79	76	73	70	68	65	63	59	56	53	50	47
	4.0	1.82	109	104	99	95	91	88	84	81	78	75	73	68	64	61	58	55
	5.0	2.04	122	117	111	106	102	98	94	91	87	84	82	76	72	68	64	61
	6.0	2.23	134	128	122	117	112	107	103	99	96	92	89	84	79	74	71	67
	7.0	2.41	145	138	132	126	121	116	111	107	103	100	96	90	85	80	76	72
	8.0	2.58	155	147	141	135	129	124	119	115	111	107	103	97	91	86	81	77
05 Brown	1.5	1.40	84	80	76	73	70	67	64	62	60	58	56	52	49	47	44	42
	2.0	1.61	97	92	88	84	81	77	74	72	69	67	64	60	57	54	51	48
	3.0	1.97	118	113	108	103	99	95	91	88	85	82	79	74	70	66	62	59
	4.0	2.28	137	130	124	119	114	109	105	101	98	94	91	85	80	76	72	68
	5.0	2.55	153	146	139	133	127	122	118	113	109	105	102	96	90	85	80	76
	6.0	2.79	167	159	152	146	140	134	129	124	120	115	112	105	99	93	88	84
	7.0	3.02	181	172	164	157	151	145	139	134	129	125	121	113	106	101	95	90
	8.0	3.22	193	184	176	168	161	155	149	143	138	133	129	121	114	107	102	97

# QUALITY CHARTS

		DUAL-ANGLE NOZZLES	WEED-IT	LOW-PRESSURE AIR-INDUCTION				
		ALBUZ	AGROTOP	AGROTOP	ALBUZ	HYPRO	HYPRO	TEEJET
MODEL		CVI-TWIN	Spot Fan	AirMix®	CVI	Guardian Air	ULD-120	AIXR
								
NOZZLE SIZE	BAR							
01	1.5			M				
	2.0			M				
	3.0			F				
	4.0	Not available in this size	Not available in this size	F	Not available in this size	Not available in this size	Not available in this size	Not available in this size
	5.0			F				
	6.0			F				
	7.0							
015	8.0							
	1.5	XC			VC	UC	UC	VC
	2.0	XC		XC	VC	XC	XC	C
	3.0	VC		C	VC	C	VC	C
	4.0	C	Not available in this size	C		M	C	M
	5.0	M		C		M	C	M
	6.0	M		M		M	M	M
02	7.0					M	M	
	8.0					M	M	
	1.5	XC			VC	XC	UC	VC
	2.0	VC		C	VC	VC	XC	VC
	3.0	VC		C	C	M	C	C
	4.0	C	Not available in this size	M		M	C	M
	5.0	M		M		M	M	M
025	6.0	M		M		M	M	M
	7.0					M	M	
	8.0					M	M	
	1.5	XC			VC	XC	XC	XC
	2.0	XC		VC	VC	VC	XC	VC
	3.0	XC		C	C	C	C	VC
	4.0	VC	Not available in this size	C		M	C	C
03	5.0	C		M		M	M	C
	6.0	C		M		M	M	C
	7.0					M	M	M
	8.0					M	M	
	1.5	XC	UC		VC	UC	XC	XC
	2.0	XC	UC	VC	VC	XC	XC	VC
	3.0	VC	XC	C	C	VC	C	VC
04	4.0	C	XC	C		C	C	C
	5.0	C		C		M	M	C
	6.0	C		M		M	M	M
	7.0					M	M	
	8.0					M	M	
	1.5	XC	UC		VC	XC	UC	XC
	2.0	XC	UC	VC	C	VC	UC	XC
05	3.0	VC	XC	C	C	C	UC	VC
	4.0	C	XC	C		M	XC	VC
	5.0	C		C		M	XC	C
	6.0	C		M		M	VC	C
	7.0					M	C	
	8.0					C	C	
	1.5	VC			VC	XC	UC	XC
	2.0	VC		VC	C	VC	UC	XC
	3.0	C	Not available in this size	C	C	C	XC	VC
	4.0	C		C		C	XC	VC
	5.0	M		M		C	VC	C
	6.0	M		M		M	VC	C
	7.0					M	C	
	8.0					C	C	

		HIGH-PRESSURE AIR-INDUCTION				PRE-ORIFICE		INCLINED FLAT FAN
		ALBUZ	AGROTOP	TEEJET	TEEJET	ALBUZ	TEEJET	HYPRO
MODEL		AVI	TD-XL D	TTI	TTI60 TwinJet	ADI-110	DG-110	FC-3D100
								
NOZZLE SIZE	BAR							
01	1.5	VC	Not available in this size	Not available in this size	UC	F	Not available in this size	Not available in this size
	2.0	VC			UC	F		
	3.0	VC			XC	F		
	4.0	C			VC			
	5.0	C			VC			
	6.0	C			VC			
	7.0	C			VC			
	8.0				C			
015	1.5		Not available in this size	UC	UC		M	C
	2.0	VC		UC	UC	M		M
	3.0	VC		UC	XC	F		M
	4.0	VC		XC	VC	F		F
	5.0	VC		XC	VC			F
	6.0	C		XC	VC			F
	7.0	C		VC	C			F
	8.0							
02	1.5		UC	UC	UC		M	C
	2.0	VC	UC	UC	UC	M		M
	3.0	VC	XC	UC	UC	M		M
	4.0	VC	XC	UC	XC	F		F
	5.0	VC	XC	XC	XC			F
	6.0	VC	VC	XC	VC			F
	7.0	C		VC	VC			F
	8.0							
025	1.5		UC	UC	UC		Not available in this size	C
	2.0	XC	UC	UC	UC	M		C
	3.0	VC	XC	UC	UC	M		M
	4.0	VC	XC	UC	XC	F		M
	5.0	VC	XC	XC	XC			M
	6.0	VC	VC	XC	VC			F
	7.0	VC		XC	VC			F
	8.0							
03	1.5		UC	UC	UC		M	VC
	2.0	XC	UC	UC	UC	M		C
	3.0	XC	UC	UC	UC	M		M
	4.0	VC	XC	UC	XC	F		M
	5.0	VC	XC	UC	XC			M
	6.0	VC	XC	XC	VC			F
	7.0	VC		XC	VC			F
	8.0							
04	1.5		UC	UC	UC		C	VC
	2.0		UC	UC	UC	C		VC
	3.0	XC	UC	UC	UC	C		C
	4.0	VC	XC	UC	XC	M		M
	5.0	VC	XC	XC	XC			M
	6.0	VC	XC	XC	XC			M
	7.0	VC		XC	VC			M
	8.0	VC						
05	1.5		UC	UC		Data not available	C	VC
	2.0	XC	UC	UC				VC
	3.0	XC	UC	UC				C
	4.0	XC	UC	UC				C
	5.0	VC	UC	UC				M
	6.0	VC	XC	XC				M
	7.0	VC		XC				M
	8.0							

NOTE: SPRAY QUALITY DATA may differ from previous versions of this chart as manufacturers undertake new testing requirements. All data has been sourced from the GRDC Spray Quality data table published in January 2020. Always check current spray quality information according to ASABE 572.1 or BCPC for older data.

# NOZZLE SELECTION

# AGROTOP



AIRMIX®



TURBODROP CERAMIC




TURBODROP XL (D)




TDSF-4003

## NOZZLE OPTIONS


### KEY INFORMATION




- Ideal pressure range: 1-6 bar
- Uses: weed control and plant health
- Up to 90% drift reduction



- Ideal pressure range: 4-8 bar
- Uses: weed control, plant health and liquid fertilisers
- Up to 95% drift reduction



- Ideal pressure range: 2-4 bar
- Uses: weed control, plant health and liquid fertilisers
- Up to 90% drift reduction



- Ideal pressure range: 3 bar ONLY
- Low drift option for WEED IT spot sprayers

### KEY BENEFITS

- Excellent value
- Proven performer
- Predominantly coarse to medium droplets for good coverage
- Compact design
- Protected air inlets to avoid blockage
- Two piece for easy cleaning, no seals
- Also available as an off-centre nozzle

- Ceramic injector orifice and exit nozzle
- Small droplet size variation over pressure range
- Up to three times the life of polyacetal nozzles
- Two piece for easy disassembly
- Excellent penetration using high pressure

- Variable droplet spectra from coarse to fine as pressure increases
- Excellent drift reduction at lower pressures
- Two piece for easy disassembly

- Specifically designed for use with the WEED IT optical spot sprayer
- Excellent drift reduction
- Two piece for easy cleaning, no seals

SPRAY QUALITY	SEE PAGE 64-65			
AVAILABLE SIZES	01 to 06	01 to 10	01 to 08	03-04
ORDER CODE	TDAM-110***	TDCCFC110***	TDXLD-***	TDSF-40**

\*\*\* DENOTES NOZZLE SIZE (I.E. 015, 02, 025, 03 ETC)

SINGLE NOZZLE PRICE	\$ (EX. GST)	11.00	\$ (EX. GST)	30.00	\$ (EX. GST)	20.00	\$ (EX. GST)	14.00
	\$ (INC. GST)	12.10	\$ (INC. GST)	33.00	\$ (INC. GST)	22.00	\$ (INC. GST)	15.40
PROD. CAT.	C		C		C		C	
10 PACK AIRMIX® NOZZLES – SIZES 015 TO 04	\$ (EX. GST)	100.00	NA	NA	NA			
	\$ (INC. GST)	110.00						
ORDER CODE	PR**-TDAM **10 = size 015, 11 = 02, 12 = 03, 13 = 04							
100 PACK AIRMIX® NOZZLES – SIZES 015 TO 04	\$ (EX. GST)	932.00						
	\$ (INC. GST)	1,025.20						
ORDER CODE	PR**-TDAM100 **10 = size 015, 11 = 02, 12 = 03, 13 = 04							

WEED-IT ONLY

# NOZZLE SELECTION

# ALBUZ



CVI



AVI



ADI




ATF



CVI-TWIN

## NOZZLE OPTIONS

### KEY INFORMATION



- |  |   |   |   |  |
|--|---|---|---|--|
| <ul style="list-style-type: none"> <li>• Ideal pressure range: 1.5-3 bar</li> <li>• Uses: weed control and plant health</li> <li>• Up to 90% drift reduction</li> </ul>  | <ul style="list-style-type: none"> <li>• Ideal pressure range: 3-3.5 bar</li> <li>• Uses: weed control, plant health and liquid fertilisers</li> <li>• Up to 95% drift reduction</li> </ul>   | <ul style="list-style-type: none"> <li>• Ideal pressure range: 2-3 bar</li> <li>• Uses: weed control and plant health</li> <li>• Reduces fine droplets by 50%</li> </ul>  | <ul style="list-style-type: none"> <li>• Ideal pressure range: 3 bar</li> <li>• Full cone nozzle producing medium to fine droplets</li> <li>• Great coverage with full cone pattern for use on WEED-IT spot sprayers</li> </ul>   | <ul style="list-style-type: none"> <li>• Ideal pressure range: 2 bar</li> <li>• Uses: contact and systemic products</li> </ul>   |
| <ul style="list-style-type: none"> <li>• Pink ceramic orifice for long life and precise spray quality</li> <li>• Predominantly coarse to very coarse</li> <li>• Available in 80° and 110°</li> <li>• Anti-clogging design and protected double air-intake orifice</li> <li>• Compact design</li> <li>• Also available as an off-centre nozzle</li> </ul> | <ul style="list-style-type: none"> <li>• Pink ceramic orifice for excellent wear and spray precision</li> <li>• Anti-clogging design and double air-intake orifice</li> <li>• Available in 80° and 110°</li> <li>• Also available as an off-centre nozzle and as a twin nozzle</li> </ul> | <ul style="list-style-type: none"> <li>• Pink ceramic orifice for excellent wear and spray precision</li> <li>• Compact design, easy to dismantle and clean</li> <li>• Excellent coverage potential for selected use and the right spraying conditions</li> </ul> | <ul style="list-style-type: none"> <li>• ALBUZ durable pink ceramic maintains nozzle performance and precision</li> <li>• Flow-rate characteristics, colour code meets international ISO standards</li> <li>• Can be used on a sprayer boom (spacing nozzle between 35cm and 50 cm)</li> <li>• Recommended pressure on sprayer boom: 3 bar</li> </ul> | <ul style="list-style-type: none"> <li>• Pink ceramic orifice for long life and precise spray quality</li> <li>• The inclination of the jets improves the penetration into the vegetation</li> <li>• Air-induction nozzle</li> <li>• Angle between the jets 65°</li> </ul> |

SPRAY QUALITY	SEE PAGE 64-65									
AVAILABLE SIZES	015 to 05		01 to 10		02 to 04 in 60o and 80o		03 to 04		015 to 05	
ORDER CODE	AZ-CVI-110*** (110°) AZ-CVI-80*** (80°)		AZ-AVI-***-110C (110°) AZ-AVI-***-80C (80°)		AZ-ADI-***-110C		AZ-ATF-***-60C AZ-ATF-***-80C		AZ-CVIT-110***	
*** DENOTES NOZZLE SIZE (I.E. 015, 02, 025, 03 ETC)										
SINGLE NOZZLE PRICE	\$ (EX. GST)	30.00	\$ (EX. GST)	30.00	\$ (EX. GST)	15.00	\$ (EX. GST)	15.00	\$ (EX. GST)	37.00
	\$ (INC. GST)	33.00	\$ (INC. GST)	33.00	\$ (INC. GST)	16.50	\$ (INC. GST)	16.50	\$ (INC. GST)	40.70
PROD. CAT.	C		C		C		C		C	

WEED-IT ONLY

# NOZZLE SELECTION

# HYPRO



ULTRA LO-DRIFT




GUARDIAN AIR




3D

## NOZZLE OPTIONS




### DRIFT REDUCING, DUAL AIR-INDUCTION

- Ideal for systemic herbicide applications where drift control is crucial – ideal for 2,4-D applications
- Wide, 3-dimensional pattern creates multiple angles for the spray to cover the target
- Ideal for pre and post-emergent applications of systemic herbicides
- Designed to eliminate driftable droplets, without sacrificing coverage



### ENHANCED COVERAGE AIR-INDUCTION

- Ideal for contact herbicide applications due to exceptional coverage through air-induction
- Speed-optimised inclined pattern provides superior droplet deposition and retention on targets
- Ideal for high-coverage application of contact herbicides
- Industry-leading coverage among air-induced spray nozzles



### INCLINED ENHANCED COVERAGE

- Alternative incline, all-purpose nozzle for optimum spray coverage – PWM system compatible
- Optimised spray angle and incline for coverage and uniformity across the boom
- Ideal for post-emergent health protectants. Also good for high-coverage herbicide applications
- Droplet spectrum optimised for coverage, fewer droplets bounce off or drift away

## KEY INFORMATION

SPRAY QUALITY	SEE PAGE 64-65					
AVAILABLE SIZES	015 to 08 (polyacetal)		015 to 05 (polyacetal)		015 to 08 (polyacetal)	
ORDER CODE	FC-ULD120-***		FC-GA110-***		FC-3D100-***	
*** DENOTES NOZZLE SIZE (I.E. 015, 02, 025, 03 ETC)						
SINGLE NOZZLE PRICE	\$ (EX. GST)	29.00	\$ (EX. GST)	26.00	\$ (EX. GST)	26.00
	\$ (INC. GST)	31.90	\$ (INC. GST)	28.60	\$ (INC. GST)	28.60
PROD. CAT.	B		B		B	

# NOZZLE SELECTION

# TEEJET



DG DRIFT GUARD  
FLAT FAN TIP



AIXR AIR-INDUCTION  
FLAT FAN TIP



AITTJ60 AIR-INDUCTION  
TURBO TWINJET TWIN  
FLAT FAN TIP








TTI TURBO TEEJET  
INDUCTION FLAT  
FAN TIP



TTI60 TWIN JET AIR  
INDUCTION TWIN FLAT  
FAN SPRAY TIP

## NOZZLE OPTIONS



### KEY INFORMATION

- Standard in polymer
- Pre-orifice plate
- Reduces drift-prone
- Small droplets
- Also available in Visi-stainless steel in some sizes in 80°

- Standard in polymer
- Low-pressure air-induction nozzle
- Two piece with pre-orifice

- Standard in polymer
- Dual outlet design
- Air-induction nozzle
- 60° angle between forward and back spray pattern

- Standard in polymer
- High-pressure air-induction nozzle
- Two piece with pre-orifice

- Standard in polymer
- High-pressure air-induction nozzle
- All-in-one moulded nozzle and Quick TeeJet® cap design provides automatic spray alignment

SPRAY QUALITY	SEE PAGE 64-65									
AVAILABLE SIZES	015 to 05		015 to 06		02 to 08 (some larger sizes on request)		015 to 06		02 to 08	
ORDER CODE	DG110***-VP		AIXR110***-VP		AITTJ60-110***VP		TTI110***-VP		TTI60-110***VP	
*** DENOTES NOZZLE SIZE (I.E. 015, 02, 025, 03 ETC)										
SINGLE NOZZLE PRICE	\$ (EX. GST)	13.00	\$ (EX. GST)	16.00	\$ (EX. GST)	17.00	\$ (EX. GST)	22.00	\$ (EX. GST)	30.00
	\$ (INC. GST)	14.30	\$ (INC. GST)	17.60	\$ (INC. GST)	18.70	\$ (INC. GST)	24.20	\$ (INC. GST)	33.00
25 PACK	\$ (EX. GST)	270.00	\$ (EX. GST)	335.00	NA		\$ (EX. GST)	520.00	NA	
	\$ (INC. GST)	297.00	\$ (INC. GST)	368.50			\$ (INC. GST)	572.00		
ORDER CODE	PR**-DG **10 = size 015, 11 = 02, 12 = 03, 13 = 04		PR**-AIXR **10 = size 015, 11 = 02, 12 = 03, 13 = 04, 14 = 025				PR**-TTI **10 = size 015, 11 = 02, 12 = 03, 13 = 04, 14 = 025			
PROD. CAT.	B		B		B		B		B	

# NOZZLE SELECTION

# CAPS



Quick  
TeeJet  
Cap



Quick  
TeeJet  
Seal

**CP19438-EPR**  
(EPDM standard)  
**CP19438-VI**  
(Viton optional standard)

1	2	3	4	5	6	7	8	10
Black	White	Red	Blue	Green	Yellow	Brown	Orange	Lilac

CAP	NOZZLES/SEALS TO SUIT CAPS	ORDER CODE	DESCRIPTION	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	<ul style="list-style-type: none"> <li>AirMix®</li> <li>TeeJet XR, DG, TT, AIXR (smaller capacities to size 08)</li> <li>ALBUZ AXI, ADI, CVI, CVI TWIN, CVI 80</li> </ul>	<b>114441-* -CELR</b>	Cap and seat gasket set	2.50	2.75	B
		<b>PR20-*</b>	Pack of 10 caps and seats	25.00	27.50	
	<ul style="list-style-type: none"> <li>Seal for use with nozzle caps</li> </ul>	<b>CP19438-EPR</b>	Seal for nozzle caps, EPDM	1.10	1.21	B
		<b>PR60</b>	Pack of 10 seals for nozzle caps	13.00	14.30	
	<ul style="list-style-type: none"> <li>Seal for use with nozzle caps</li> </ul>	<b>CP19438-VI</b>	Seal for nozzle caps, Viton	4.40	4.84	B
	<ul style="list-style-type: none"> <li>TeeJet flat spray tips (smaller capacities) – see above. Tips can be positioned in choice of 2 spray plane directions: parallel or perpendicular to wings of Quick TeeJet cap</li> </ul>	<b>25596-8-NYR</b>	Cap and seat gasket set	2.50	2.75	B
	<ul style="list-style-type: none"> <li>TJ TwinJet / TJ60-Spray Tip / ALBUZ AVI, AVI TWIN, ESI, EXA, AIUB TeeJet / TTI Air-induction Turbo TeeJet SJ3 StreamJet</li> </ul>	<b>114443-* -CELR</b>	Cap and seat gasket set	2.50	2.75	B
	<ul style="list-style-type: none"> <li>TF-VS Turbo FloodJet / TK-VS FloodJet</li> </ul>	<b>25600-* -NYR</b>	Cap and seat gasket set	2.50	2.75	B
	<ul style="list-style-type: none"> <li>TK FloodJet / FL FullJet / TX ConeJet / TG Full Cone</li> </ul>	<b>114445-* -CELR</b>	Cap and seat gasket set	2.50	2.75	B
	<ul style="list-style-type: none"> <li>Ceramic Disc-Core/TXB ConeJet</li> <li>ALBUZ TVI</li> </ul>	<b>26278-1-NYR</b>	Cap and seat gasket set	2.50	2.75	B
	<ul style="list-style-type: none"> <li>For use with Hardi nozzle bodies</li> <li>TeeJet flat fan spray tips</li> <li>Turbo TeeJet spray tips</li> <li>AirMix® nozzles</li> </ul>	<b>23306H-1-CELR</b>	Cap and seat gasket for Hardi retro-fit cap to suit Hardi spray bodies. Available in black only	2.50	2.75	B
	<ul style="list-style-type: none"> <li>For use with Hardi nozzle bodies</li> <li>TJ TwinJet</li> <li>AI TeeJet, AIUB TeeJet spray tips flat</li> <li>TTI Air-induction Turbo TeeJet</li> </ul>	<b>21398H-1-CELR</b>	Cap and seat gasket for Hardi retro-fit cap to suit Hardi spray bodies. Available in black only	2.50	2.75	B










\* Denotes colour code as shown above - not all colours may be available.

	ORDER CODE	DESCRIPTION	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	<b>CP1325</b>	TeeJet® brass 11/16" threaded cap	3.30	3.63	B
	<b>CP8027-NYB</b>	TeeJet® nylon 11/16" threaded cap	2.50	2.75	B
	<b>CP8027-1-NYB</b>	TeeJet® nylon 11/16" threaded cap, extra long	2.50	2.75	B
	<b>CP3942</b>	TeeJet® brass blanking plug	1.10	1.21	B
	<b>114447-1-CELR</b>	Blanking cap with seal, black only	5.00	5.50	B
	<b>QJ90-2-NYR</b>	QJ adaptor cap comes with gasket and 1/4" female thread	9.90	10.89	B
	<b>QJ4676-1/4-NYR</b>	QJ adaptor cap, 90°, comes with gasket and 1/4" female thread	5.50	6.05	B
	<b>QJ4676-90-1/4-N</b>	QJ adaptor cap, 90°, comes with gasket and 1/4" female thread	9.90	10.89	B







## NOZZLE SELECTION

# BODIES & FILTERS

## NOZZLE BODIES

	DESCRIPTION	REPLACES	FEATURES	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
 <b>QJ17560A-1/2-NY</b>	TeeJet 1/2" single drop nozzle body for wet boom	TeeJet: 2.20 QJ17560A-1/2-NYB ARAG: 402745	<ul style="list-style-type: none"> <li>Low-pressure drop at any given flow rate</li> <li>Unique check valve design reduces restrictions – supports faster field speeds and direct fertiliser applications</li> </ul>	10.00	11.00	B
<b>4221N-B123</b>	PROFLO 3/4" single drop nozzle body for wet boom	TeeJet: QJ17560A-3/4-NYB ARAG: 402755	<ul style="list-style-type: none"> <li>Bayonet attachment for correct flat fan nozzle alignment</li> <li>Compact design – less interference with boom structures</li> <li>10mm nib</li> <li>20-bar rated</li> </ul>	13.00	14.30	B
 <b>4243N-B322V</b>	PROFLO 1/2" triple drop nozzle body for wet boom	TeeJet: QJ363C-1/2-NYB	<ul style="list-style-type: none"> <li>Tab for boom clamp provided</li> <li>Low-pressure drop at any given flow rate</li> <li>Unique check valve design reduces restrictions – supports faster field speeds and direct fertiliser applications</li> </ul>	30.00	33.00	B
<b>4243N-B323V</b>	PROFLO 3/4" triple drop nozzle body for wet boom	TeeJet: QJ363C-3/4-NYB	<ul style="list-style-type: none"> <li>Turret-indexing design eliminates seizing issues common on other types</li> <li>Bayonet attachment for correct flat fan nozzle alignment</li> </ul>	40.00	44.00	B
<b>4243N-B324V</b>	PROFLO 1" triple drop nozzle body for wet boom	TeeJet: QJ363C-1-NYB	<ul style="list-style-type: none"> <li>Compact design</li> <li>10mm nib</li> <li>20-bar rated</li> </ul>	43.00	47.30	B
 <b>24216-1/2-NYB</b>	Compact triple nozzle body for wet booms – 1/2"		Vertical turret for use in situations where space is an issue	45.00	49.50	B
 <b>24216-3/4-NYB</b>	Compact triple nozzle body for wet booms – 3/4"		Vertical turret for use in situations where space is an issue (also available in 1")	45.00	49.50	B
 <b>A402735</b>	Single drop nozzle body for wet boom – 7mm nib		Hinged clamp single nozzle body with diaphragm check valve for quick connect caps with 7mm nib – suits MBX and MAX series manual fold booms	11.00	12.10	B
 <b>QJ39685-2-500-N</b>	Dry boom nozzle body – 1/2" tee type		Dry boom nozzle body with diaphragm check valve for quick connect caps – tee type	15.00	16.50	B
 <b>QJ39685-1L500-N</b>	Dry boom nozzle body – 1/2" left elbow		Dry boom nozzle body with diaphragm check valve for quick connect caps – left elbow for boom end	15.00	16.50	B
 <b>QJ39685-1R500-N</b>	Dry boom nozzle body – 1/2" right elbow		Dry boom nozzle body with diaphragm check valve for quick connect caps – right elbow for boom end	15.00	16.50	B
 <b>B716.617.2</b>	Brass roll-over nozzle body		High-pressure roll-over nozzle body with non-drip diaphragm check valve – comes with 2 caps (no nozzles supplied). For more information on horticultural nozzle holders, see page 74	57.00	62.70	B

## NOZZLE FILTERS

	ORDER CODE	DESCRIPTION	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	<b>8079-PP-*</b>	TeeJet® polypropylene strainer, *50, *80 or *100 mesh screen	2.50	2.75	B
	<b>PR51</b>	Pack of 10 x 8079-PP-50 strainers	28.00	30.80	B
	<b>PR52</b>	Pack of 10 x 8079-PP-100 strainers	28.00	30.80	B
	<b>4193A-PP-5-*SS</b>	TeeJet® polypropylene strainer with check valve for 5 psi, *50 or *100 mesh screen	8.50	9.35	B
	<b>4193A-5-*SS</b>	TeeJet® brass strainer with check valve for 5 psi, *50 or *100 mesh screen	11.00	12.10	B
	<b>4067-SS-*</b>	TeeJet® cup strainer, *50 or *100 mesh screen	3.50	3.85	B
	<b>4514-NY-*</b>	TeeJet® nylon slotted strainer, for suspended solids, *10, *20 and *32	2.50	2.75	B

## NOZZLE SELECTION

# WIDE ANGLE FLAT FERTILISER

Thanks to the exceptional wear resistance of ALBUZ® pink ceramic, these nozzles can be used to spray suspension fertilisers. Flat jet (30° to 165° angle) provide coarse droplets without drift.

### AZ-MSI-\*\*\*

#### USE AND FEATURES



- Wide-angle flat fan Flood Jet for use with suspension fertilisers and some herbicides
- Commonly used in sugar cane and other row crops
- Ideal for soil-applied products in particular
- Exceptional wear resistance using pink ceramic surfaces
- Recommended pressure range 0.5 to 2 bar

\$ (EX. GST)

\$ (INC. GST)

PROD. CAT.

16.00

17.60

C

\*\*\* Denotes sizes as follows: AZ-MSI-025 = Lilac, AZ-MSI-03 = Blue, AZ-MSI-04 = Red, AZ-MSI-05 = Brown, AZ-MSI-06 = Grey, AZ-MSI-08 = White, AZ-MSI-10 = Light Blue, AZ-MSI-15 = Light Green

FLOW RATE								
BAR	Lilac	Blue	Red	Brown	Grey	White	Light Blue	Light Green
0.5	0.42	0.51	0.68	0.85	1.02	1.35	1.69	2.54
1	0.59	0.71	0.94	1.18	1.42	1.89	2.36	3.54
1.5	0.72	0.86	1.15	1.43	1.72	2.29	2.87	4.3
2	0.82	0.99	1.32	1.65	1.98	2.63	3.29	4.94
2.5	0.92	1.1	1.47	1.83	2.2	2.93	3.66	5.5
3	1	1.2	1.6	2	2.4	3.2	4	6
3.5	1.08	1.29	1.72	2.15	2.58	3.45	4.31	6.46
4	1.15	1.38	1.84	2.3	2.76	3.67	4.59	6.89
ANGLE OF SPRAY								
BAR	Lilac	Blue	Red	Brown	Grey	White	Light Blue	Light Green
1	96	96	96	104	108	117	133	150
1.5	103	103	104	110	114	122	140	154
2	107	108	111	114	118	127	142	156
3	112	113	116	116	124	132	144	160
4	116	116	121	122	128	135	147	162

### ALBUZ ESI

SIZES

TYPE SPECIFICATION  
AND USE

FEATURES

\$ (EX.  
GST)

\$ (INC.  
GST)

PROD.  
CAT.

SIZE/ORDER  
CODE

FLOW RATE (L/MIN)



015 to 06

- Specifically designed for fertiliser application
- Pink ceramic calibrated pre-orifice
- Pressure range: 1–4 bar
- Uses: predominant use in ground crops

- 6 streams provide very coarse droplets for excellent distribution
- Long-wear life
- Allows a wide range of applications at varying speeds
- ISO colour coded. Tip only (caps and seal extra)
- Fits standard 50cm nozzle body spacings
- 110° pattern

14.00

15.40

C

ALBUZ ESI	1	1.5	2	2.5	3	3.5	4
AZ-ESI-015	0.37	0.44	0.50	0.55	0.60	0.64	0.68
AZ-ESI-02	0.52	0.61	0.68	0.74	0.80	0.85	0.90
AZ-ESI-025	0.64	0.76	0.85	0.93	1.00	1.06	1.10
AZ-ESI-03	0.77	0.91	1.02	1.12	1.20	1.28	1.35
AZ-ESI-04	1.03	1.21	1.36	1.49	1.60	1.70	1.80
AZ-ESI-05	1.35	1.56	1.73	1.87	2.00	2.11	2.22

### HYPRO ESI

SIZES

TYPE SPECIFICATION  
AND USE

FEATURES

\$ (EX.  
GST)

\$ (INC.  
GST)

PROD.  
CAT.

SIZE/ORDER  
CODE

FLOW RATE (L/MIN)



015 to 20

- Specifically designed for fertiliser application
- Pink ceramic calibrated pre-orifice
- Pressure range: 1–4 bar
- Uses: soil seeded crops

- 6 streams provide very coarse droplets for excellent distribution
- Long-wear life
- Allows a wide range of applications at varying speeds
- Includes cap and seal
- Fits standard 50cm nozzle body spacings
- 110° pattern

26.00

28.60

B

HYPRO ESI	1	1.5	2	2.5	3	4
FC-ESI-110015	0.35	0.42	0.49	0.55	0.60	0.69
FC-ESI-11002	0.46	0.57	0.65	0.73	0.80	0.92
FC-ESI-110025	0.58	0.71	0.82	0.91	1.00	1.15
FC-ESI-11003	0.69	0.85	0.98	1.10	1.20	1.39
FC-ESI-11004	0.92	1.13	1.31	1.46	1.60	1.85
FC-ESI-11005	1.15	1.41	1.63	1.83	2.00	2.31

# NOZZLE SELECTION

# SPECIALISED

# APPLICATION

NOZZLE	TYPE AND DESCRIPTION	ORDER CODE	SIZE, MATERIAL, ANGLE	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	<b>ALBUZ OCI</b> <ul style="list-style-type: none"> <li>Ceramic</li> <li>Off centre</li> </ul>	<b>AZ-OCI**-80C</b>	<ul style="list-style-type: none"> <li>02, 03 and 04 sizes</li> <li>Pink ceramic</li> <li>80°</li> </ul>	30.00	33.00	C
	<b>ALBUZ AVI</b> <ul style="list-style-type: none"> <li>Air-induction</li> <li>Off centre</li> </ul>	<b>AZ-AVIOC-80**</b>	<ul style="list-style-type: none"> <li>01 to 04 sizes</li> <li>Pink ceramic</li> <li>80°</li> </ul>	47.00	51.70	C
	<b>Turbo TurfJet</b> <ul style="list-style-type: none"> <li>Wide-angle flat spray pattern</li> <li>Extremely coarse droplets</li> <li>Designed for turf applications</li> <li>1.5–5 bar pressure range</li> </ul>	<b>¼TTJ**-VP</b>	<ul style="list-style-type: none"> <li>02 to 15 sizes</li> <li>Polymer</li> </ul>	36.00	39.60	B
		<b>¼TTJ**-VS</b>	<ul style="list-style-type: none"> <li>02 to 15 sizes</li> <li>Stainless steel</li> </ul>	36.00	39.60	
	<b>Turbo FloodJet</b> <ul style="list-style-type: none"> <li>Wide-angle flat spray pattern</li> <li>Extremely coarse droplets</li> <li>Precise distribution pattern</li> <li>1–3 bar pressure range</li> </ul>	<b>TF-VP*</b>	<ul style="list-style-type: none"> <li>2 to 10 sizes</li> <li>Polymer</li> </ul>	6.50	7.15	B
		<b>TF-VS*</b>	<ul style="list-style-type: none"> <li>2 to 10 sizes</li> <li>Steel</li> </ul>	28.00	30.80	
	<b>FloodJet</b> <ul style="list-style-type: none"> <li>Wide-angle flat spray pattern</li> <li>1–3 bar pressure range</li> </ul>	<b>TK-VS*</b>	<ul style="list-style-type: none"> <li>2 to 10 sizes</li> <li>Steel</li> </ul>	26.00	28.60	B
	<b>BoomJet</b> <ul style="list-style-type: none"> <li>Large-capacity boomless nozzle</li> <li>Extra-wide flat spray projection</li> <li>Ideal for difficult access areas when spraying</li> <li>Useful for liquid fertiliser applications</li> </ul>	<b>5880-¾-2TOC**</b>	<ul style="list-style-type: none"> <li>10 to 40 sizes</li> <li>Brass</li> </ul>	556.00	611.60	B
	<b>XP BoomJet</b> <ul style="list-style-type: none"> <li>Boomless flat spray nozzles</li> <li>Useful for roadside, end-row, orchard or forestry applications</li> <li>Extra-wide spray pattern</li> <li>Left and right options</li> <li>1–4 bar pressure range</li> <li>Excellent distribution</li> </ul>	<b>B¼XP**L-VP</b> <b>B¼XP**R-VP</b>	<ul style="list-style-type: none"> <li>10, 20 and 25 ¼" sizes</li> <li>Acetal left and right options</li> </ul>	108.00	118.80	B
		<b>B½XP**L-VP</b> <b>B½XP**R-VP</b>	<ul style="list-style-type: none"> <li>40 and 80 ½" sizes</li> <li>Acetal left and right options</li> </ul>	129.00	141.90	

## NOZZLE SELECTION

# HORTICULTURE



## SPRAYWISE ORCHARD/VINEYARD NOZZLE SELECTION

### STEP 1

Calculate the dilute L/100m rate.

For example, a 1.5m grape VSP canopy has a dilute volume of 30 L/100m row (1.5 x 20 L). Use table 1 (page 75) to sanity check what this L/100m rate represents in L/ha. Select your row spacing and follow the column down until you reach 30 or the nearest number. If you follow the row to the left the table will give you the per ha volume. Or you can work reverse from the per ha rate to find the L/100m rate.

L/ha	Row Spacing (m)									
	1.6	1.8	2	2.1	2.4	2.5	2.7	3	3.3	3.5
100	1.6	1.8	2	2.1	2.4	2.5	2.7	3	3.3	3.5
150	2.4	2.7	3	3.1	3.6	3.8	4	4.5	4.9	5.2
200	3.2	3.6	4	4.2	4.8	5	5.4	6	6.6	7
250	4	4.5	5	5.2	6	6.3	6.7	7.5	8.1	8.5
300	4.8	5.4	6	6.3	7.2	7.5	8.1	9	9.9	10.5
350	5.6	6.3	7.2	7.5	8.4	8.8	9.4	10.5	11.6	12.3
400	6.4	7.2	8.1	8.4	9.6	10	10.7	12	13.2	14
450	7.2	8.1	9	9.4	10.8	11.3	12	13.5	14.8	15.7
500	8	9	10	10.5	12	12.5	13.5	15	16.5	17.5
550	8.8	9.9	11	11.6	13.2	13.8	14.8	16.5	18.2	19.3
600	9.6	10.8	12	12.6	14.4	15	16	18	20	21.2
650	10.4	11.7	13	13.5	15.6	16.3	17.5	19.5	21.6	22.9
700	11.2	12.6	14	14.5	16.8	17.5	18.8	21	23.2	24.6
750	12	13.5	15	15.6	18	18.8	20	22.5	24.8	26.3
800	12.8	14.4	16	16.8	19.2	20	21.2	24	26.4	28
850	13.6	15.3	17	17.5	20.4	21.3	22.5	25.5	27.8	29.5
900	14.4	16.2	18	18.8	21.6	22.5	23.8	27	29.4	31.2
950	15.2	17.1	19	19.8	22.8	23.8	25.2	28.5	30.8	32.7
1000	16	18	20	21	24	25	26.5	30	32.4	34.3
1050	16.8	18.9	21	21.6	25.2	26.3	27.8	31.5	33.9	35.9
1100	17.6	19.8	22	22.8	26.4	27.5	29	32.5	35.4	37.5
1150	18.4	20.7	23	23.8	27.6	28.8	30.3	33.5	36.9	39.1
1200	19.2	21.6	24	24.8	28.8	30	31.5	34.5	38.4	40.7
1250	20	22.5	25	25.8	30	31.5	32.5	35.5	39.9	42.3
1300	20.8	23.4	26	26.8	31.2	32.5	33.5	36.5	41.4	43.9
1350	21.6	24.3	27	27.8	32.4	33.5	34.5	37.5	42.9	45.5
1400	22.4	25.2	28	28.8	33.6	34.5	35.5	38.5	44.4	47.1
1450	23.2	26.1	29	29.8	34.8	35.5	36.5	39.5	45.9	48.7
1500	24	27	30	30.8	36	36.5	37.5	40.5	47.4	50.3

### STEP 2

Work out the total flow rate of your pump per minute/row by matching the per 100m rate with your speed.

For example, you want to drive 8 km/hr. Find 8 km/hr on the top of table 2 and follow the column down until you reach 30 or the nearest number. If you follow the row to the right the table will give you the total flow rate you need per row to put out 30 L/100m at 8 km/hr. The flow rate is 40 L/min per row.

2

L/100 m  
L/min

Travel Speed (km/h)

	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7
12	8	6	4.8	4	3.4	3	2.7	2.4	2.2	2	1.8	1.7	1.6
15	10	7.5	6	5.1	4.5	4	3.6	3.3	3	2.8	2.6	2.3	2.2
18	12	9	7.2	6	5.1	4.5	4	3.6	3.3	3	2.8	2.6	2.3
20	13.3	10	8	6.6	5.8	5	4.4	4	3.7	3.4	3.1	2.9	2.7
24	16	12	9.6	8	6.9	6	5.3	4.8	4.4	4	3.7	3.4	3.1
30	20	15	12	10	8.6	7.5	6.7	6	5.5	5	4.6	4.3	3.8
36	24	18	14.4	12	10.3	9	8	7.2	6.6	6	5.5	5.1	4.6
42	28	21	16.8	14.4	12.4	11	9.8	8.8	8	7.3	6.6	6.1	5.5

Total	120	160	120	96	80	69	60	53	48	44	40	37	34	32	30
240	240	320	240	192	160	138	117	102	90	80	72	66	60	56	50
252	252	336	252	201.6	168	144	122.4	107	95.2	84	75.6	69.6	63.6	59.4	53
264	264	352	264	211.2	176	152	130.4	114	101.6	90.4	81.6	75.2	68.8	64.4	57
276	276	368	276	220.8	184	160	138.4	121.6	108.8	97.6	88.8	82	75.6	71.2	60
288	288	384	288	230.4	192	168	146.4	129.6	117.6	105.6	96	88.8	82.4	78	66
300	300	400	300	240	200	176	154.4	137.6	126	113.6	102.4	94.4	87.2	83.2	70
312	312	416	312	249.6	208	184	162.4	145.6	134.4	121.6	110.4	102.4	95.2	91.2	78
324	324	432	324	259.2	216	192	170.4	153.6	142.4	129.6	118.4	110.4	103.2	99.2	84
336	336	448	336	268.8	224	200	178.4	161.6	150.4	137.6	126.4	118.4	111.2	107.2	90
348	348	464	348	278.4	232	208	186.4	169.6	158.4	145.6	134.4	126.4	119.2	115.2	96
360	360	480	360	288	240	216	194.4	177.6	166.4	153.6	142.4	134.4	127.2	123.2	102
372	372	496	372	297.6	248	224	202.4	185.6	174.4	161.6	150.4	142.4	135.2	131.2	108
384	384	512	384	307.2	256	232	210.4	193.6	182.4	169.6	158.4	150.4	143.2	139.2	114
396	396	528	396	316.8	264	240	218.4	201.6	190.4	177.6	166.4	158.4	151.2	147.2	120
408	408	544	408	326.4	272	248	226.4	209.6	198.4	185.6	174.4	166.4	159.2	155.2	126
420	420	560	420	336	280	256	234.4	217.6	206.4	193.6	182.4	174.4	167.2	163.2	132
432	432	576	432	345.6	288	264	242.4	225.6	214.4	201.6	190.4	182.4	175.2	171.2	138
444	444	592	444	355.2	296	272	250.4	233.6	222.4	209.6	198.4	190.4	183.2	179.2	144
456	456	608	456	364.8	304	280	258.4	241.6	230.4	217.6	206.4	198.4	191.2	187.2	150
468	468	624	468	374.4	312	288	266.4	249.6	238.4	225.6	214.4	206.4	199.2	195.2	156
480	480	640	480	384	320	296	274.4	257.6	246.4	233.6	222.4	214.4	207.2	203.2	162
492	492	656	492	393.6	328	304	282.4	265.6	254.4	241.6	230.4	222.4	215.2	211.2	168
504	504	672	504	403.2	336	312	290.4	273.6	262.4	249.6	238.4	230.4	223.2	219.2	174
516	516	688	516	412.8	344	320	298.4	281.6	270.4	257.6	246.4	238.4	231.2	227.2	180
528	528	704	528	422.4	352	328	306.4	289.6	278.4	265.6	254.4	246.4	239.2	235.2	186
540	540	720	540	432	360	336	314.4	297.6	286.4	273.6	262.4	254.4	247.2	243.2	192
552	552	736	552	441.6	368	344	322.4	305.6	294.4	281.6	270.4	262.4	255.2	251.2	198
564	564	752	564	451.2	376	352	330.4	313.6	302.4	289.6	278.4	270.4	263.2	259.2	204
576	576	768	576	460.8	384	360	338.4	321.6	310.4	297.6	286.4	278.4	271.2	267.2	210
588	588	784	588	470.4	392	368	346.4	329.6	318.4	305.6	294.4	286.4	279.2	275.2	216
600	600	800	600	480	400	376	354.4	337.6	326.4	313.6	302.4	294.4	287.2	283.2	222
612	612	816	612	489.6	408	384	362.4	345.6	334.4	321.6	310.4	302.4	295.2	291.2	228
624	624	832	624	499.2	416	392	370.4	353.6	342.4	329.6	318.4	310.4	303.2	299.2	234
636	636	848	636	508.8	424	400	378.4	361.6	350.4	337.6	326.4	318.4	311.2	307.2	240
648	648	864	648	518.4	432	408	386.4	369.6	358.4	345.6	334.4	326.4	319.2	315.2	246
660	660	880	660	528	440	416	394.4	377.6	366.4	353.6	342.4	334.4	327.2	323.2	252
672	672	896	672	537.6	448	424	402.4	385.6	374.4	361.6	350.4	342.4	335.2	331.2	258
684	684	912	684	547.2	456	432	410.4	393.6	382.4	369.6	358.4	350.4	343.2	339.2	264
696	696	928	696	556.8	464	440	418.4	401.6	390.4	377.6	366.4	358.4	351.2	347.2	270
708	708	944	708	566.4	472	448	426.4	409.6	398.4	385.6	374.4	366.4	359.2	355.2	276
720	720	960	720	576	480	456	434.4	417.6	406.4	393.6	382.4	374.4	367.2	363.2	282
732	732	976	732	585.6	488	464	442.4	425.6	414.4	401.6	390.4	382.4	375.2	371.2	288
744	744	992	744	595.2	496	472	450.4	433.6	422.4	409.6	398.4	390.4	383.2	379.2	294
756	756	1008	756	604.8	504	480	458.4	441.6	430.4	417.6	406.4	398.4	391.2	387.2	300
768	768	1024	768	614.4	512	488	466.4	449.6	438.4	425.6	414.4	406.4	399.2	395.2	306
780	780	1040	780	624	520	496	474.4	457.6	446.4	433.6	422.4	414.4	407.2	403.2	312
792	792	1056	792	633.6	528	504	482.4	465.6	454.4	441.6	430.4	422.4	415.2	411.2	318
804	804	1072	804	643.2	536	512	490.4	473.6	462.4	449.6	438.4	430.4	423.2	419.2	324
816	816	1088	816	652.8	544	520	498.4	481.6	470.4	457.6	446.4	438.4	431.2	427.2	330
828	828	1104	828	662.4	552	528	506.4	489.6	478.4	465.6	454.4	446.4	439.2	435.2	336
840	840	1120	840	672	560	536	514.4	497.6	486.4	473.6	462.4	454.4	447.2	443.2	342
852	852	1136	852	681.6	568	544	522.4	505.6	494.4	481.6	470.4	462.4	455.2	451.2	348
864	864	1152	864	691.2	576	552	530.4	513.6	502.4	489.6	478.4	470.4	463.2	459.2	354
876	876	1168	876	700.8	584	560	538.4	521.6	510.4	497.6	486.4	478.4	471.2	467.2	360
888	888	1184	888	710.4	592	568	546.4	529.6	518.4	505.6	494.4	486.4	479.2	475.2	366
900	900	1200	900	720	600	576	554.4	537.6	526.4	513.6	502.4	494.4	487.2	483.2	372
912	912	1216	912	729.6	608	584	562.4	545.6	534.4	521.6	510.4	502.4	495.2	491.2	378
924	924	1232	924	739.2	616	592	570.4	553.6	542.4	529.6	518.4	510.4	503.2	507.2	384
936	936	1248	936	748.8	624	600	578.4	561.6	550.4	537.6	526.4	518.4	511.2	515.2	390
948	948	1264	948	758.4	632	608	586.4	569.6	558.4	545.6	534.4	526.4	519.2	523.2	396
960	960	1280	960	768	640	616	594.4	577.6	566.4	553.6	542.4	534.4	527.2	531.2	402
972	972	1296	972	777.6	648	624	602.4	585.6	574.4	561.6	550.4	542.4	535.2	539.2	408
984	984	1312	984	787.2	656	632	610.4	593.6	582.4	569.6	558.4	550.4	543.2	547.2	414
996	996	1328	996	796.8	664	640	618.4	601.6	590.4	577.6	566.4	558.4	551.2	555.2	420
1008	1008	1344	1008	806.4	672	648	626.4	609.6	598.4	585.6	574.4	566.4	559.2	563.2	426
1020	1020	1360	1020	816	680	656	634.4	617.6	606.4	593.6	582.4	574.4	567.2	571.2	432
1032	1032	1376	1032	825.6	688	664	642.4	625.6	614.4	601.6	590.4	582.4	575.2	579.2	438
1044	1044	1392	1044	835.2	696	672	650.4	633.6	622.4	609.6	598.4	590.4	583.2	587.2	444
1056	1056	1408	1056	844.8	704	680	658.4	641.6	630.4	617.6	606.4	598.4	591.2	595.2	450
1068	1068	1424	1068	854.4	712	688	666.4	649.6	638.4	625.6	614.4	606.4	599.2	603.2	456
1080	1080	1440	1080	864	720	696	674.4	657.6	646.4	633.6	622.4	614.4	607.2	611.2	462
1092	1092	1456	1092	873.6	728	704	682.4	665.6	654.4	641.6	630.4	622.4	615.2	619.2	468
1104	1104	1472	1104	883.2	736	712	690.4	673.6	662.4	649.6	638.4	630.4	623.2	627.2	474
1116	1116	1488	1116	892.8	744	720	698.4	681.6	670.4	657.6	646.4	638.4	631.2	635.2	480
1128	1128	1504	1128	902.4	752	728	706.4	689							


1		L/ha ↔ L/100 m																												Table unit L/100 m			
		Row Spacing (m)																															
		1.6	1.8	2	2.1	2.4	2.5	2.7	2.8	2.9	3	3.1	3.2	3.3	3.5	3.6	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	10					
L/ha	100	1.6	1.8	2	2.1	2.4	2.5	2.7	2.8	2.9	3	3.1	3.2	3.3	3.5	3.6	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	10					
	150	2.4	2.7	3	3.1	3.6	3.8	4	4.2	4.4	4.5	4.7	4.8	5	5.3	5.4	6	6.8	7.5	8.3	9	9.8	10.5	11.3	12	12.8	13.5	15					
	200	3.2	3.6	4	4.2	4.8	5	5.4	5.6	5.8	6	6.2	6.4	6.7	7	7.2	8	9	10	11	12	13	14	15	16	17	18	20					
	250	4	4.5	5	5.2	6	6.3	6.7	7	7.3	7.5	7.8	8	8.3	8.8	9	10	11.3	12.5	13.8	15	16.3	17.5	18.8	20	21	23	25					
	300	4.8	5.4	6	6.3	7.1	7.5	8.1	8.4	8.7	9	9.3	9.6	10	10.5	10.8	12	13.5	15	16.5	18	19.5	21	23	24	26	27	30					
	350	5.6	6.3	7	7.3	8.3	8.8	9.4	9.8	10.2	10.5	10.9	11.2	11.7	12.3	12.6	14	15.8	17.5	19.3	21	23	25	26	28	30	32	35					
	400	6.4	7.2	8	8.3	9.5	10	10.8	11.2	11.6	12	12.4	12.8	13.3	14	14.4	16	18	20	22	24	26	28	30	32	34	36	40					
	450	7.2	8.1	9	9.4	11	11.3	12.1	12.6	13.1	13.5	14	14.4	15	15.8	16.2	18	20	23	25	27	29	32	34	36	38	41	45					
	500	8	9	10	10	12	12.5	13.5	14	14.5	15	15.5	16	16.7	17.5	18	20	23	25	28	30	33	35	38	40	43	45	50					
	600	9.6	10.8	12	13	14	15	16.2	16.8	17.4	18	18.6	19.2	20	21	22	24	27	30	33	36	39	42	45	48	51	54	60					
	700	11.2	12.6	14	15	17	17.5	18.9	19.6	20	21	22	22	23	25	25	28	32	35	39	42	46	49	53	56	60	63	70					
	750	12	13.5	15	16	18	18.8	20	21	22	23	23	24	25	26	27	30	34	38	41	45	49	53	56	60	64	68	75					
	800	12.8	14.4	16	17	19	20	22	22	23	24	25	26	27	28	29	32	36	40	44	48	52	56	60	64	68	72	80					
	900	14.4	16.2	18	19	21	23	24	25	26	27	28	29	30	32	32	36	41	45	50	54	59	63	68	72	77	81	90					
	1000	16	18	20	21	24	25	27	28	29	30	31	32	33	35	36	40	45	50	55	60	65	70	75	80	85	90	100					
	1100	17.6	19.8	22	23	26	28	30	31	32	33	34	35	37	39	40	44	50	55	61	66	72	77	83	88	94	99	110					
1200	19.2	22	24	25	29	30	32	34	35	36	37	38	40	42	43	48	54	60	66	72	78	84	90	96	102	108	120						
1300	21	23	26	27	31	33	35	36	38	39	40	42	43	46	47	52	59	65	72	78	85	91	98	104	111	117	130						
1400	22	25	28	29	33	35	38	39	41	42	43	45	47	49	50	56	63	70	77	84	91	98	105	112	119	126	140						
1500	24	27	30	31	36	38	40	42	44	45	47	48	50	53	54	60	68	75	83	90	98	105	113	120	128	135	150						
1600	26	29	32	33	38	40	43	45	46	48	50	51	53	56	58	64	72	80	88	96	104	112	120	128	136	144	160						
1700	27	31	34	35	40	43	46	48	49	51	53	54	57	60	61	68	77	85	94	102	111	119	128	136	145	153	170						
1800	29	32	36	38	43	45	49	50	52	54	56	58	60	63	65	72	81	90	99	108	117	126	135	144	153	162	180						
1900	30	34	38	40	45	48	51	53	55	57	59	61	63	67	68	76	86	95	105	114	124	133	143	152	162	171	190						
2000	32	36	40	42	48	50	54	56	58	60	62	64	67	70	72	80	90	100	110	120	130	140	150	160	170	180	200						
2500	40	45	50	52	60	63	67	70	73	75	78	80	83	88	90	100	113	125	138	150	163	175	188	200	213	225	250						
3000	48	54	60	63	71	75	81	84	87	90	93	96	100	105	108	120	135	150	165	180	195	210	225	240	255	270	300						
4000	64	72	80	83	95	100	108	112	116	120	124	128	133	140	144	160	180	200	220	240	260	280	300	320	340	360	400						
5000	80	90	100	104	119	125	135	140	145	150	155	160	167	175	180	200	225	250	275	300	325	350	375	400	425	450	500						
6000	96	108	120	125	143	150	162	168	174	180	186	192	200	210	216	240	270	300	330	360	390	420	450	480	510	540	600						
7000	112	126	140	146	167	175	189	196	203	210	217	224	233	245	252	280	315	350	385	420	455	490	525	560	595	630	700						
8000	128	144	160	167	190	200	216	224	232	240	248	256	266	280	288	320	360	400	440	480	520	560	600	640	680	720	800						
9000	144	162	180	188	214	225	243	252	261	270	279	288	300	315	324	360	405	450	495	540	585	630	675	720	765	810	900						
10000	160	180	200	208	238	250	270	280	290	300	310	320	333	350	360	400	450	500	550	600	650	700	750	800	850	900	1000						
Conversion Factor	62.5	55.5	50	47.6	41.7	40	37.0	35.7	34.5	33.3	32.3	31.3	30.3	28.6	27.8	25	22.2	20	18.2	16.7	15.4	14.3	13.3	12.5	11.8	11.1	10						
Formula	L/100 m = L/ha ÷ 100 x rowspacing (m)																												L/ha = L/100 m x 100 ÷ rowspacing (m)				

Formula	2	L/100 m ↔ L/min																				Table unit = L/100 m																														
		Travel Speed (km/h)										Travel Speed (km/h)																																								
		1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	10	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	10															
		2	12	8	6	4.8	4	3.4	3	2.7	2.4	2.2	2	1.8	1.7	1.5	1.3	1.2	50	360	240	180	144	120	103	90	80	72	65	60	55	51	45	40	36	60	360	240	180	144	120	103	90	80	72	65	60	55	51	45	40	36
		3	18	12	9	7.2	6	5.1	4.5	4	3.6	3.3	3	2.8	2.6	2.3	2	1.8	62	372	248	186	149	124	106	93	83	74	68	62	57	53	47	41	37	62	372	248	186	149	124	106	93	83	74	68	62	57	53	47	41	37
		4	24	16	12	9.6	8	6.9	6	5.3	4.8	4.4	4	3.7	3.4	3	2.7	2.4	64	384	256	192	154	128	110	96	85	77	70	64	59	55	48	43	38	64	384	256	192	154	128	110	96	85	77	70	64	59	55	48	43	38
		5	30	20	15	12	10	8.6	7.5	6.7	6	5.5	5	4.6	4.3	3.8	3.3	3	66	396	264	198	158	132	113	99	88	79	72	66	61	57	50	44	40	66	396	264	198	158	132	113	99	88	79	72	66	61	57	50	44	40
		6	36	24	18	14.4	12	10.3	9	8	7.2	6.5	6	5.5	5.1	4.5	4	3.6	68	408	272	204	163	136	117	102	91	82	74	68	63	58	51	45	41	68	408	272	204	163	136	117	102	91	82	74	68	63	58	51	45	41
		7	42	28	21	16.8	14	12	10.5	9.3	8.4	7.6	7	6.5	6	5.3	4.7	4.2	70	420	280	210	168	140	120	105	93	84	76	70	65	60	53	47	42	70	420	280	210	168	140	120	105	93	84	76	70	65	60	53	47	42
		8	48	32	24	19.2	16	13.7	12	10.7	9.6	8.7	8	7.4	6.9	6	5.3	4.8	72	432	288	216	173	144	123	108	96	86	79	72	66	62	54	48	43	72	432	288	216	173	144	123	108	96	86	79	72	66	62	54	48	43
9	54	36	27	22	18	15.4	13.5	12	10.8	9.8	9	8.3	7.7	6.8	6	5.4	74	444	296	222	178	148	127	111	99	89	81	74	68	63	56	49	44	74	444	296	222	178	148	127	111	99	89	81	74	68	63	56	49	44		
10	60	40	30	24	20	17.1	15	13.3	12	10.9	10	9.2	8.6	7.5	6.7	6	76	456	304	228	182	152	130	114	101	91	83	76	70	65	57	51	46	76	456	304	228	182	152	130	114	101	91	83	76	70	65	57	51	46		
11	66	44	33	26	22	19	17	14.7	13.2	12	11	10.2	9.4	8.3	7.3	6.6	78	468	312	234	187	156	134	117	104	94	85	78	72	67	59	52	47	78	468	312	234	187	156	134	117	104	94	85	78	72	67	59	52	47		
12	72	48	36	29	24	21	18	16	14.4	13.1	12	11.1	10.3	9	8	7.2	80	480	320	240	192	160	137	120	107	96	87	80	74	69	60	53	48	80	480	320	240	192	160	137	120	107	96	87	80	74	69	60	53	48		
13	78	52	39	31	26	22	20	17.3	15.6	14.2	13	12	11.1	9.8	8.7	7.8	85	510	340	255	204	170	146	128	113	102	93	85	78	73	64	57	51	85	510	340	255	204	170	146	128	113	102	93	85	78	73	64	57	51		
14	84	56	42	34	28	24	21	18.7	16.8	15.3	14	12.9	12	10.5	9.3	8.4	90	540	360	270	216	180	154	135	120	108	98	90	83	77	68	60	54	90	540	360	270	216	180	154	135	120	108	98	90	83	77	68	60	54		
15	90	60	45	36	30	26	23	20	18	16.4	15	13.8	12.9	11.3	10	9	95	570	380	285	228	190	163	143	127	114	104	95	88	81	71	63	57	95	570	380	285	228	190	163	143	127	114	104	95	88	81	71	63	57		
16	96	64	48	38	32	27	24	21	19.2	17.5	16	14.8	13.7	12	10.7	9.6	100	600	400	300	240	200	171	150	133	120	109	100	92	86	75	67	60	100	600	400	300	240	200	171	150	133	120	109	100	92	86	75	67	60		
17	102	68	51	41	34	29	26	23	20	18.5	17	15.7	14.6	12.8	11.3	10.2	110	660	440	330	264	220	189	165	147	132	120	110	102	94	83	73	66	110	660	440	330	264	220	189	165	147	132	120	110	102	94	83	73	66		
18	108	72	54	43	36	31	27	24	22	19.6	18	16.6	15.4	13.5	12	10.8	120	720	480	360	288	240	206	180	160	144	131	120	111	103	90	80	72	120	720	480	360	288	240	206	180	160	144	131	120	111	103	90	80	72		
19	114	76	57	46	38	33	29	25	23	21	19	17.5	16.3	14.3	12.7	11.4	130	780	520	390	312	260	223	195	173	156	142	130	120	111	98	87	78	130	780	520	390	312	260	223	195	173	156	142	130	120	111	98	87	78		
20	120	80	60	48	40	34	30	27	24	22	20	18.5	17.1	15	13.3	12	140	840	560	420	336	280	240	210	187	168	153	140	129	120	105	93	84	140	840	560	420	336	280	240	210	187	168	153	140	129	120	105	93	84		
21	132	88	66	53	44	38	33	29	26	24	22	20	18.9	16.5	14.7	13.2	150	900	600	450	360	300	257	225	200	180	164	150	138	129	113	100	90	150	900	600	450	360	300	257	225	200	180	164	150	138	129	113	100	90		
22	144	96	72	58	48	41	36	32	29	26	24	22	21	18	16	14.4	160	960	640	480	384	320	274	240	213	192	175	160	148	137	120	107	96	160	960	640	480	384	320	274	240	213	192	175	160	148	137	120	107	96		
23	156	104	78	62	52	45	39	35	31	28	26	24	22	19.5	17.3	15.6	170	1020	680	510	408	340	291	255	227	204	185	170	157	146	128	113	102	170	1020	680	510	408	340	291	255	227	204	185	170	157	146	128	113	102		
24	168	112	84	67	56	48	42	37	34	31	28	26	24	21	18.7	16.8	180	1080	720	540	432	360	309	270	240	216	196	180	166	154	135	120	108	180	1080	720	540	432	360	309	270	240	216	196	180	166	154	135	120	108		
25	180	120	90	72	60	51	45	40	36	33	30	28	26	23	20	18	190	1140	760	570	456	380	326	285	253	228	207	190	175	163	143	127	114	190	1140	760	570	456	380	326	285	253	228	207	190	175	163	143	127	114		
26	192	128	96	77	64	55	48	43	38	35	32	30	27	24	21	19.2	200	1200	800	600	480	400	343	300	267	240	218	200	185	171	150	133	120	200	1200	800	600	480	400	343	300	267	240	218	200	185	171	150	133	120		
27	204	136	102	82	68	58	51	45	41	37	34	31	29	26	23	20	220	1320	880	660	528	440	377	330	293	264	240	220	203	189	165	147	132	220	1320	880	660	528	440	377	330	293	264	240	220	203	189	165	147	132		
28	216	144	108	86	72	62	54	48	43	39	36	33	31	27	24	22	240	1440	960	720	576	480	411	360	320	288	262	240	222	206	180	160	144	240	1440	960	720	576	480	411	360	320	288	262	240	222	206	180	160	144		
29	228	152	114	91	76	65	57	51	46	41	38	35	33	29	25	23	260	1560	1040	780	624	520	446	390	347	312	284	260	240	223	195	173	156	260	1560	1040	780	624	520	446	390	347	312	284	260	240	223	195	173	156		
30	240	160	120	96	80	69	60	53	48	44	40	37	34	30	27	24	280	1680	1120	840	672	560	480	420	373	336	305	280	258	240	210	187	168	280	1680	1120	840	672	560	480	420	373	336	305	280	258	240	210	187	168		
31	252	168	126	101	84	72	63	56	50	46	42	39	36	32	28	25	300	1800	1200	900	720	600	514	450	400	360	327	300	277	257	225	200	180	300	1800	1200	900	720	600	514	450	400	360	327	300	277	257	225	200	180		
32	264	176	132	106	88	75	66	59	53	48	44	41	38	33	29	26	320	2160	1440	1050	840	700	600	525	467	420	382	350	323	300	263	233	210																			


## NOZZLE SELECTION

# HORTICULTURE

### ALBUZ ATR 80°

	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
 <b>AZ-ATR-***-80C</b>			
<b>** DENOTES COLOUR, E.G. YW</b>	14.00	15.40	C

- Hollow cone 80°
- Precision-polished pink ceramic surfaces for long life
- Easily dismantled for cleaning
- Perfect sealing of swirl chamber for precise flow rate
- Pressure range 0–25 bar (optimum 8–15 bar)
- For tree, vine and trellis crops
- Ideal for fungicides and insecticides
- Fine to very-fine droplets for excellent spray coverage
- European colour coded (see chart below for pressure, flow rates and colours)



\*\*Colour codes: WE = white, LC = lilac, BN = brown, YW = yellow, OE = orange, RD = red, GY = grey, GN = green, BK = black, BE = blue, PE = purple


### ALBUZ ATR 60° AND 80° HOLLOW CONE NOZZLE CHART

	L/MIN										
Bar	White	Lilac	Brown	Yellow	Orange	Red	Grey	Green	Black	Blue	Purple
5	0.27	0.36	0.48	0.73	0.99	1.38	1.5	1.78	2	2.45	3.05
6	0.29	0.39	0.52	0.8	1.08	1.51	1.63	1.94	2.18	2.67	3.32
7	0.32	0.42	0.56	0.86	1.17	1.62	1.76	2.09	2.35	2.87	3.57
8	0.34	0.45	0.6	0.92	1.24	1.73	1.87	2.22	2.5	3.06	3.81
9	0.36	0.48	0.64	0.97	1.32	1.83	1.98	2.35	2.64	3.24	4.03
10	0.38	0.50	0.67	1.03	1.39	1.92	2.08	2.47	2.78	3.4	4.23
11	0.39	0.52	0.7	1.07	1.45	2.01	2.17	2.58	2.9	3.56	4.43
12	0.41	0.55	0.73	1.12	1.51	2.09	2.26	2.69	3.03	3.71	4.61
13	0.43	0.57	0.76	1.17	1.57	2.17	2.35	2.79	3.14	3.85	4.79
14	0.44	0.59	0.79	1.21	1.63	2.25	2.43	2.89	3.26	3.99	4.96
15	0.46	0.61	0.81	1.25	1.69	2.33	2.51	2.99	3.36	4.12	5.12
16	0.47	0.63	0.84	1.29	1.74	2.4	2.59	3.08	3.47	4.25	5.28
17	0.48	0.64	0.86	1.33	1.79	2.47	2.67	3.17	3.57	4.37	5.43
18	0.50	0.66	0.89	1.37	1.84	2.54	2.74	3.25	3.67	4.49	5.58
19	0.51	0.68	0.91	1.4	1.89	2.6	2.81	3.34	3.76	4.61	5.73
20	0.52	0.70	0.93	1.44	1.94	2.67	2.88	3.42	3.85	4.72	5.87

### ALBUZ ATR 60°

	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
 <b>AZ-ATR-***-60C</b>			
<b>** DENOTES COLOUR, E.G. YW</b>	14.00	15.40	C

- Hollow cone 60° (note – white and purple only available in 80°)
- Precision-polished pink ceramic surfaces for long life
- Easily dismantled for cleaning
- Perfect sealing of swirl chamber for precise flow rate
- Pressure range 0–25 bar (optimum 8–15 bar)
- For tree, vine and trellis crops
- Ideal for fungicides and insecticides
- European colour coded



\*\*Colour codes: WE = white, LC = lilac, BN = brown, YW = yellow, OE = orange, RD = red, GY = grey, GN = green, BK = black, BE = blue, PE = purple


### SPRAY QUALITY INFORMATION FOR TVI NOZZLES

	TVI 80°							
Bar	Purple 80-0050	Pink 80-0075	Orange 80-001	Green 80-015	Yellow 80-02	Lilac 80-025	Blue 80-03	Red 80-04
5			UC	UC	UC	UC	UC	UC
7	UC	VC	UC	UC	UC	UC	UC	UC
10	XC	VC	XC	XC	XC	XC	UC	UC
15	VC	C	VC	VC	VC	XC	UC	UC


### ALBUZ TVI 80° HOLLOW CONE NOZZLE CHART

	L/MIN							
Bar	Purple 80-0050	Pink 80-0075	Orange 80-001	Green 80-015	Yellow 80-02	Lilac 80-025	Blue 80-03	Red 80-04
5	-	0.39	0.52	0.77	1.03	1.29	1.55	2.07
6	-	0.42	0.57	0.85	1.13	1.41	1.70	2.26
7	0.31	0.46	0.61	0.92	1.22	1.53	1.83	2.44
8	0.33	0.49	0.65	0.98	1.31	1.63	1.96	2.61
9	0.35	0.52	0.69	1.04	1.39	1.73	2.08	2.77
10	0.37	0.55	0.73	1.10	1.46	1.83	2.19	2.92
11	0.38	0.57	0.77	1.15	1.53	1.91	2.30	3.06
12	0.40	0.60	0.80	1.2	1.6	2.00	2.40	3.20
13	0.42	0.62	0.83	1.25	1.67	2.08	2.50	3.33
14	0.43	0.65	0.86	1.30	1.73	2.16	2.59	3.46
15	0.45	0.67	0.89	1.34	1.79	2.24	2.68	3.58
16	0.46	0.69	0.92	1.39	1.85	2.31	2.77	3.70
17	0.48	0.71	0.95	1.43	1.90	2.38	2.86	3.81
18	0.49	0.73	0.98	1.47	1.96	2.45	2.94	3.92
19	0.50	0.75	1.01	1.51	2.01	2.52	3.02	4.03
20	0.52	0.77	1.03	1.55	2.07	2.58	3.10	4.13
21	0.53	0.79	1.06	1.59	2.12	2.65	3.17	4.23
22	0.54	0.81	1.08	1.62	2.17	2.71	3.25	4.33
23	0.55	0.83	1.11	1.66	2.22	2.77	3.32	4.43
24	0.57	0.85	1.13	1.70	2.26	2.83	3.39	4.53
25	0.58	0.87	1.15	1.73	2.31	2.89	3.46	4.62

### ALBUZ TVI

	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
 <b>AZ-TVI-****-80C</b>			
<b>**** DENOTES SIZE, SEE TABLE TO THE RIGHT</b>	31.00	34.10	C

- Air-induction hollow cone nozzle (venture system)
- Large drops filled with air for drift control
- Precision-polished pink ceramic surfaces
- Compact length (19mm)
- Perfect sealing of swirl chamber for precise flow rate
- Ideal for fungicides and insecticides
- Coarse to ultra-coarse droplets for drift control
- ISO colour coding








## KEY FEATURES

1. Narrow-angle horticultural flat-fan venturi nozzle designed specifically for horticultural applications
2. All-wearing components made from high-quality ceramic material – ideal for reducing wear when using abrasive powders and granulated formulations in suspension
3. ISO colour coded for easy identification
4. Coarse to extra-coarse droplet for effective drift reduction, even at high pressure
5. High droplet speed for good projection and excellent penetration over a wide pressure range
6. European JKI approved for up to 90% drift reduction
7. Axial-type air-blast fans for specific applications (i.e. HiCane application in kiwifruit)
8. Top nozzles on airblast fans to reduce drift in upper canopies
9. Croplands Quantum Mist sprayers for early season spray applications to reduce drift and improve coverage on tree branches, buds and vine cordons

## TURBODROP® NARROW ANGLE AI

		\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	<b>TDCFFC60**UNI</b>	43.00	47.30	C

<ul style="list-style-type: none"> <li>• High-pressure air-induction nozzle</li> <li>• 20, 40 and 60° options</li> <li>• Fully ceramic injector and exit tip</li> <li>• Pressure range 6–25 bar</li> <li>• Modular construction</li> </ul>	<b>PRESSURE RANGE</b>  <b>6-25 BAR</b>	<b>SPRAY PATTERN</b>  <b>80°</b>
--	---	---

## NOZZLE SIZE (ISO COLOUR CODED) AND OUTPUT

	L/MIN							
Bar	01	15	02	025	03	04	05	06
6	0.57	0.85	1.13	1.41	1.70	2.26	2.83	3.39
7	0.61	0.92	1.22	1.53	1.83	2.44	3.05	3.67
8	0.65	0.98	1.31	1.63	1.96	2.61	3.26	3.92
9	0.69	1.04	1.39	1.73	2.08	2.77	3.46	4.16
10	0.73	1.09	1.46	1.82	2.19	2.92	3.65	4.38
12	0.80	1.20	1.60	2.00	2.40	3.20	4.00	4.80
14	0.86	1.29	1.73	2.16	2.59	3.46	4.32	5.19
16	0.92	1.38	1.85	2.31	2.77	3.70	4.62	5.54
18	0.98	1.47	1.96	2.45	2.94	3.92	4.90	5.88
20	1.03	1.55	2.07	2.58	3.10	4.13	5.16	6.20
22	1.08	1.62	2.17	2.71	3.25	4.33	5.41	6.50
24	1.13	1.70	2.26	2.83	3.39	4.53	5.65	6.79
25	1.15	1.73	2.31	2.89	3.47	4.62	5.77	6.93

## NOZZLE SELECTION

# BODIES & CAPS

### KEY FEATURES












1. Caps for use with TurboDrop® AI nozzles in horticultural applications
2. Nozzle bodies and o-rings used on Croplands sprayers for horticulture

Note – the complete nozzle body, when ordered from Croplands, comes with a cap/caps to suit. When ordering caps and o-rings to suit TurboDrop® AI nozzles, use the codes on the right-hand side of the table below.

### QUICK GUIDE

1. Choose the correct cap to suit the nozzle body on your sprayer
2. The TurboDrop® uni narrow-angle nozzles click together and remain in the cap once assembled. They cannot be disassembled – so choose the cap you need
3. Suitable o-rings are required for a complete seal – see table below



NOZZLE BODY	FITTED TO	CAP AND O-RING TO ORDER	DESCRIPTION	ORDER CODE	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
 <b>B716.617.2</b> (STANDARD TYPE)	Croplands Cropliner® sprayers, Silvan models and other brands	 <b>B716.605.3</b>	Brass cap	<b>B716.605.3</b>	2.80	3.08	B
 <b>B73.610.105</b> (ORGANIC TYPE)	Croplands Cropliner® sprayers for organic spraying	 <b>B716.605.3</b>	Brass cap	<b>B716.605.3</b>	2.80	3.08	B
 <b>B75.617.10F</b> (STANDARD TYPE)	Croplands Cropliner® and Cropliner SP® front entry fan models	 <b>B75.605.46</b>	Brass cap	<b>B75.605.46</b>	2.80	3.08	B
 <b>B264.612.172</b>	Croplands Quantum Mist® sprayers	 <b>B256.605.7</b>	Nickel plated cap	<b>B256.605.7</b>	2.80	3.08	B
 <b>B67.617.67</b>	Croplands Quantum Mist® tower sprayers	 <b>B256.605.7</b>	Nickel plated cap	<b>B256.605.7</b>	2.80	3.08	B
<b>O-RINGS TO SEAL THE CAPS ON ALL LISTED NOZZLE BODIES ABOVE</b>	Croplands Quantum Mist® sprayers	 <b>B73.602.22</b>	O-ring, 16mm O.D. x 10.8 I.D	<b>B73.602.22</b>	0.60	0.66	B


### PRICING FOR NOZZLE BODIES SHOWN IN TABLE ABOVE

ORDER CODE	DESCRIPTION	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
<b>B716.617.2</b>	Standard swing-over nozzle body, suits Croplands Cropliner sprayers	57.00	62.70	B
<b>B73.610.105</b>	Organic model swing-over nozzle body, suits Croplands Cropliner sprayers for organic applications	47.00	51.70	B
<b>B75.617.10F</b>	Swing-over nozzle body for Croplands front-entry fan models	54.00	59.40	B
<b>B264.612.172</b>	Single-swivel nozzle body for Croplands Quantum Mist® sprayers	15.00	16.50	B
<b>B67.617.67</b>	Non-drip body with shut off for Croplands Quantum Mist® sprayers	69.00	75.90	B

## NOZZLE SELECTION

## DISCS &amp; CORES

## NOZZLES - DISCS AND CORES

NOZZLE	TYPE AND DESCRIPTION	SAMPLE ORDER CODE	TYPE	SIZE RANGE, MATERIAL	\$ (EX. GST)	\$ (INC. GST)	PROD. CAT.
	Disc and Core Jets: • Full and hollow cone spray patterns • Medium to fine droplets for use in air assisted situations • 5–20 bar recommended range	AZ-AD*	Disc	• 1 to 7 • Pink ceramic	6.00	6.60	C
		AZ-AC**	Core	• 13 to 56 • Pink ceramic	11.00	12.10	C

## DISC AND CORE ALBUZ CERAMIC - FLOW RATES

	DISC SIZE	CORE SIZE	ORIFICES DIAMETER	L/MIN						ANGLES		
				3 BAR	4 BAR	5 BAR	6 BAR	10 BAR	15 BAR	20 BAR	10 BAR	20 BAR
HOLLOW CONE	AD 1	AC 3	0,8	0,24	0,27	0,3	0,33	0,41	0,49	0,56	70°	79°
	AD 2	AC 13	1,02	0,31	0,35	0,39	0,42	0,53	0,64	0,73	87°	97°
	AD 3	AC 13	1,2	0,36	0,41	0,45	0,49	0,61	0,74	0,84	89°	98°
	AD 4	AC 13	1,56	0,45	0,52	0,57	0,62	0,78	0,93	1,06	99°	103°
	AD 5	AC 13	2	0,55	0,62	0,69	0,75	0,94	1,13	1,29	102°	105°
	AD 1	AC 23	0,8	0,28	0,32	0,35	0,38	0,48	0,57	0,65	66°	74°
	AD 2	AC 23	1,02	0,37	0,43	0,47	0,51	0,64	0,77	0,88	83°	93°
	AD 3	AC 23	1,2	0,44	0,51	0,56	0,61	0,76	0,92	1,04	84°	92°
	AD 4	AC 23	1,56	0,56	0,64	0,71	0,77	0,97	1,16	1,32	92°	98°
	AD 5	AC 23	2	0,72	0,82	0,91	0,99	1,24	1,49	1,7	96°	99°
	AD 6	AC 23	2,4	0,85	0,97	1,07	1,16	1,46	1,75	2	99°	101°
	AD 1	AC 25	0,8	0,41	0,46	0,51	0,55	0,7	0,84	0,95	50°	60°
	AD 2	AC 25	1,02	0,59	0,67	0,74	0,8	1,01	1,21	1,38	57°	66°
	AD 3	AC 25	1,2	0,72	0,81	0,9	0,98	1,23	1,48	1,68	63°	69°
	AD 4	AC 25	1,56	1,02	1,16	1,28	1,39	1,75	2,1	2,39	75°	80°
	AD 5	AC 25	2	1,41	1,6	1,77	1,92	2,42	2,9	3,3	77°	80°
	AD 6	AC 25	2,4	1,73	1,97	2,18	2,37	2,98	3,57	4,07	82°	85°
	AD 7	AC 25	2,8	2,07	2,36	2,61	2,83	3,57	4,28	4,87	88°	91°
	AD 1	AC 45	0,8	0,48	0,55	0,61	0,66	0,83	1	1,14	32°	39°
	AD 2	AC 45	1,02	0,73	0,83	0,92	1	1,26	1,51	1,72	46°	53°
	AD 3	AC 45	1,2	0,92	1,05	1,16	1,26	1,58	1,9	2,16	48°	52°
	AD 4	AC 45	1,56	1,35	1,54	1,7	1,85	2,32	2,79	3,17	59°	60°
	AD 5	AC 45	2	1,92	2,19	2,42	2,63	3,31	3,97	4,52	68°	70°
	AD 6	AC 45	2,4	2,46	2,79	3,09	3,35	4,22	5,07	5,77	72°	75°
	AD 7	AC 45	2,8	3,01	3,43	3,79	4,11	5,18	6,21	7,07	79°	80°
	AD 1	AC 46	0,8	0,55	0,62	0,69	0,75	0,94	1,13	1,29	23°	27°
	AD 2	AC 46	1,02	0,92	1,05	1,16	1,26	1,58	1,9	2,16	26°	30°
	AD 3	AC 46	1,2	1,2	1,37	1,51	1,64	2,06	2,48	2,82	30°	30°
	AD 4	AC 46	1,56	2,03	2,32	2,56	2,78	3,5	4,2	4,78	35°	35°
	AD 5	AC 46	2	3,11	3,54	3,91	4,24	5,34	6,41	7,3	40°	42°
	AD 6	AC 46	2,4	4,12	4,69	5,18	5,62	7,08	8,49	9,67	45°	46°
	AD 7	AC 46	3,230	5,49	6,40	7,10	7,84	10,16	12,43	14,33	55°	53°
FULL CONE	AD 1	AC 31	0,8	0,53	0,61	0,67	0,73	0,92	1,1	1,25	39°	39°
	AD 2	AC 31	1,02	0,82	0,93	1,03	1,12	1,41	1,69	1,92	87°	95°
	AD 3	AC 31	1,2	0,87	0,99	1,1	1,19	1,5	1,8	2,05	65°	62°
	AD 1	AC 35	0,8	0,53	0,61	0,67	0,73	0,92	1,1	1,25	34°	40°
	AD 2	AC 35	1,02	0,92	1,05	1,16	1,26	1,58	1,9	2,16	39°	39°
	AD 3	AC 35	1,2	1,28	1,46	1,61	1,75	2,2	2,64	3	44°	42°
	AD 4	AC 35	1,56	2,08	2,37	2,62	2,84	3,58	4,3	4,89	77°	72°
	AD 5	AC 35	2	2,62	2,98	3,3	3,58	4,51	5,41	6,16	37°	34°
	AD 2	AC 56	1,02	0,88	1	1,11	1,2	1,52	1,82	20,7	21°	20°
	AD 3	AC 56	1,2	1,19	1,36	1,5	1,63	2,05	2,46	2,8	28°	32°
	AD 4	AC 56	1,56	2,05	2,33	2,58	2,8	3,52	4,23	4,81	35°	38°
	AD 5	AC 56	2	3,46	3,94	4,36	4,73	5,96	7,15	8,14	43°	40°
	AD 6	AC 56	2,1	5,11	5,82	6,43	6,98	8,78	10,54	12	56°	49°
	AD 7	AC 56	2,3	6,87	7,81	8,64	9,38	11,8	14,17	16,12	68°	64°

# TERMS & CONDITIONS OF SALE

Croplands Equipment Pty Ltd (ACN 006 450 184) and its subsidiaries ("Croplands") hereby agrees with you that, unless expressly amended in writing by Croplands, these Terms comprise the only terms for the supply and sale of goods by Croplands to you and supersede all other terms, conditions or agreements between us and without further notice, will apply to all future transactions between Croplands and you. These Terms override anything that may be implied or expressed on your orders or your own documentation. In these Terms: "goods" means all agricultural products, machinery or services supplied to you by Croplands; "you" means Croplands' customer. If you are more than one, these Terms bind each of you jointly and severally.

## 1. QUOTES

- (a) A quote by Croplands is an invitation to you to do business with Croplands, it is not an offer. A quote will remain valid for seven (7) business days from the date of the quote, after which time it may be altered or withdrawn without any notice to you.
- (b) Any alteration to a quote will be effective only if it is in writing and altered by Croplands.

## 2. ACCEPTANCE

Your order(s) will be accepted by Croplands either when Croplands communicates its acceptance to you, or when Croplands takes steps to fill your order, irrespective of whether those steps are communicated to you. Croplands' acceptance of monies, however paid to it, will not constitute an acceptance of your order. Croplands may, in its sole discretions, without any liability to you, cancel any accepted order at any time.

## 3. WARRANTIES

- (a) Any provisions or rights under the Competition and Consumer Act 2010 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these Terms. All warranties guarantees and conditions, other than those expressly stated in these Terms and whether implied by statute, common law, custom or otherwise are to the extent that the law permits, expressly excluded. If you have acquired goods as a Consumer, these conditions of sale shall not exclude, limit, restrict or modify the rights, entitlements and remedies conferred upon you or the liabilities imposed upon you, by any condition or warranty implied, by the commonwealth, state or territory act or ordinance, rendering void or prohibiting such exclusion, limitation, restriction or modification. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
- (b) You accept all risk and responsibility for consequences arising from the use of the goods whether singly or in combination with other products.
- (c) Any liability incurred by us to you is limited to the replacement or repair of the goods or (at our option) refund of the price paid by you, for a period of 12 months from the date of sale, provided the goods have not been damaged through misuse or handling and in particular does not extend to consequential loss.
- (d) To make a claim under this warranty, you can contact us on sales@croplands.com.au, or call 1800-999-162, or contact their local Croplands Representative listed on the www.croplands.com.au/pages/contact.html website. The Buyer should specify the full particulars of such claim and wherever possible return a sufficient part of the goods to enable a proper examination by the Seller.
- (e) Any advice, recommendation, information, assistance or service provided by Croplands in relation to the goods or their use or application is given in good faith, is believed by Croplands to be reliable, but is provided with an express disclaimer for any liability or responsibility on the part of Croplands.

## 4. PRICES

- (a) All prices unless otherwise stated are expressed in Australian currency and exclude the costs of delivery.
- (b) Notwithstanding any price contained in your order form or other document submitted by you, the price(s) charged to you, subject to clause 1, shall be the price(s) ruling as at the date of delivery. Any price indications or price lists are subject to alteration by Croplands from time to time to reflect price(s) ruling as at the date of delivery.
- (c) If any statutory charge, duty, impost or tax (including GST)("charge") is levied in respect of the goods and that charge has not been allowed for by Croplands in calculating the price or when raising an invoice, then you must pay that charge and the price for the goods will increase accordingly.
- (d) Croplands may ask you to pay the whole or any part of the price for the goods at any time prior to delivery, as Croplands considers appropriate.
- (e) Croplands may change the price for the goods at any time.

## 5. DELIVERY OF THE GOODS

- (a) You must pay all costs of freight, delivery and unloading the goods and you must reimburse Croplands for all costs, which it incurs on your behalf in this regard.
- (b) You will pay any additional charges incurred by Croplands if you direct it to deliver the goods at times or to addresses different from those specified in your order as accepted by Croplands.
- (c) You will accept delivery of the goods when they are delivered to the address on your order.
- (d) If you fail to accept delivery of the goods, Croplands may deliver them to a place of storage nominated by you or, failing such nomination, to a place determined by Croplands. Delivery in this way will be deemed to be delivery of the goods to you. You be liable for all costs incurred by Croplands for storage, detention, double cartage or similar causes if these costs are caused by your inability or failure to accept the goods upon delivery.

## 6. RISK AND INSURANCE

- (a) You assume all risk in the goods (including consigned goods) upon delivery, even if you have not signed a receipt for the goods.
- (b) You must insure the goods so that your insurance is effective immediately upon receipt of delivery of the goods.

## 7. DELAYS

Whilst Croplands will make reasonable efforts to deliver the goods to you by your requested delivery date(s), it will be under no liability whatsoever if delivery is not made on the date(s) requested. You agree that your requested delivery date is an estimate only. Croplands shall not be liable for any delayed or non-delivery of goods.

## 8. FORCE MAJEURE

- (a) If Croplands is unable to deliver the goods because of any acts of god, wars, insurrection or other significant internal disturbance, fire, floods, accidents, breakdowns of plant or machinery, unavailability of or delays in shipping, transport strikes, lock-outs of workers, shortages or other default by suppliers of fuel, power or raw material, priority for supplies claimed by the Federal or State Governments of the Commonwealth of Australia or any overseas government, or any other similar happening or event ("force majeure"), then:-
  - i. you will not be entitled to make any claim against Croplands for any delay in the manufacture or delivery of the goods ordered;
  - ii. whilst the delay continues, after 90 days of delay, Croplands and you will each have the option to cancel any orders.
- (b) Subject to Clause 8(a), you may not cancel any order or any part of it for any other reason without Croplands' prior consent in writing.
- (c) Croplands may consent to your proposed cancellation of any order or any part of it if you pay to Croplands what it considers to be a fair and reasonable amount to fully compensate it for any costs, expenses, loss of profit and consequential damage that it may have incurred or may suffer because of the cancellation.

## 9. PAYMENT

- (a) Subject always to clause 9(c) herein, all goods you order from Croplands will be paid for within 20 days of the last day of the month in which the goods are invoiced. Time for such payment will be the essence of these Terms.
- (b) You must pay for the goods invoiced when the invoice is due for payment, even if you have not received all of the goods on that invoice.
- (c) Croplands' express or implied approval of a credit facility in your favour may be revoked at any time, without any reason being given.
- (d) If you become an insolvent pursuant to any of the provisions of the Corporations Act 2001 or the Bankruptcy Act 1966 or similar law or statute, all amounts then owing by you to Croplands, whether or not those amounts are then due under clause 9(a), will immediately become due and payable.
- (e) If you fail to pay any amounts due as required, then:-
  - I. In addition to the invoiced amounts, and without prejudice to any of Croplands' other rights and remedies :-
    - A. You must pay interest on all amounts due and payable to Croplands at the rate equal to the target cash rate of the Reserve Bank of Australia plus 5% at the time the relevant amounts fall due, calculated from the date that each amount you owe Croplands becomes due and payable; interest will continue to accrue until all the monies you owe are received in cleared funds by Croplands.
    - B. You must indemnify Croplands for all loss and damage it incurs because of your failure to pay all amounts due to it by the due date(s);
    - C. You must indemnify Croplands for all costs, loss and damage it incurs in taking possession of the whole or part of the goods and reselling them or by any other reason, if that loss and damage is the result of your conduct;
    - D. You must pay interest on all loss and damage suffered by Croplands at the rate set out in sub-clause 9(e)(i)(A) as a result of your conduct or your breach of these Terms;
    - E. You must pay all costs, charges and expenses ("costs") incurred by Croplands in enforcing or attempting to enforce any of its rights under these Terms (including recovering any loss and damage or unpaid amounts). In the case of legal costs, you will pay Croplands' legal costs on an indemnity basis; and
    - F. You must deliver up the goods to Croplands immediately upon receipt of a demand in writing from Croplands to this effect. If you do not comply with the demand within one (1) business day of receipt of the demand, you authorise Croplands to enter upon your premises (whether owned or leased) at any time to do all things necessary to take possession of the goods. You must pay all costs of and incidental to Croplands' exercise of its rights under this clause on the basis set out in clause 9(e)(i)(E).
  - (f) You authorise Croplands to apply any payments received from you first to satisfy interest which may have accrued on the amounts you owe it, next to any legal or other costs Croplands may have incurred in recovering the amount(s) from you, and then only to the principal amount.
  - (g) If you are involved in any dispute with Croplands, you must still pay all amounts due to Croplands. You must not withhold payment, set off or "contra" any amounts that you owe Croplands because of any claims that you may have, whether on account of your supply of goods, to Croplands, damages or other allegation against Croplands.

## 10. RETENTION OF TITLE

- (a) Subject to clause 10(b), and unless otherwise notified in writing, you are authorised to sell or use the goods if it is in the ordinary course of your business to do so.
- (b) Until full payment in cleared funds is received by Croplands for all goods sold by it to you, and any other amounts owing to Croplands are paid title and property in the goods will remain vested in Croplands and will not pass to you;
  - I. you must hold the goods as fiduciary bailee and agent for Croplands; and
  - II. you must keep all goods supplied and delivered to you by Croplands separate from your and other property, and in a manner to enable Croplands' goods to be identified.
- (c) If you sell, dispose of or use the goods before full payment in cleared funds is made to Croplands, until such full payment is made, you will hold all monies resulting from such sale, disposal or use on trust for Croplands in a separate account. You must not mix the monies you hold on trust for Croplands with your or any other monies and you must specifically identify relevant trust monies in your accounts as Croplands' property.
- (d) If you combine or incorporate the goods with other goods (not being the property of Croplands) before full payment in cleared funds is made to Croplands, so that Croplands' goods become mixed with goods of others, you authorise Croplands to dismantle and remove its goods from the other goods, if such dismantling or removal is possible without destroying the goods, yours or others' goods.
- (e) If you combine the proceeds of sale of the goods with other money in your bank account before you pay Croplands for the goods, you must expressly hold those proceeds on trust for Croplands and you hereby authorise Croplands to trace and receive those proceeds ahead of all other creditors, including secured creditors.
- (f) Croplands shall have a lien on any of your goods if you owe it money for goods sold and delivered to you, or if you owe it money for any loss and damage that you have caused to Croplands.

## 11. ASSIGNMENT OF DEBT

- (a) In consideration of Croplands' agreement to supply the goods to you on these Terms, and Croplands' undertaking to reimburse to you all of your profit in respect of the goods or any end product manufactured or cultivated with the goods ("end product"), you hereby assign to Croplands the whole of proceeds of the sale of the goods or end product to your customers, including any insurance proceeds payable to you in respect of your insurance of the goods or end product, immediately that the goods or any end product are either sold to your customers, or damaged or destroyed, whichever appropriate ("the assigned debt").
- (b) The assignment to Croplands in clause 11(a) above will be effected simultaneously with and automatically upon the sale of the goods, or any end product, to your customers.
- (c) Notwithstanding the assigned debt, Croplands will always be entitled to sue you for the price of the goods if you do not pay for them when payment is due.
- (d) If any part of the assigned debt is paid to or received by you, you acknowledge and declare that you receive and hold the assigned debt upon trust for Croplands, that you will not deal with or treat that receipt as part of your own money and will forthwith pay it to Croplands. Croplands will have the right to trace the assigned debt you receive from your customers to your bank account, even if those monies become mixed with other monies in your account.
- (e) You promise that you will execute any documents, do any acts or other things that Croplands may reasonably require you to do to further or more perfectly transfer the assigned debt to Croplands.
- (f) You will deliver possession and control of any documentation relating to or proving the assigned debt to Croplands upon Croplands' request, and Croplands jointly with you will be responsible for the management and collection of the assigned debt from that time on.
- (g) You promise that immediately upon effecting each and every sale of the goods or end product to your customers, you will (at Croplands' request) do all things necessary to inform your customers of the form and substance of this assignment, and further, do all things necessary to enable Croplands to collect the assigned debt from your customers.

## 12. PERSONAL PROPERTIES SECURITY ACT 2009 (PPSA)

- (a) In this clause 12, unless otherwise defined in these Terms, capitalised expressions have the meaning given to them in the PPSA.
- (b) You acknowledge and agree that by entering into a contract of sale under these Terms, you grant a Security Interest to Croplands in the goods and any proceeds of sale in respect to those goods and also consent to Croplands registering any one or more Financing Statements or Financing Change Statements in respect to any such Security Interest created by or contemplated by these Terms.
- (c) You and Croplands agree for the purposes of satisfying s20(1)(iii) of the PPSA, that the description of goods as shown on any invoice from Croplands is the subject of each and any Security Interest created under these terms and such and every invoice is incorporated into these Terms.
- (d) You agree that you are the Grantor and Croplands is the holder of a Purchase Money Security Interest (PMSI) by virtue of these Terms or the PPSA.
- (e) You agree that the following provisions of the PPSA will not apply to these Terms: Sections 95, 96, 125, 129, 130, 132(3)(d), 132(4), 135, 142 and 143.
- (f) Unless otherwise agreed in writing with Croplands, you agree to waive your rights to receive a verification statement in accordance with s157 of the PPSA.
- (g) For the purposes of s275(6) of the PPSA, you and Croplands agree that neither party will, or is entitled to, disclose information of the kind specified in s 275(1) of the PPSA.
- (h) You agree with Croplands that it will not enter into any agreement or arrangement which permits any other person to register any Security Interest in respect to unpaid goods, proceeds of sale of unpaid goods or any accounts owed in respect of the unpaid goods without Croplands' consent.
- (i) You agree to give Croplands at least 10 days prior written notice before changing any of your corporate details, such as your name, ABN or ACN, or principle place of business.
- (j) You agree to unconditionally ratify any actions taken by Croplands under this clause 9.
- (k) You agree to reimburse Croplands for all costs and/or expenses incurred or payable by Croplands in relation to registering, maintaining or releasing any Financing Statement or Financing Change Statement under these terms.
- (l) This clause 9 will survive the termination of the contract for sale and purchase of goods between you and Croplands to the extent permitted by law.

## 13. CLAIMS AND RETURNS

- (a) You must inspect the goods immediately on delivery and must, no later than seven (7) business days of receipt of the goods, give notice in writing to Croplands if the goods are not in accordance with Croplands' specifications for the goods or if the goods are damaged, short supplied or otherwise allegedly defective. If you do not give such notice within 7 days, you must accept and pay for the goods and you are no longer able to make any claim. Time is of the essence in the giving of such notice.
- (b) You may not make a claim against Croplands in respect of the goods unless at the time of the claim all of the goods the subject of the claim remain intact as a whole. Any disposal or use of any part of the goods will mean that you have accepted the goods and can no longer make any claim.
- (c) You grant to Croplands full and free access to the premises owned or occupied by you to enable Croplands to investigate any claim you make. Croplands' investigation of your claim does not constitute an admission of liability.
- (d) Croplands may, in its sole discretion, accept the return of the goods or refund you the purchase price of the goods. The invoice and/or the delivery note number must be supplied with the goods if they are returned.

## 14. LIMITATION OF LIABILITY AND INDEMNITY

- (a) Any representation made by Croplands in relation to the goods, their use, suitability for your purpose or application is given in good faith, is believed by Croplands to be reliable, but is provided with an express disclaimer for any liability or responsibility on the part of Croplands. You acknowledge that Croplands is not or may not be aware of your intended end use of the goods.
- (b) Subject only to the extent permissible at law, you agree that Croplands will not be liable to you for any consequential loss or damage that you incur or suffer as a direct or indirect result of your purchase, use or application of the goods. You hereby expressly release and discharge Croplands from any and all such consequential loss or damage, however incurred, whether directly or indirectly as a result of:
  - i. your purchase, sale, use or application of the goods;
  - ii. any changes Croplands makes from time to time to the specifications or price of the goods; and
  - iii. any delay or cancellation of your order.

- (c) You accept all risk and responsibility for consequences arising from the improper use of the goods.
- (d) You acknowledge that any liability to you will be limited, in the case of any goods not in accordance with Croplands' specifications or if the goods are damaged, short supplied or otherwise allegedly defective only to:-
  - i. replacement by Croplands of the goods; or
  - ii. the issue of a credit note for the invoice value of the goods; or
  - iii. the return of any monies that you have paid in respect of the goods; or
  - iv. the return of the goods;whichever Croplands in its absolute discretion considers appropriate.
- (e) You will indemnify Croplands for all and any loss and damage whatsoever or howsoever incurred by it, whether as a direct or indirect result of your failure to observe these Terms, your failure to discharge your duties under the common law or your failure to discharge your duties under statute, or otherwise.

## 15. PALLETS

- (a) Any pallets used for the delivery of the goods to you remain the sole property of Croplands and are to be returned to Croplands' warehouse at your expense and in good order and condition.
- (b) Any pallets not returned within 14 days after Croplands' demand will, at Croplands' election, be deemed to be purchased by you. In that event, you will be invoiced for the pallets at a value to be determined by Croplands. That value will be final and binding as between the parties.

## 16. GOODS ON CONSIGNMENT

- (a) If you hold goods on consignment you must maintain accurate records of these goods as required by Croplands and rotate the goods so that the oldest are sold or used first.
- (b) You must provide to Croplands a reconciliation in respect of the goods on consignment immediately following the end of March, June, September and December each year ("reconciliation") advising:-
  - I. The opening balance for that quarter, batch numbers for the goods unsold, remaining in your possession and on consignment as at the commencement of the quarter;
  - II. the quantity of goods received from Croplands each quarter including the batch numbers in respect of the goods received;
  - III. the quantity of goods sold in each quarter including the batch numbers in respect of each of the goods sold; and
  - IV. the closing balance for each quarter, batch numbers of the goods unsold, remaining in your possession and on consignment as at the conclusion of each quarter.
- (b) You must notify Croplands as soon as you receive a purchase order from a customer for any of the goods on consignment. Croplands will invoice you each month for the price of the goods as the date(s) of sale to your customers. You must pay for the goods on consignment in accordance with clause 9.
- (c) Croplands will invoice you for any lost or damaged goods on consignment and you must pay for these goods in accordance with clause 9 of the Terms.
- (d) You may only dispose of or use the goods on consignment in accordance with these Terms. All monies resulting from the sale of the goods on consignment will be dealt with in the manner set out in clause 9.

## 17. MISTAKE

Any mistake of fact on any quote, order, invoice, delivery docket or other document issued by Croplands in relation to the goods will not bind Croplands and Croplands may in its discretion issue such amended document as is required to rectify the mistake. You must comply with Croplands' amended document.

## 18. YOUR REPRESENTATIONS

You represent that:-

- (a) the goods will only be used and applied in accordance with Croplands' directions and recommendations and in accordance with the registered label;
- (b) the goods will be handled with appropriate caution, care and protective clothing;
- (c) the goods will be used or applied with the appropriate utilities only;
- (d) you are aware that some goods purchased from Croplands may be toxic, dangerous and hazardous to human health;
- (e) the goods the subject of any proposed claim have not continued to be used by you:-
  - i. after you have become aware that the goods are damaged or defective in any way; or
  - ii. after you have given written notice of the defects to Croplands;
- (f) you will report any defects to Croplands in accordance with clause 13.

## 19. ACCESS

You irrevocably grant to Croplands authority to enter into, forcibly or otherwise, all of your owned and leased premises for the purpose of inspecting or removing any of Croplands' goods.

## 20. DANGEROUS GOODS

You warrant to Croplands that after delivery of the goods and whilst Croplands retains any interest in the goods, you will comply with all applicable Acts, Regulations and Laws dealing with the transport, unloading, storage, sale or use of dangerous or hazardous materials.

## 21. LAW/INTERPRETATION

- (a) These Terms are to be interpreted according to the laws of the State of Victoria. The courts in the State of Victoria shall have exclusive jurisdiction to hear and determine all disputes of and incidental to these Terms, including any claims in respect of monies due to Croplands pursuant to these Terms, on account of a claim for damages or any other claim.
- (b) To the maximum extent permitted by law and statute, all warranties terms and conditions, expressed or implied by common law, equity, trade, custom, usage, statute or otherwise, in relation to the sale, supply, use or application of the goods, are excluded. Croplands shall not accept any responsibility whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of the goods except for responsibility for the merchantable quality and except for any responsibility mandatorily imposed by statute.

## 22. SEVERANCE

If the whole or any part of these Terms is invalid or unenforceable for any reason, the invalid or unenforceable clauses will be severed from these Terms and the validity of the remaining clauses will be preserved.

Updated March 2020.

# FREIGHT

## The following tables detail freight on items listed in the 2022 Compact Sprayers & Components guide.

- Prices may change at any time without notice. Freight charges will apply unless items are ordered that qualify to be included in a stock order
- Charges apply Australia-wide. Goods can be sent by your choice of carrier and/or arranged for pick-up, or sent freight forward if we are advised at the time of order. Croplands is not responsible for any charges incurred for missed collection or delays when using your own courier service
- All freight prices include any applicable fuel surcharges and remote area surcharges
- Minimum order value is 50 EX GST
- All deliveries will be direct to dealers.

### SPARE PARTS, COMPONENTS & ACCESSORIES

- Spare parts
- Regulating valves
- Spray guns
- Boom components
- Tank fittings
- Nozzles and nozzle caps
- Ball valves
- Respirators
- Filters
- Camlocks
- 12V pumps
- Solenoids
- Gloves and suits
- Gauges
- Brass and poly fittings

### AIRFREIGHT

Note: cut-off for air freight orders is 2:30pm ACDT.  
Bookings after this time will not guarantee next day delivery

ITEM	NOTES	\$ (EX. GST)
Parts, accessories, components	1kg bag	22.50
Parts, accessories, components	3kg bag	26
Parts, accessories, components	5kg bag	36

### STOCK ORDERS

Back orders maybe consolidated to reduce freight costs.  
Croplands tanks do not qualify for stock orders

ITEM	NOTES	\$ (EX. GST)
Parts, accessories, components with a dealer nett value of 3,000.00 + GST*	<ul style="list-style-type: none"> <li>• Mark your order clearly as a 'STOCK ORDER'</li> <li>• Stock orders can take up to five working days to pack and dispatch</li> <li>• Minimum of 15 individual lines must be ordered</li> </ul>	F.I.S.

\*All items marked in **BLUE** qualify for stock orders

\*All items marked in **ORANGE** do not qualify for stock orders

### WHOLEGOODS

Sent by road freight as individual items

ITEM	FREIGHT \$ (EX. GST)
<b>LINKAGE SPRAYERS (P4-13)</b>	
LA300 and LA600 – all models up to 6m boom	380
LA800 – bare or with 6m boom	410
LA600/MAX08, LA800/MAX08 with 8m boom	640
LA800/MAX10L with 10m boom	680
LAC1000, LAC1000/80 bare unit (no boom)	720
LAC1000/80/8M, 10M and 12ML models with 8, 10 and 12m booms	1200
LAC1000/MHL12 or MHL15 – 100L with 12/15m hyd fold booms	1300
MEC1300/1600 with boom attached	POA
Cropair 300 and 600L fan sprayers (P18-19)	700
<b>SPRAY BOOMS (P14-17)</b>	
MSO, MSCL, MB02, MBX04 booms	85
MC6, MBX06, MSCL-2, MVB5-5 booms	94
MAX08 – flat pack only	180
MAX10 – flat pack only	180
MAX10L, MAX12L and GEX series booms – flat pack only	210
MHL 12 and 15m booms; BDU18 boom only – flat pack only	POA
<b>TRAILPAK SPRAYERS (P21-23)</b>	
UA300B trailing sprayer (all models) and UA300B motorised nursery sprayers	500
1100 and 1500L TrailPak sprayers	POA
<b>RETRASPRAY &amp; TRAYPAK SPRAYERS (P24-27)</b>	
RSRL3-100RC RetraSpray reel	210
US20F/25, US20F/252 and US30F/30 complete units	385
US500/30/HR30TG, US500/40/TWIN traymount units	400
US60F complete units	445
<b>CROPPAK 12V SPRAYERS, KNAPSACK SPRAYERS &amp; APEX SPRAYERS (P28-35)</b>	
US30S and AR30 CropPak sprayer	65
US60S, US100S, US100A/15, AR60, AR100, AR100/15, 12V CropPaks	80
US200F and US200F/15 12V CropPaks	170
US300F/15 12V CropPaks	380
Swissmex SW319 and SW320 x 1 unit	40
Swissmex SW319 and SW320 x 10 units	130
SW503, SW189C, ASBBS-16A x 1 unit	45
SW503, SW189C, ASBBS-16A x 10 units	190
PAKMAN back protector, all Swissmex spray booms	45
<b>CHEMICAL MIXING &amp; BATCHING UNITS; MIXING JUGS &amp; CHEMICAL TRANSFER UNITS (P36-38)</b>	
L-H9351A 60L mixer	140
L-H9351A with L-H9355A dropdown bracket	160
L-H9353A, L-9353C 60L mixers with trolley	180
L-H9003 and 9005 measuring jugs, 10 each	55
L-H9003 and 9005 measuring jugs, up to 5 each	45
L-H9025 25L buckets (each)	45
L-H9025 25L buckets (x 3)	55
SHUSF-1105PTSI AgRunner transfer unit	50
<b>BOOMLESS NOZZLE KITS, FOAM, FOAM MARKERS (P17, 41)</b>	
Boomless nozzle kits	22.5
Foam markers	75
Spray tanks	POA
<b>HOSE REELS, HOSE, SPRAY GUNS (P34-35)</b>	
30m rolls spray hose	38
All hose reels and 100m rolls hose	65
All spray guns x 1	25
All spray guns x 10	60
<b>FIREFIGHTERS (P40)</b>	
500L TrayPak firefighter	450
Trailed firefighters 1100/1500L models	POA
<b>SPRAY PUMPS (P43)</b>	
AR pumps with gearboxes – models AR303, AR30, AR503, AR813	75
AR pump models AR30, AR70, AR252, AR503	45
AR pump models AR140, AR160, AR185 & 250, ARBHS170, ARBHS200	95
Hypro centrifugal pumps	60
FloJet and SHURflo 12V pumps x 1 unit	25
FloJet and SHURflo 12V pumps x 12 unit	70
<b>RESPIRATORS, SPRAY MANIFOLDS, SPRAY CONTROLLER KITS &amp; GPS UNITS (P53-56)</b>	
Kasco respirators	35
All control manifolds and I-E2021, 2032, 2052, I-E4020, 4021	75
All controller kits and GPS units (BA5000-GE03 etc)	65

# NOTES

**Utilise this space to detail items you are interested in, would like to enquire about, or place an order for.**

## PERSONAL DETAILS

<b>NAME</b>	
<b>CUSTOMER #</b>	
<b>DEALER NAME / PHONE #</b>	
<b>DELIVERY ADDRESS</b>	
<b>DELIVERY CONTACT NAME / PHONE #</b>	

## ITEM DETAILS

[illegible]

# NATIONWIDE DEALERS

## VICTORIA

Ballarat	Central Machinery Services	03 5332 0566
Ballarat	O'Connors	03 5339 3038
Bendigo	Precision Control	03 5448 8484
Beulah	North West Ag Services	03 5390 2264
Birchip	O'Connors	03 5492 2311
Boort	North West Ag Services	03 5455 2563
Charlton	North West Ag Services	03 5491 1976
Cobram	Cobram Rural	03 5871 3333
Colac	Swayn & McCabe	03 5231 5022
Donald	North West Ag Services	03 5497 1144
Dunolly	N H Hall & Co	03 5468 1202
Echuca	Echuca Rural	03 5482 2788
Hamilton	Phillips Farm Machinery	03 5572 1822
Hopetoun	North West Ag Services	03 5083 3133
Horsham	O'Connors	03 5382 1727
Horsham	Traction Ag	03 5381 1385
Lilydale	Agpower	03 9739 5006
Maffra	TTMI	03 5141 1700
Marnoo	North West Ag Services	03 5359 2240
Melton	Jon Kay Agricultural	03 9743 5644
Mildura	Agg Tech Machinery	03 5021 2722
Mildura	O'Connors	03 5039 5349
Mildura	Growers Services	03 5023 0284
Nhill	Traction Ag	03 5391 1144
Nullawil	North West Ag Services	03 5493 5251
Ouyen	O'Connors	03 5092 1031
Ouyen	North West Ag Services	03 5092 1381
Quambatook	North West Ag Services	03 5457 1341
Sea Lake	North West Ag Services	03 5070 1080
Shepparton	O'Connors	03 5821 4555
Shepparton	Shepparton Rural	03 5832 3500
St Arnaud	North West Ag Services	03 5495 2211
St Arnaud	O'Connors	03 5495 1288
St Arnaud	Sprayer Centre	03 5495 3222
Swan Hill	Hepburn Agri Centre	03 5033 2416
Swan Hill	North West Ag Services	03 5032 5595
Swan Hill	O'Connors	03 5032 0099
Swan Hill	Swan Hill Kubota	03 5032 9290
Trafalgar	TTMI	03 5633 1588
Wangaratta	McGregor Machinery	03 5722 9933
Warrambool	Class Harvest Centre	03 5561 1733
Warracknabeal	North West Ag Services	03 5394 1024
Warracknabeal	O'Connors	03 5398 1877
Wodonga	Intersales	02 6061 4390
Woomelang	North West Ag Services	03 5081 2131

## TASMANIA

Statewide	Spray Shop Tasmania	03 6343 1666
Statewide	Tasmac	1800 682 276

## SOUTH AUSTRALIA

Adelaide	Adelaide Spray Shop	1800 777 090
Bordertown	O'Connors	08 8752 1311
Cleve	Pringles Crouch	08 8628 2150
Crystal Brook	Pringles Crouch	08 8636 2257
Cummins	Pringles Crouch	08 8676 2105
Gawler East	Tundarra Sales & Service	08 8522 2188
Gepps Cross	Kubpower	08 8139 7200
Kadina	Vater Machinery	08 8821 2442
Karoonda	Ronco Motors	08 8578 1037
Loxton	Ronco Motors	08 8584 5575
McLaren Vale	DJ's Growers Services	08 8323 8339
Millicent	Millicent Farm Supplies	08 8733 4966
Murray Bridge	Daish Irrigation	08 8532 2711
Naracoorte	Kubpower	08 8762 0123
Nuriootpa	Farmer Johns	08 8562 1311
Nuriootpa	Vater Machinery	08 8563 2008
Pinnaroo	Ronco Motors	08 8577 8129
Saddleworth	Vater Machinery	08 8847 5000
Strathalbyn	Bates Farm Machinery	0417 363 555
Summertown	Kubpower	08 8390 3017
Virginia	Complete Ag & Seed	08 8380 9400
Waikerie	McKay's Auto & Ag Supplies	08 8541 2288
Woodside	DJ's Growers Services	08 8389 7022
Wudinna	Pringles Crouch	08 8680 2236

## NEW SOUTH WALES

Bangalow	Ace Ohlsson	02 6687 1452
Bathurst	On-Trac Ag	02 6332 5655
Condobolin	O'Connors	02 6895 2622
Corowa	O'Connors	02 6033 1666
Cowra	Cowra Machinery Centre	02 6342 5555
Dubbo	Michell Machinery	02 6884 2767
Forbes	Forbes Machinery Centre	02 6852 3211
Forbes	O'Connors	02 6852 1200
Forbes	Roylances Tractor Repairs	02 6852 2020
Gilgandra	Western Farm Machinery	02 6847 0318
Gosford	Kentan Machinery	02 4302 6100
Goulburn	Goulburn Farm Machinery	02 4821 4148
Grenfell	O'Connors	02 6343 1422
Griffith	Intersales	02 6962 6831
Gunnedah	NFS-Ag	02 6742 7771
Gunnedah	Vantage NSW	1300 770 970
Hexham	Kentan Machinery	02 4964 8275
Inverell	Inverell Pumps & Sprays	02 6722 4088
Kempsey	Maclean Valley Motors	02 6562 3884
McGraths Hill	Ace Ohlsson	02 4571 6400
Moree	Black Truck & Ag	02 6752 2277
Moree	Gwydir Spray Shop	02 6752 8022
Mudgee	Cudgegong Rural Supplies	02 6372 3500
Mudgee	On-Trac Ag	02 6372 2662
Muswellbrook	Kentan Machinery	02 5575 4000
Northern Rivers	Agrihaus	02 6622 0003
Orange	On-Trac Ag	02 6362 5566
Ourimbah	Coast & Valley Tractors	02 4360 4040
Parkes	McPherson's Parts & Service	02 6862 3888
Pokalbin	Lawrence's Ag & Machinery Repairs	0414 234 841
Taree	Kentan Machinery	02 6552 5833
Temora	Intersales	02 6977 1933
Tottenham	Western Farm Machinery	02 6892 4078
Wagga Wagga	Intersales	02 6921 5515
Walgett	Walgett Tyre & Machinery Service	02 6828 1500
Warren	Western Farm Machinery	02 6847 3422
West Wyalong	O'Connors	02 6972 2288
West Wyalong	West Wyalong Machinery Centre	02 6972 1057
Woolgoolga	Coffs Harbour Farm Machinery	02 6654 0658
Young	Carruthers Machinery	02 6382 7233

## QUEENSLAND

Atherton	Tableland Pumps & Pipes	07 4091 2277
Ayr	Nutrien Ag Solutions	07 4790 4444
Beerwah	Coochin Creek Co-Operative	07 5494 6219
Biloela	BMAS Biloela	07 4992 5332
Bowen	Bartec Rural Services	07 4785 2322
Bundaberg	Lindsay Rural	07 4150 0500
Bundaberg	Sunfam	07 4152 4166
Capalaba	Turf Irrigation Services	07 3245 6000
Capella	Western Mechanical QLD	07 4984 9925
Dalby	Dalby Mower Supplies	07 4669 6885
Dalby	Dalby Rural Supplies	07 4660 0400
Emerald	Cotton Growers Services	07 4982 2255
Gatton	Agricultural Requirements	07 5468 0000
Gatton	Lockey Farm Machinery	07 5462 1888
Goondiwindi	Black Truck & Ag	07 4677 8100
Goondiwindi	Ag Spray Centre	07 4671 2717
Gordonvale	Russo & Vella	07 4056 1157
Ingham	Nutrien Ag Solutions	07 4776 1477
Innisfail	GF Rural Supplies	07 4061 1066
Kalbar	South East Queensland Tractor	07 5463 5957
Kingaroy	Sengs Sales & Service	07 4163 6162
Mackay	Cropwise	07 4847 0442
Mackay	Nutrien Ag Solutions	07 4952 4377
Mareeba	TGT Agriculture	07 4030 3190
Mareeba	Think Water Mareeba	07 4092 7788
Mossman	Mossman Ag Services	07 4098 2286
Murgon	South Burnett Machinery	07 4168 1411
Nambour	Tractor Machinery Implements	07 5476 4888
Pialba	Advanced Water Technologies	07 4194 2887
Proserpine	Pursehouse Rural	07 4945 2733
Rockhampton	Milne Bros. Equipment	07 4927 1888
Roma	Roma Pumps and Solar	07 4622 4528
Sarina	Pursehouse Rural	07 4956 2139
Springsure	Springsure Tractors	07 4984 1258
Stanthorpe	Vedelago Mechanical Repairs	07 4685 2200
St George	St George Machinery Centre	07 4625 3633
Toowoomba	Toowoomba Spray Shop	07 4634 4000
Tully	GF Rural Supplies	07 4068 1002
Wamuran	Suncoast Rural	07 5496 6500

## NORTHERN TERRITORY

Humpty Doo	HD Pumps	08 8988 1254
Winnellie	HD Pumps	08 8947 1008

## WESTERN AUSTRALIA

Albany	AFGRI	08 9842 8529
Albany	C&C Machinery	08 9842 2103
Boyup Brook	AFGRI	08 9765 1305
Busselton	AFGRI	08 9757 6215
Carnamah	AFGRI	08 9951 1130
Corrigin	Agwest	08 9063 2508
Corrigin	Neu-Tech Auto Electrics	08 9063 2149
Cowaramup	Cowaramup Tractor Sales	08 9755 5207
Cunderdin	AFGRI	08 9635 1364
Dalwallinu	AFGRI	08 9661 1105
Donnybrook	Machinery West	08 9731 0700
Esperance	AFGRI	08 9071 6702
Esperance	Agwest	08 9071 3711
Esperance	Esperance Rural	08 9071 5166
Forrestdale	Growers Agrishop	08 9397 2800
Geraldton	Burando-Hill	08 9964 7822
Geraldton	AgWest Machinery	08 9965 5855
Geraldton	Geraldton Ag Services	08 9965 7900
Geraldton	AFGRI	08 9921 5044
Gnowangerup	AFGRI	08 9827 1207
Katanning	BTW Spray Shop	08 9821 4844
Kununurra	Ord River District Co-Operative	08 9168 2255
Lake Grace	AFGRI	08 9865 1100
Manjimup	Farmlink Rural	08 9777 2900
Manjimup	Southern Forest Machinery	08 9777 2100
Merredin	AFGRI	08 9041 4100
Moora	AFGRI	08 9651 1363
Muchea	CD Tractor Sales & Service	08 9571 4117
Mukinbudin	AFGRI	08 9047 1109
Narembene	AFGRI	08 9064 7214
Narrogin	AFGRI	08 9861 0000
Narrogin	Narrogin Pump, Solar and Spraying	08 9881 4775
Northam	AFGRI	08 9622 5855
Perth	AFGRI	08 9478 5099
Perth	Sprayline Spraying Equipment	08 9250 6100
Quairading	AFGRI	08 9645 0077
Wagin	Marleys Diesel & Ag	08 9861 2345
Wangara	Boya Equipment	08 9409 2008
Welshpool	Sprayline Spraying Equipment	08 9353 1177
Wongan Hills	AFGRI	08 9671 1311
Wyalkatchem	Petchell Mechanical	0438 300 117

## NATIONAL SALES & SUPPORT

### CROPLANDS AUSTRALIA

Freecall	1800 999 162
Technical Service	1300 650 724
Self propelled Technical Service	1800 764 2867
	sales@croplands.com.au
	www.facebook.com/Croplands
	www.twitter.com/Croplands

### NATIONAL SALES MANAGER

Jeremy Rennick	0409 065 994
----------------	--------------

### NORTH

<b>COASTAL QLD / NT</b>	
Rob Graham	0409 597 462

### CENTRAL / SOUTH QLD

Lachlan Coom	0428 621 661
--------------	--------------

### SOUTH QLD / NORTH NSW

David Oliver	0407 485 569
--------------	--------------

### CENTRAL NSW / TAS

Dave Farmer	0427 651 971
-------------	--------------

### SOUTH

<b>SOUTH NSW</b>	
	0427 975 072

### VIC

Steve Ross	0417 832 784
Brett Kay	0429 144 987

### SA/SOUTH VIC

Jeremy Deck	0430 006 672
-------------	--------------

### SA

Andrew Germein	0417 848 590
Hayden Paul	0409 899 491

### WEST

<b>WA</b>	
Scot Craig	0448 337 280
Gavin Merritt	0448 022 172
Mitchell Cox	0407 132 746